

INTRODUCING

### THE NEW AUTOLOADING WILDCAT" RIFLE IS READY TO MAKE RIMFIRE HISTORY.

The Winchester Repeating Arms® name has been an important part of rimfire rifle history for well over 100 years, and for 2019 we are pleased to mark another milestone with the introduction of the all-new Wildcat™ autoloader. Its design, styling and materials are as modern as tomorrow, and it's built with the same attention to detail for which we've always been famous. Rugged, reliable and accurate, the Wildcat is an outstanding rimfire that truly deserves a spot in your rifle rack.

The rest of our 2019 product line is an innovative mix of refined and improved models of our most popular guns, each having demonstrated outstanding accuracy and absolute reliability under the most demanding hunting and shooting conditions.

2019 marks the 125th anniversary of the introduction of the legendary Model 94® lever-action rifle. More than 7 million of these rifles and carbines have been produced, and it remains a timeless favorite of knowledgeable hunters who love its slick lever-action and slim, flat profile that carries easily in the deep woods and over rough country. Designed by John M. Browning to be the bigger brother to the Model 1892™, the Model 94®, along with the 30-30 Winchester® cartridge, quickly became the favorite of countless generations of deer hunters in North America. Untold millions of deer have ended up on the dinner table with this classic rifle/cartridge combination.

New this year are a pair of compact hunting models of the ultra-reliable, fast-cycling Super X®4 autoloader. Several models are now chambered in the ever versatile 20 gauge.

The Super X® Pump shotgun now comes in a super-compact Youth Field model so shooters of smaller stature can experience Winchester quality and performance.

Big game hunters and long-range riflemen alike will want to try the new Model 1886 chambered for the potent 45-90 Winchester® cartridge.

The affordable XPR® bolt-action rifle is now available in your choice of two very versatile camo patterns on the stock — TrueTimber® Strata™ or Kryptek® Highlander™.

Also new to the XPR line is the 350 Legend™ from Winchester Ammunition. This light-recoiling round throws a mid-caliber bullet from a smaller, straight-wall cartridge case, making it perfect for hunting wild hogs, whitetail deer and when using a sound suppressor.

The Winchester Model 70° – The Rifleman's Rifle – continues to set the standard of bolt-action rifle performance. Several models of this timeless classic are now chambered in the flat-shooting long range 6.5 Creedmoor cartridge.

Check out our entire 2019 product line in this catalog because this will be a year you'll long remember.

### CONTENTS

02-05
06-13
14-23
14-23
24-41
26-27
28-31
22.33
32-33
320
34-35
36-41
36-41
42-51
52-69 70-75
70-75
76-77
76-77
10,0
80-83



THE ULTRA-RELIABLE RIMFIRE AUTOLOADER THAT PURRS LIKE A KITTEN. Winchester Repeating Arms® has been building rimfires for more than a century. And for 2019, we've got an all-new rifle that's

taking the rimfire autoloader to a whole new level of value and performance. Meet the Wildcat™ Light, rugged, accurate and ultra-reliable, the Wildcat is going to be the rimfire rifle you reach for whenever you want to hunt small game, teach someone to shoot or spend the afternoon rolling some tin cans around the range. Get your hands on the new Wildcat and you'll never let go.





A PAIR OF ALLEN WRENCHES, one for adjusting the rear sight and the other for removing the stock are stored in the lower receiver assembly for easy access.





The FULLY-ADJUSTABLE GHOST RING REAR SIGHT and RAMPED POST FRONT SIGHT are easy to see under varying light conditions.



The SLIDE LOCK BUTTON on the front of the trigger guard allows you to manually lock the action open for added safety during storage or transporting.



You can release the bolt using the **BOLT RELEASE BUTTON** located on the left side of the upper assembly, or by pulling back on the cocking handle with a loaded magazine in place.



The Wildcat™ has a **PRECISION** BUTTON-RIFLED CHROMOLY STEEL BARREL with a recessed targetstyle crown for greater accuracy.

The LOWER RECEIVER ASSEMBLY of the Wildcat $^{\text{\tiny{TM}}}$  is easily removed from the upper assembly by pushing a single button located at the rear of the upper assembly with your finger. No tools are required. The MANUAL SAFETY BUTTON is easily reversible so it's perfect for both right- and left-handed shooters.



The MAGAZINE ejects right into your hand. The magazine release is fully ambidextrous by using the side-mounted rails or the release tab just forward of the magazine.




The ROTARY MAGAZINE has metal feed lips that offer longer life and more reliable feeding. The magazine activates the bolt stop system to lock the bolt open after the last shot for safety and convenience. One 10-round magazine is included. Additional magazines are also available from your Winchester Repeating Arms® retailer.



SPEED LOAD/UNLOAD lets you manually relieve spring pressure on the magazine follower. Each cartridge effortlessly slips in and out during loading and unloading.





The Wildcat™ uses a **STRIKER-FIRED DESIGN** (much like a centerfire bolt-action rifle) that provides faster lock time and a lighter trigger pull than traditional hammer-fired rimfire designs. The hemispheric firing pin tip focuses its striking energy more efficiently, creating a deeper rim indent that gives more reliable ignition with all types of 22 LR ammo.

The Wildcat™ features a HIGHLY-ERGONOMIC AMBIDEXTROUS MOLDED POLYMER STOCK with skeletonized buttstock, upright ribbed pistol grip and rugged textured matte finish.





**FRONT AND REAR SLING EYELETS** are molded right into the stock.



The UPPER ASSEMBLY has an INTEGRAL PICATINNY TOP RAIL so you can easily add your choice of optics or electronic sights.





A **PICATINNY RAIL SECTION** on the underside of the forearm tip lets you attach an optional bipod, sling mount, light or other accessory. The included rail cover protects your hand from the rail's edges and corners when accessories are not attached.








CLEANING THE BARREL IS A SNAP because you insert the cleaning rod through the rear access port to brush out the bore and chamber from the breech end, protecting the barrel crown.

## EAST-LESS. ELAWLESS.







Winchester® Wildcat® 22 LR ammo strikes fast and hits hard. Featuring a lead round nose bullet and clean burning powder, this value priced and accurate ammo is ideal for small game hunting, training, informal target practice and casual plinking.

## NEW WILDCAT<sup>TM</sup>

- RUGGED POLYMER CONSTRUCTION of the upper assembly, lower receiver assembly and ambidextrous skeletonized buttstock contribute to a featherlight overall weight of just 4 pounds
- 18" PRECISION BUTTON-RIFLED CHROMOLY STEEL BARREL with a recessed target-style crown for greater accuracy
- REAR ACCESS PORT in the upper assembly allows the barrel to be easily cleaned from the breech to protect the muzzle rifling
- LOWER RECEIVER ASSEMBLY is easily removed from the upper assembly by pushing a single button without the need of tools
- FULLY-ADJUSTABLE GHOST RING REAR SIGHT AND RAMPED POST FRONT SIGHT provide a precise sight picture under varying
- INTEGRAL PICATINNY TOP RAIL for mounting an optional scope or

- TWO MOLDED-IN SLING EYELETS PLUS A PICATINNY RAIL SECTION that's located under the forearm tip allow you to easily
- add optional accessories • 10-ROUND ROTARY MAGAZINE with polymer body and metal feed lips for years of reliable ammo feeding
- FULLY AMBIDEXTROUS MAGAZINE RELEASE using the side-mounted rails or the release tab just forward of the magazine make this rifle ideal for right- or left-handed shooters
- SPRING-ASSISTED MAGAZINE EJECTION drops the magazine right into the palm of your hand
- REVERSIBLE MANUAL SAFETY BUTTON easily adapts to right- or left-handed shooters

INTEGRAL PICATINNY TOP R     electronic dot sight		MAG BARREL OVERALL LENGT CAP LENGTH LENGTH OF PUI	H DROP AT DROP AT NOMINAL COMB HEEL WT. (LBS)	ATE OF SUGGESTED RETAIL
	WILUCAT NEW 521100102 22 LR	10 18" 36 1/4" 13 1/2	7/8" 7/8" 4	16" \$249.99
				O5





The design leadership of Winchester Repeating Arms® is again on display with the innovative, feature-packed XPR® Advanced materials join with the latest manufacturing technology to produce an extremely accurate, rugged and priced-right hunting rifle that gets the job done every time. Take your pick of traditional models in wood, black composite or in today's most popular camo patterns like Mossy Oak® Break-Up Country®, TrueTimber® Strata and Kryptek® Highlander. Also, check out the XPR models chambered in the new 350 Legend™ cartridge. It's a little round with a big bullet that's ideal for wild boar, deer and sound suppressors.

### HARDENED STEEL COMPONENTS

The trigger housing and all internal components in the XPR® rifle's M.O.A trigger are constructed of polished and hardened carbon steel, many with a blued finish for added durability and corrosion resistance. The sear and actuator are NICKEL TEFLON® coated for reduced friction

and added wear resistance. . . . . . . Overtravel Sear Adj. Screw Return **Pull Weight** Spring • Adj. Screw Take-Up Trigger Spring Housing Actuator Trigger Piece

Take-up is the distance the trigger piece travels prior to the sear moving toward release and the shooter feeling resistance. The XPR® M.D.A. Trigger System uses a spring to eliminate take-up by keeping the trigger piece in constant contact with the actuator. Unlike many competitors' designs, the unique geometry of the M.O.A. pre-loads the entire trigger system to bias out normal manufacturing tolerances.

Creep is the perceptible movement of the trigger prior to the release of the firing pin and has a negative influence on accuracy, causing inconsistency and uncertainty during the pull of the trigger. Creep contributes to jerking the trigger, thus adding to movement of the gun during firing. The 2:1 mechanical advantage created by this unique design geometry has virtually eliminated creep in the XPR® rifle's M.O.A. Trigger.


Overtravel is the rearward movement of the trigger after the firing pin has been released. It can actually jar the gun away from its intended point of aim and is very distracting to the shooter. The XPR® adjustable M.D.A. Trigger System is set at the factory for a crisp break at about 3 1/2 pounds with no perceptible overtravel. When the sear drops, the trigger stops. Where you aim is where you shoot.

The XPR® rifle's M.O.A. Trigger System works on the simple principle of the pivoting lever. Pictured above are the trigger piece (A), actuator (B), and sear (C).

The M.O.A.'s trigger piece offers a wide, smooth face to better distribute finger pressure for a lighter, more sensitive feel. Because of its geometry and 2:1 mechanical advantage, the trigger piece travels only half the distance of the actuator (2X). Since this distance is cut in half, the perception of creep and overtravel are virtually eliminated. This means that your "feel" for the trigger is greatly enhanced, and thus your effective accuracy, both in the field and off the bench, are improved.

"I HUNT IN TOUGH CONDITIONS SO I NEED A RIFLE THAT WILL HOLD UP IN BRUTAL WEATHER, RUGGED TERRAIN AND ALWAYS PERFORM. ACCURACY AND RELIABILITY ARE ABSOLUTELY NECESSARY, AND MY FIRST CHOICE IS THE WINCHESTER XPR:"

- Melissa Bachman • Winchester Deadly Passion





Every XPR® has a **TWO-POSITION SAFETY** that's convenient to operate with the thumb of your firing hand. The safety's design fully retracts the trigger away from the actuator. Located just in front of the safety button, the **BOLT RELEASE BUTTON** allows the action to cycle unfired cartridges while the safety is on. The **COCKING INDICATOR** on the bolt shroud gives you both a tactile and visual reference of the rifle's cocked/uncocked condition.



The robust XPR® BOLT is crafted from chromoly steel barstock and is through-hardened during heat treatment. The bolt design offers three front locking lugs and a short 60-degree lift for improved scope clearance when cycling. The full-diameter bolt body creates a more rigid component. It is then coated with NICKEL TEFLON® for smoother operation and added corrosion resistance. The one-piece bolt handle is sculpted to give a more positive grip. The bolt can be fieldstripped in just seconds without special tools for cleaning and lubrication.



The one-piece **TRIGGER GUARD** and **MAGAZINE FRAME** design offers a generous guard opening for use with gloves. The **DETACHABLE BOX MAGAZINE** is constructed of a light yet rugged polymer and securely latches at both the front and rear. A single stack design feeds cartridges in a straight line to the chamber; the magazine's capacity is three rounds in both magnum and standard calibers. Additional magazines can be easily carried in a pocket or pack.

Every XPR® features a durable

PERMA-COTE™ matte black finish
applied to the barrel, receiver and
bolt handle to protect from wear
and corrosion and to keep your rifle
looking sharp for years to come.



The **CHROMOLY STEEL BARREL** on the XPR® rifle is precisely button-rifled to create outstanding accuracy with a wide variety of bullet weights and types. Every barrel is thermally stress relieved to ensure straight and true accuracy, even during long strings of fire. During manufacture, the **BARREL NUT** is set to even the entire barrel/receiver assembly precisely aligned and allows for more keep the entire barrel/receiver assembly precisely aligned and allows for more accurate headspace control. This means there is nothing to shift out of position that would degrade accuracy. The entire barrel is **FREE-FLOATING** to eliminate any accuracy-robbing pressure points.



The XPR® RECEIVER is chromoly steel barstock that's precision machined and through-hardened during heat treating to create a strong, stiff and solid receiver capable of delivering pinpoint accuracy. The ejection port is generously sized for more reliable ejection and easier access when loading single cartridges by hand. Two socket-head action screws allow the receiver to be precisely by hand. Two stock for maximum accuracy. The receiver is drilled and tapped torqued in the stock for maximum accuracy. The receiver is drilled and tapped to to screws, creating a more secure mounting for today's larger, high-magnification scopes.





The XPR® rifle's **ADVANCED POLYMER STOCK** comes in a choice of subdued finishes with textured panels on the foreend and pistol grip to improve grip in cold, wet weather. The fore-end has rounded edges plus a slightly flattened bottom profile for comfortable shooting from any position. This flattened profile also optimizes stability when firing off sandbags or a rest.

A critical feature of any high-powered rifle is how the action and barrel are set in the stock. The receiver nestles onto **FLAT PROFILE INTERFACE PADS** and into a cross-mounted recoil lug to resist flex and twist when firing. The XPR will hold its zero under the most adverse conditions.



Every XPR® features a **RECESSED TARGET-STYLE CROWN** at the muzzle to protect the rifling from nicks and dings. Each bullet exits the barrel uniformly for the ultimate in downrange accuracy.

The INFLEX TECHNOLOGY
RECOIL PAD has speciallyshaped internal rib structures
that redirect the recoil impulse,
moving the comb down and
away from your face. The
ideally contoured contact area
on the XPR® rifle offers optimal
protection against felt recoil,
even when shooting today's
magnum loads.

Selected models of the XPR® are also available in a **COMPACT VERSION WITH A SHORTER 13" LENGTH OF PULL**, making it a perfect fit for younger shooters and those of smaller stature.









### **HUNTER COMPAC**

- M.O.A. TRIGGER SYSTEM with zero take-up, zero creep and zero overtravel gives you outstanding accuracy
- BOLT UNLOCK BUTTON allows the chamber to be unloaded with the thumb safety in the on safe position
- NICKEL TEFLON® on the bolt body offers smoother operation and
- **DETACHABLE BOX MAGAZINE** is a single stack design constructed from a rugged polymer for greater reliability
- ADVANCED POLYMER STOCK IN MOSSY DAK® BREAK-UP COUNTRY® CAMO with textured panels help improve wet weather grip, while the flattened fore-end profile improves stability from
- SHORTER 13" LENGTH OF PULL ON THE COMPACT MODEL makes it perfect for younger shooters and those of smaller stature
- PERMA-COTE™ MATTE FINISH ON THE BARREL, RECEIVER AND BOLT HANDLE minimizes glare to help prevent game-spooking reflections and protect these parts from corrosion. Full-size guns are matte black and compact models are dark gray

- INFLEX TECHNOLOGY RECOIL PAD directs energy down and away from your cheek to reduce felt recoil
- PLUSH PACHMAYR® DECELERATOR® RECOIL PAD comes standard on the XPR® Hunter Compact model
- STEEL RECOIL LUG is inletted into the stock to prevent the receiver from twisting under recoil for more reliable and predictable
- RECEIVER IS MACHINED FROM SOLID STEEL BAR STOCK and through-hardened during heat treating for longer life and
- TWO-POSITION THUMB SAFETY and a cocking indicator show the XPR® rifle's safety status at a glance or by feel
- BUTTON-RIFLED, FREE-FLOATED STEEL BARREL is thermally stress-relieved then precisely aligned and headspaced during
- RECESSED TARGET CROWN protects the muzzle rifling from wear and impact damage to help maintain greater accuracy





### THE ALL NEW WINCHESTER® 350 LEGEND™.

For over 150 years, Winchester Ammunition has led the way in innovation, developing some of the world's most popular calibers. That tradition continues with the 350 Legend, a straight-wall cartridge built with the hunter and sport shooter in mind. This light-recoiling, hard-hitting round is available throughout the XPR® line.

LEU		haru-	Illing room							
			MAG BARREL	. nveRALL	LENGTH	OROP AT	DROP AT HEEL	NOMINAL WT. (LBS)	RATE OF TWIST	SUGGESTED RETAIL
ITE	M NUMBER	CALIBER PACT (MOSSY O	AK BREAK-	LENGTH -UP COL 39 1/4"	NTRY)	1/2"	3/4"	6 1/2	10" 8"	\$599.99 599.99
53 53 53 NEW 53	35721212 35721289 35721218 35721220 35721220 35721296 35721264	243 Win 6.5 Creedmoor 7mm-08 Rem 308 Win 350 Legend 270 WSM 300 WSM	3 20" 3 20" 3 20" 3 20" 3 20" 3 22" 3 22"	39 1/4" 39 1/4" 39 1/4" 39 1/4" 39 1/4" 41 1/4" 41 1/4"	13" 13" 13" 13" 13" 13"	1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2"	3/4" 3/4" 3/4" 3/4" 3/4" 3/4"	6 1/2 6 1/2 6 1/2 6 1/2 6 3/4 6 3/4 6 3/4	9 1/2" 12" 16" 10" 10"	599.99 599.99 599.99 599.99 599.99
XPR HUN 53 53 53 53 53	95721277 TER (MOS 35704212 5704289 35704218 5704220 5704296	6.5 Creedmoor 7mm-08 Rem 308 Win 350 Legend		42" 42" 42" 42" 42" 44"	13 3/4" 13 3/4" 13 3/4" 13 3/4" 13 3/4" 13 3/4"	1/2" 1/2" 1/2" 1/2" 1/2" 1/2"	3/4" 3/4" 3/4" 3/4" 3/4" 3/4"	6 3/4 6 3/4 6 3/4 6 3/4 7 7	10" 8" 9 1/2" 12" 16" 10"	\$599.99 599.99 599.99 599.99 599.99 599.99
53 53 53 53 53 53 53	5704264 5704255 5704277 5704226 5704228 5704230 5704233	270 WSM 300 WSM 325 WSM 270 Win 30-06 Sprg 7mm Rem Mag 300 Win Mag 338 Win Mag	3 24" 3 24" 3 24" 3 24" 3 26" 3 26" 3 26"	44". 44 1/2". 44 1/2". 46 1/2". 46 1/2". 46 1/2".	13 3/4" 13 3/4" 13 3/4" 13 3/4" 13 3/4" 13 3/4"	1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2"	3/4" 3/4" 3/4" 3/4" 3/4" 3/4"	7 7 7 7 1/4 7 1/4 7 1/4	10" 10" 10" 9 1/2" 10" 10"	599.99 599.99 599.99 599.99 599.99
53	5704236			THE WAY						ПЯ

- STRAIGHT-WALL CASE **PROFILE** with a 35 caliber bullet
- MORE ENERGY than the 223 Remington®
- LESS RECOIL than either the 243 Winchester® or 6.5 Creedmoor
- TRAJECTORY similar to the 30-30 Winchester







### HUNTER STRATA



- M.D.A. TRIGGER SYSTEM with zero take-up, zero creep and zero overtravel gives you outstanding accuracy
- BOLT UNLOCK BUTTON allows the chamber to be unloaded with the thumb safety in the on safe position
- NICKEL TEFLON® on the bolt body offers smoother operation and
- DETACHABLE BOX MAGAZINE is a single stack design constructed from a rugged polymer for greater reliability
- ADVANCED POLYMER STOCK IN YOUR CHOICE OF TRUETIMBER® STRATAM OR KRYPTEK® HIGHLANDER™ CAMO with textured panels help improve wet weather grip, while the flattened fore-end profile improves stability from sandbags or a benchrest
- PERMA-COTE™ FINISH ON THE BARREL, RECEIVER AND BOLT HANDLE minimizes glare to help prevent game-spooking reflections and protects these parts from corrosion

- INFLEX TECHNOLOGY RECOIL PAD directs energy down and away
- from your cheek to reduce felt recoil • STEEL RECOIL LUG is inletted into the stock to prevent the receiver from twisting under recoil for more reliable and predictable
- RECEIVER IS MACHINED FROM SOLID STEEL BAR STOCK and through-hardened during heat treating for longer life and
- TWO-POSITION THUMB SAFETY and a cocking indicator show the XPR® rifle's safety status at a glance or by feel
- BUTTON-RIFLED, FREE-FLOATED STEEL BARREL is thermally stress-relieved then precisely aligned and headspaced during
- RECESSED TARGET CROWN protects the muzzle rifling from wear and impact damage to help maintain greater accuracy

							:an AT	NUMINAL	RATE OF	SUGGESTED RETAIL
		MAG	BARREL	OVERALL LENGTH	LENGTH DE PULL	DROP AT	HEEL	WT. [LBS]	TWIST	
ITEM NUMBER	CALIBER	CAP	LENGTH	LENGTH	Name of the last			6 3/4	10"	\$599.99
ITEM NUMBER	TA		"	111/4"	13 3/4"	1/2"	3/4"	6 3/4	8"	599.99
XPR HUNTER STRA	243 Win	3	22"	41 1/4"	13 3/4"	1/2"	3/4"	63/4	9 1/2"	599.99
741000	6.5 Creedmoor	3	22"	41 1/4"	13 3/4"	1/2"	3/4"	63/4	12"	599.99
NEW 535741289	7mm-08 Rem	3	22"	41 1/4"	13 3/4"	1/2"	3/4"	6 3/4	16"	599.99
NEW 535741218	308 Win	3	22"	41 1/4"	13 3/4"	1/2"	3/4"	7	10"	599.99
NEW 535741220	350 Legend	3	22"	43 1/4"	13 3/4"	1/2"	3/4"	<u>/</u>	10"	599.99
NEW 535741296	270 WSM	3	24"	43 1/4"	13 3/4"	1/2"	3/4"	7	10"	599.99
NEW 535741264	300 WSM	3	24"	43 1/4"	13 3/4"	1/2"	3/4"	7	10"	599.99
NEW 535741255	325 WSM	3	24"	44 1/2"	13 3/4"	1/2"	3/4"	7	10"	599.99
NEW 535/412//	270 Win	3	24"	44 1/2"	13 3/4"	1/2"	3/4"	7 1/4	9 1/2"	599.99
NEW 535741226	30-06 Sprg	3	24"	46 1/2"	13 3/4"	1/2"	3/4"		10"	599.99
NEW 535741228	7mm Rem Mag	3	26"	46 1/2"	13 3/4"	1/2"	3/4"	7 1/4	10"	599.99
NEW 535741230	300 Win Mag	3	26"	46 1/2"	13 3/4"	1/2"	3/4"	7 1/4		
NEW 535/41233	338 Win Mag	3	26"	46 1/2				: 0.0/4	10"	\$599.99
	LANDER			: 41.1//"	13 3/4"	1/2"	3/4"	6 3/4	8"	599.99
YPR HUNTER HIGH	243 Win	3	22"		13 3/4"	1/2"	3/4"	63/4	9 1/2"	599.99
NEW: 535/26212	6.5 Creedmoor	3	22"	41 1/4"	13 3/4"	1/2"	3/4"	63/4	12"	599.99
35/26289	7mm-08 Rem	3	22"	41 1/4"	13 3/4"	1/2"	3/4"	6 3/4	16"	599.99
BNEW 535726218	308 Win	3	22"	41 1/4"	13 3/4"	1/2"	3/4"	6 3/4	10"	599.99
53572622U	350 Legend	3	22"	41 1/4"	13 3/4"	1/2"	3/4"	7	10"	599.99
E NEW 535726290	270 WSM	3	24"	43 1/4"	13 3/4"	1/2"	3/4"	7	10"	599.99
NEW 535726264	300 WSM	3	24"	43 1/4"	13 3/4"	1/2"	3/4"	7	10"	599.99
§ NEW 535726255	325 WSM	3	24"	43 1/4"	13 3/4"	1/2"	3/4"	7	10"	599.99
5357262//	270 Win	3	24"	44 1/2"	13 3/4"	1/2"	3/4"	7	9 1/2"	599.99
E NEW 53572622b	30-06 Sprg	3	24"	44 1/2"	13 3/4"	1/2"	3/4"	7 1/4	10"	599.99
PNEW 535726228	7mm Rem Mag	3	26"	46 1/2"	13 3/4"	1/2"	3/4"	7 1/4	10"	599.99
9 NEW 53572623U	300 Win Mag	3	26"	46 1/2"	13 3/4"	1/2"	3/4"	7 1/4	IU	
S 535726233	338 Win Mag	3	26"	46 1/2"	יייי בו					
NEW 535726236	מייי וווען מבב			STATE OF THE PARTY	414414	ANTINITIES		4421471141114	A	

# THE AFFORDABLE HUNTING RIFLE THAT DELIVERS OUTSTANDING REAL-WORLD ACCURACY ON EVERY SHOT.

						LENGTH	DROP AT	DROP AT	WT. (LBS)	TWIST	RETAIL
		CALIBER	MAG	BARREL	LENGTH	OF PULL	COMB				SUGGESTEI RETAIL \$599.9
	ITEM NUMBER	CALIBLE	·	ENERGY.	1,312,111,124,124	- (41)	1/2"	3/4"	00/		599.9
	PORTER		: 0	22"	42"	13 3/4"		3/4"	6 3/4	8"	
XPR 5	535709212	243 Win	3	22"	42"	13 3/4"	1/2"	3/4"	6 3/4	9 1/2"	599.9
	535/05214	6.5 Creedmoor	3		42"	13 3/4"	1/2"		6 3/4	12"	599.9
	535709289	7mm-08 Rem	3	22"	42"	13 3/4"	1/2"	3/4"		16"	599.9
	535709218	308 Win	3	22"		13 3/4"	1/2"	3/4"	6 3/4	10"	599.9
	535709220		3	22"	42"		1/2"	3/4"	7		599.9
	535709296	350 Legend	3	24"	44"	13 3/4"	1/2"	3/4"	7	10"	599.9
NEW	535709264	270 WSM		24"	44"	13 3/4"		3/4"	7	10"	
	535709255	300 WSM	3		44"	13 3/4"	1/2"		7	10"	599.9
	535/05255	325 WSM	3	24"	44 1/2"	13 3/4"	1/2"	3/4"	7	10"	599.9
	535709277	270 Win	3	24"		13 3/4"	1/2"	3/4"		9 1/2"	599.9
	535709226		3	24"	44 1/2"	13 3/4"	1/2"	3/4"	7 1/4		599.9
	535709228	30-06 Sprg	3	26"	46 1/2"	13 3/4	1/2"	3/4"	7 1/4	10"	599.9
	535709230	7mm Rem Mag	3	26"	46 1/2"	13 3/4"		3/4"	7 1/4	10"	000.0
	535709233	300 Win Mag		26"	46 1/2"	13 3/4"	1/2"	. 0/ 1			
	535705256	338 Win Mag	3	: 20			Harrie	- / 4 !!	6 3/4	10"	\$549.9
	535709236			NEEDER!	42"	13 3/4"	1/2"	3/4"		8"	549.9
XPR		243 Win	3	22"		13 3/4"	1/2"	3/4"	6 3/4	9 1/2"	549.9
	535700212		3	22"	42"		1/2"	3/4"	6 3/4		549.9
	535700289	6.5 Creedmoor	3	22"	42"	13 3/4"	1/2"	3/4"	6 3/4	12"	549.9
	535700218	7mm-08 Rem		22"	42"	13 3/4"		3/4"	6 3/4	16"	
	535700220	308 Win	3	22"	42"	13 3/4"	1/2"	3/4"	7	10"	549.9
	535/00226	350 Legend	3		44"	13 3/4"	1/2"		7	10"	549.9
NEW	535700296	270 WSM	3	24"	44"	13 3/4"	1/2"	3/4"	7	10"	549.9
	535700264	300 WSM	3	24"		13 3/4"	1/2"	3/4"	7		549.9
	535700255	300 мэм	3	24"	44"	13 3/4	1/2"	3/4"	7	10"	549.9
	535700277	325 WSM	3	24"	44 1/2"	13 3/4"		3/4"	7	10"	549.9
	535700226	270 Win		24"	44 1/2"	13 3/4"	1/2"	3/4"	7 1/4	9 1/2"	
	555700228	30-06 Sprg	3		46 1/2"	13 3/4"	1/2"		7 1/4	10"	549.9
	535700228	7mm Rem Mag	3	26"	46 1/2"	13 3/4"	1/2"	3/4"	7 1/4	10"	549.9
	535700230	300 Win Mag	: 3	26"	46 1/2"		1/2"	3/4"	/ 1/4		
	535700233	338 Win Mag	3	26"	46 1/2	10 0/			<b>Allegate</b>	10"	\$549.9
	535700236	338 MILMaa		in the same		40"	1/2"	3/4"	6 1/2		549.9
VDD C	DMPACT		: 3	20"	39 1/4"	13"		3/4"	6 1/2	8"	549.9
XPR U	535720212	243 Win		20"	39 1/4"	13"	1/2"	3/4"	61/2	9 1/2"	
	50570000	6.5 Creedmoor	3		39 1/4"	13"	1/2"		6 1/2	12"	549.9
	535720289	7mm-08 Rem	3	20"	39 1/4"	13"	1/2"	3/4"		16"	549.9
	535720218	308 Win	3	20"		13"	1/2"	3/4"	6 1/2	10"	549.9
	535720220	DEG Logand	3	20"	39 1/4"		1/2"	3/4"	6 3/4		549.9
NEW/	535720296	350 Legend	3	22"	41 1/4"	13"	1/2"	3/4"	6 3/4	10"	549.9
NEW	535720264	270 WSM		22"	41 1/4"	13"		3/4"	6 3/4	10"	
	535720255	300 WSM	3	22"	41 1/4"	13"	1/2"				
	535720277	325 WSM	3	CC	4						





### SPORTER

- M.O.A. TRIGGER SYSTEM with zero take-up, zero creep and zero overtravel gives you outstanding accuracy
- BOLT UNLOCK BUTTON allows the chamber to be unloaded with the thumb safety in the on safe position
- NICKEL TEFLON® on the bolt body offers smoother operation and
- DETACHABLE BOX MAGAZINE is a single stack design constructed from a rugged polymer for greater reliability
- CLOSE-GRAINED GRADE I WALNUT STOCK with crisp checkering on the pistol grip and fore-end. The flattened fore-end profile improves stability from sandbags or a benchrest
- PERMA-COTE™ MATTE BLACK METAL SURFACES minimize glare to help prevent game-spooking reflections and protect from corrosion

- INFLEX TECHNOLOGY RECOIL PAD directs energy down and away
- STEEL RECOIL LUG is inletted into the stock to prevent the receiver from your cheek to reduce felt recoil from twisting under recoil for more reliable and predictable
- RECEIVER IS MACHINED FROM SOLID STEEL BAR STOCK and through-hardened during heat treating for longer life and
- TWO-POSITION THUMB SAFETY and a cocking indicator show the XPR® rifle's safety status at a glance or by feel
- BUTTON-RIFLED, FREE-FLOATED STEEL BARREL is thermally stress-relieved then precisely aligned and headspaced during
- RECESSED TARGET CROWN protects the muzzle rifling from wear and impact damage to help maintain greater accuracy



- M.O.A. TRIGGER SYSTEM with zero take-up, zero creep and zero overtravel gives you outstanding accuracy
- BOLT UNLOCK BUTTON allows the chamber to be unloaded with the thumb safety in the on safe position
- NICKEL TEFLON® on the bolt body offers smoother operation and
- DETACHABLE BOX MAGAZINE is a single stack design constructed
- from a rugged polymer for greater reliability ADVANCED POLYMER STOCK with textured panels help improve wet weather grip. The flattened fore-end profile improves stability from
- SHORTER 13" LENGTH OF PULL ON COMPACT makes it perfect for younger shooters and those of smaller stature
- PERMA-COTE™ MATTE FINISH ON THE BARREL, RECEIVER AND BOLT HANDLE minimizes glare to help prevent game-spooking reflections and protects these parts from corrosion. Full-size guns are matte black and compact models are dark gray

- INFLEX TECHNOLOGY RECOIL PAD directs energy down and away from your cheek to reduce felt recoil. The XPR® Compact is fitted with a plush Pachmayr® Decelerator® recoil pad
- STEEL RECOIL LUG is inletted into the stock to prevent the receiver from twisting under recoil for more reliable and predictable
- RECEIVER IS MACHINED FROM SOLID STEEL BAR STOCK and through-hardened during heat treating for longer life and
- TWO-POSITION THUMB SAFETY and a cocking indicator show the XPR® rifle's safety status at a glance or by feel
- BUTTON-RIFLED, FREE-FLOATED STEEL BARREL is thermally stress-relieved then precisely aligned and headspaced during
- RECESSED TARGET CROWN protects the muzzle rifling from wear and impact damage to help maintain greater accuracy


FORGED IN THE FIRES OF GUNMAKING HISTORY, THE RIFLEMAN'S RIFLE IS THE LEGENDARY BENCHMARK AGAINST WHICH ALL OTHERS ARE MEASURED.

Words like iconic, passion, loyalty, reverence and dedication are not often used when describing rifles. But no other bolt-action in history has secured a following among avid riflemen like the Model 70. Since its introduction in 1936 none have ever been considered the equal of this legendary long gun.



### STAINLESS STEEL COMPONENTS

The trigger housing and all internal components of the M.O.A. Trigger System are constructed of durable, corrosion-resistant stainless steel.



Take-up is the distance the trigger piece travels prior to the sear moving toward release and the shooter feeling resistance. The M.O.A. Trigger System uses a spring to eliminate take-up by keeping the trigger piece in constant contact with the actuator. Unlike competitors' designs, the unique geometry of the M.O.A. pre-loads the entire trigger system to bias out normal manufacturing tolerances.

Creep is the perceptible movement of the trigger prior to the release of the firing pin and has a negative influence on accuracy, causing inconsistency and uncertainty during the pull of the trigger. Creep contributes to jerking the trigger, thus adding to movement of the gun during firing. The 2:1 mechanical advantage created by the M.O.A. Trigger's unique design geometry has virtually eliminated creep in the Model 70® M.O.A. Trigger.

Overtravel is the rearward movement of the trigger after the firing pin has been released. It can actually jar the gun away from its intended point of aim and is very distracting to the shooter. The Model 70° M.O.A. Trigger System is set at the factory to have no perceptible overtravel. When the sear drops, the trigger stops. Where you aim is where you shoot.

The Model 70° rifle's M.O.A. Trigger System works on the simple principle of the pivoting lever. Pictured above are the trigger piece (A), actuator (B), and sear [C]. The housing and all internal parts, pins and springs are precision crafted from stainless steel. In addition, the sear and actuator are coated with Slick Shot® electroless nickel Teflon® for corrosion resistance and smoother operation.

The M.O.A.'s trigger piece offers a wide, smooth face to better distribute finger pressure for a lighter, more sensitive feel. Because of its geometry and 2:1 mechanical advantage, the trigger piece travels only half the distance of the actuator (2X). Since this distance is cut in half, the perception of creep and overtravel are virtually eliminated.





Every Model 70® has a **THREE-POSITION SAFETY** that is convenient to operate with the thumb of your firing hand. The design retracts the firing pin away from the sear. When the safety selector is in the middle position, the action can still be operated, allowing unfired cartridges to be cycled with the safety on. It's smooth to engage and easily identifies, by sight and feel, the safety status of the rifle.



A BLADE-TYPE EJECTOR gives you full control when ejecting a fired case. Pull the bolt back slowly and the empty case pops out gently — perfect for target shooters and varminters. Pull the bolt back sharply and the empty case clears the port with greater force.



If there were a single feature responsible for the Model 70° rifle being labeled the "Bolt-Action Rifle of the Century," it would be the classic Pre-'64 style CONTROLLED ROUND FEED AND CLAW EXTRACTOR (CRF) bolt design. The massive claw extractor secures the cartridge's base, exerting full control from the very moment it leaves the magazine and enters the chamber, gripping it tightly until it's fully ejected. This time-proven design allows an unfired cartridge to be extracted even if it is not yet fully chambered.

**THE STEEL RECEIVER IS FORGED** for superior material properties. Each forging is precision machined to create a strong, stiff and solid receiver that resists flexing and delivers top accuracy over a lifetime of shooting. The bottom profile of the Model 70<sup>®</sup> receiver is flat to offer more surface area for bedding. It's then bedded at the front and rear to eliminate shifts in zero and preserve pinpoint accuracy. The flat bottom contour also resists twisting inside the stock during firing, making it superior to the competitions' round bottom receivers.



THE INTEGRAL RECOIL LUG on the Model 70<sup>®</sup> is actually forged and machined as part of the receiver. It's a hefty block of solid steel, not a mere washer or tab that's just sandwiched between the barrel and the action during assembly. This allows the barrel to be trued in perfect alignment to the front ring of the receiver for greater accuracy. There is nothing to move, settle or shift the barrel out of alignment, ever. It's what makes a Model 70 rifle shoot straight and true, year after year.

The trigger guard and magazine frame of each Model 70° rifle feature a solid, **ONE-PIECE BOTTOM METAL** supporting the action through the magazine well. This added rigidity contributes to accuracy and integrity better than two-piece systems. The hinged magazine floorplate speeds unloading of the cartridges to avoid having to cycle them through the action. The action and trigger guard are held in place by stout hex head screws.





You can expect 1 MDA
ACCURACY for threeshot groups from your
Model 70° rifle using
high-quality ammo
and optics under
suitable weather and
range conditions.



Critical to rifle accuracy is how the barrel is made and set in the stock. Model 70® barrels have a reputation for delivering top accuracy, even during the heat of long strings of fire. Every precision rifled Model 70 barrel is **FREE-FLOATING** in the stock so that no part of the fore-end touches the barrel, because pressure from contacting the stock adversely influences accuracy.



Every Model 70® features a **RECESSED TARGET CROWN** at the muzzle to protect the rifling from nicks and dings. Each bullet exits the barrel uniformly, with ultimate precision.



The **RECOIL PAD** on Model 70° rifles is a premium Pachmayr® Decelerator® recoil pad. This industry leading pad offers optimal protection against felt recoil.

# T'S EVERYTHING THE PERFECT HUNTING RIFLE SHOULD BE.

WEKNOW





MAG BARREL OVERALL LENGTH DROP AT DROP AT NOMINAL RATE OF SUGGESTED RETAIL \$1,439.99 CALIBER ITEM NUMBER 8" 7 3/4 1/2" 1,479.99 1/2" **MODEL 70 SUPER GRADE** 42 1/4" 13 3/4" 10" 8 22" 1/2" 1/2' 1,479.99 6.5 Creedmoor 44 1/4" : 13 3/4" **NEW** 535203289 10" 8 24" 1/2" 1,439.99 3 44 1/4" 13 3/4" 1/2" 270 WSM 10" 535203264 8 1/4 24" 1/2" 3 1,439.99 1/2" 300 WSM 44 3/4" 13 3/4" 10" 535203255 8 1/4 24" 1/2" 5 1,479.99 1/2' 270 Win 44 3/4" 13 3/4" 9 1/2" 535203226 8 1/2 24" 1/2" 1,479.99 5 1/2' 46 3/4" 13 3/4" 30-06 Sprg 10" 8 1/2 535203228 26" 3 1/2" 1,479.99 46 3/4" 13 3/4" 1/2" 7mm Rem Mag 10" 81/2 535203230 26" 1/2" 3 1/2" 46 3/4" 13 3/4" 300 Win Mag 535203233 26" 3 \$1,049.99 338 Win Mag 10" 535203236 71/4 1/2" 1/2' 44 1/4" 13 3/4" 1.049.99 MODEL 70 SPORTER 10" 7 1/4 24" 1/2" 3 1/2' 1.049.99 44 1/4" 13 3/4" 270 WSM 10" 535202264 71/4 24" 1/2" 3 44 1/4" 13 3/4" 1/2' 1.009.99 300 WSM 10" 71/4 535202255 24" 1/2" 3 44 3/4" 13 3/4" 1/2' 1.009.99 325 WSM 10" 71/4 535202277 24" 1/2" 5 1/2" 1,009.99 25-06 Rem 44 3/4" 13 3/4" 10" 71/4 535202225 24" 1/2" 5 1,049.99 44 3/4" 13 3/4" 1/2' 270 Win 9" 73/4 535202226 1/2" 24" 46 3/4" 13 3/4" 1,049.99 5 1/2' 30-06 Sprg 9 1/2 73/4 535202228 1/2" 26" 1,049.99 3 46 3/4" 13 3/4" 1/2' 264 Win Mag 10" 73/4 535202229 26" 1/2" 3 46 3/4" 13 3/4" 1/2" 1,049.99 7mm Rem Mag 10" 73/4 535202230 1/2" 26" 46 3/4" 13 3/4" 1/2" 3 300 Win Mag 535202233 3 338 Win Mag 535202236



- GRADE IV/V FULL FANCY WALNUT STOCK WITH SHADOWLINE CHEEKPIECE places your eye in perfect alignment with the scope
- HIGHLY POLISHED METAL SURFACES add style and elegance
- ONE-PIECE STEEL BOTTOM METAL WITH STEEL FLOORPLATE
- ENGRAVED STEEL CROSSBOLT adds strength, rigidity and a touch adds rigidity for better accuracy
- INLETTED SLING SWIVEL STUDS allow you to attach your
- FORGED STEEL RECEIVER WITH INTEGRAL RECOIL LUG is bedded front and rear to eliminate shifts in zero for exceptional
- PRE-'64 STYLE CONTROLLED ROUND FEED WITH CLAW EXTRACTOR fully controls the cartridge from magazine, to chamber, to ejection

M.O.A.



- THREE-POSITION SAFETY allows you to unload the chamber while on safe and shows safety status at a glance
- FREE-FLOATING BARREL for years of pinpoint accuracy
- RECESSED TARGET CROWN enhances accuracy and protects
- M.D.A. TRIGGER SYSTEM with zero take-up, zero creep and zero overtravel gives you outstanding accuracy
- BLADE-TYPE EJECTOR for full control of ejection force
- PACHMAYR® DECELERATOR® RECOIL PAD for optimal protection against felt recoil



- SATIN FINISH GRADE I WALNUT STOCK WITH CUT CHECKERING AND DELUXE CHEEKPIECE places your eye in perfect alignment
- POLISHED METAL SURFACES add style and elegance
- STEEL SLING SWIVEL STUDS allow you to attach your
- ONE-PIECE ALLOY BOTTOM METAL adds rigidity for
- FORGED STEEL RECEIVER WITH INTEGRAL RECOIL LUG is bedded front and rear to eliminate shifts in zero for exceptional
- PRE-'64 STYLE CONTROLLED ROUND FEED WITH CLAW EXTRACTOR fully controls the cartridge from magazine, to chamber, to ejection

- THREE-POSITION SAFETY allows you to unload the chamber while on safe and shows safety status at a glance
- FREE-FLOATING BARREL for years of pinpoint accuracy
- RECESSED TARGET CROWN enhances accuracy and protects
- M.D.A. TRIGGER SYSTEM with zero take-up, zero creep and zero overtravel gives you outstanding accuracy
- BLADE-TYPE EJECTOR for full control of ejection force
- PACHMAYR® DECELERATOR® RECOIL PAD for optimal protection against felt recoil

THE RELIABLE RIFLES YOU CAN TRUST WITH YOUR LIFE FOR THAT ONCE-IN-A-LIFETIME HUNT FOR THE WORLD'S MOST DANGEROUS BIG GAME.



				. FROOD AT OROP AT	SIGHT NOMINA	RATE OF SUGGESTED RETAIL  12" \$1,559.99
		BARREL	OVERALL LENGTH	COMB HEEL	RADIOO	
	CALIBER	CAP LENGTH	LENGIH DITTO			12" \$1,559.99
ITEM NUMBER	UNE TYPINE	25		": 1/2" : 1/2"	18"	1559.99
MODEL 70 S	AFARI EXPRE	: 0 : 2/1"	44 3/4" 13 3/4	(0" 1/2"	18" 9	12" \$1,559.99 14" 1,559.99 14" 1,559.99
-500 4161	375 H&H Mag	5	11 3/4" 13 3/4	" : 1/2" : !/	10" 9	14"
535204101	416 Dem Mag	3 24	14 0/4" 13 3/4	": 1/2" : 1/2"	i	
535204139	410 Non	3 24"	: 44 3/4 10 0/ .:			
E252N4144	458 WITI May.					
00000						



**DUAL RECOIL LUGS ON THE** SAFARI EXPRESS



DELUXE CHEEKPIECE ON THE SAFARI EXPRESS



DUAL CROSS BOLTS ON THE SAFARI EXPRESS



- SATIN FINISH GRADE I WALNUT STOCK WITH CUT CHECKERING AND DELUXE CHEEKPIECE places your eye in perfect alignment
- ONE-PIECE STEEL BOTTOM METAL WITH STEEL FLOORPLATE adds rigidity for better accuracy
- MATTE FINISHED METAL SURFACES reduce glare DUAL STEEL CROSSBOLTS add strength, rigidity and a touch
- FORGED STEEL RECEIVER WITH DUAL RECOIL LUGS is bedded front and rear to eliminate shifts in zero for exceptional
- PRE-'64 STYLE CONTROLLED ROUND FEED WITH CLAW EXTRACTOR fully controls the cartridge from magazine, to chamber, to ejection

- THREE-POSITION SAFETY allows you to unload the chamber while on safe and shows safety status at a glance
- FREE-FLOATING BARREL for years of pinpoint accuracy
- FULLY ADJUSTABLE REAR SIGHT AND HOODED BRASS BEAD FRONT get you on target quickly
- BARREL-MOUNTED FRONT SLING SWIVEL adds a classic touch
- RECESSED TARGET CROWN enhances accuracy and protects
- M.O.A. TRIGGER SYSTEM with zero take-up, zero creep and zero overtravel gives you outstanding accuracy
- BLADE-TYPE EJECTOR for full control of ejection force
- PACHMAYR® DECELERATOR® RECOIL PAD for optimal protection against felt recoil





ADJUSTABLE FOLDING REAR SIGHT ON BARREL BOSS

- SATIN FINISH MONTE CARLO WALNUT STOCK WITH CUT CHECKERING places your eye in perfect alignment with open sights or
- ONE-PIECE ALLOY BOTTOM METAL adds rigidity for better accuracy
- POLISHED METAL SURFACES add style
- FORGED STEEL RECEIVER WITH INTEGRAL RECOIL LUG is bedded front and rear to eliminate shifts in zero for exceptional
- long-range accuracy PRE-'64 STYLE CONTROLLED ROUND FEED WITH CLAW EXTRACTOR fully controls the cartridge from magazine, to chamber, to ejection

### ALASK

- THREE-POSITION SAFETY allows you to unload the chamber while on safe and shows safety status at a glance
- FREE-FLOATING BARREL for years of pinpoint accuracy
- RECESSED TARGET CROWN enhances accuracy and protects the rifling
- FOLDING ADJUSTABLE REAR SIGHT AND HOODED BRASS BEAD FRONT get you on target quickly
- M.D.A. TRIGGER SYSTEM with zero take-up, zero creep and zero overtravel gives you outstanding accuracy
- BLADE-TYPE EJECTOR for full control of
- PACHMAYR® DECELERATOR® RECOIL PAD for optimal protection against felt recoil

	MAG BARREL DVERALL LI CAP LENGTH DI	ENGTH DROP AT DROP AT S	SIGHT NOMINAL RATE OF ADIUS WT. (LBS) TWIST	SUGGESTED
ITEM NUMBER CALIBER				1,399.99
MODEL 70 ALASKAN	5 25" 45 3/4" 13	3 3/4" 5/8" 5/8"* 18 3 3/4" 5/8" 5/8"* 18	3 1/2" 8 1/2 10"	1,399.99
535205128 30-00 opi 9				1,439.99
DSD Nin Man	3 25" 45 3/4" 15	3 3/4"   5/8"   5/6   15 3 3/4"   5/8"   5/8"* 16	3 1/2": 8 1/2 :	
535205136 338 WIII Mag 535205138 375 H&H Mag	3 25" 45 3/4			®

<sup>535205138 ....</sup> \*DROP AT MONTE CARLO IS 2'

## . NO OTHER MODEL 708 EMBODIES THE ESSENTIAL SPIRIT OF THE HUNT LIKE THE CLASSIC FEATHERWEIGHT. FEATHERWEIGHT COMPACT

- SATIN FINISH WALNUT STOCK WITH CLASSIC FEATHERWEIGHT CUT CHECKERING AND SCHNABEL FORE-END create the iconic
- SHORTER 13" LENGTH OF PULL makes it perfect for younger shooters or those of smaller stature
- POLISHED METAL SURFACES add style and elegance
- ONE-PIECE ALLOY BOTTOM METAL adds rigidity for
- FORGED STEEL SHORT ACTION RECEIVER WITH INTEGRAL RECOIL LUG is bedded front and rear to eliminate shifts in zero for exceptional long-range accuracy
- PRE-'64 STYLE CONTROLLED ROUND FEED WITH CLAW EXTRACTOR fully controls the cartridge from magazine,
- THREE-POSITION SAFETY allows you to unload the chamber while on safe and shows safety status at a glance
- 20" FREE-FLOATING FEATHERWEIGHT PROFILE BARREL for years
- RECESSED TARGET CROWN enhances accuracy and protects
- M.D.A. TRIGGER SYSTEM with zero take-up, zero creep and zero overtravel gives you outstanding accuracy
- BLADE-TYPE EJECTOR for full control of ejection force
- PACHMAYR® DECELERATOR® RECOIL PAD for optimal protection against felt recoil



"I'M ABSOLUTELY IN LOVE WITH MY WINCHESTER" MODEL 70% ITS LIGHTWEIGHT DESIGN AND INCREDIBLE ACCURACY MAKE IT THE ULTIMATE RIFLE FOR ANY SERIOUS WHITETAILER. I OWN TWO MODEL 70S CHAMBERED IN 243 WINCHESTER, AND OFTEN I CAN'T DECIDE WHICH ONE TO PICK UP WHEN I GO AFIELD. TIME AND AGAIN I FIND MYSELF GRABBING THE WALNUT STOCK VERSION, AND IT HAS NEVER LET ME DOWN!"

— Terry Drury • *Drury Outdoors* 



### **FEATHERWEIGHT**

- SATIN FINISH WALNUT STOCK WITH CLASSIC FEATHERWEIGHT CUT CHECKERING AND SCHNABEL FORE-END create the iconic
- POLISHED METAL SURFACES add style and elegance
- ONE-PIECE ALLOY BOTTOM METAL adds rigidity for
- FORGED STEEL RECEIVER WITH INTEGRAL RECOIL LUG is bedded front and rear to eliminate shifts in zero for exceptional
- PRE-'64 STYLE CONTROLLED ROUND FEED WITH CLAW EXTRACTOR fully controls the cartridge from magazine,

- THREE-POSITION SAFETY allows you to unload the chamber while on safe and shows safety status at a glance
- FREE-FLOATING FEATHERWEIGHT PROFILE BARREL for years of
- RECESSED TARGET CROWN enhances accuracy and protects
- M.D.A. TRIGGER SYSTEM with zero take-up, zero creep and zero overtravel gives you outstanding accuracy
- BLADE-TYPE EJECTOR for full control of ejection force
- PACHMAYR® DECELERATOR® RECOIL PAD for optimal protection against felt recoil



ITEM NUMBER	CALIBER	MAG E	LIVE	OVERALL LENGTH		OROP AT COMB	OROP AT HEEL	NOMINAL WT. (LBS)	14"	\$1,009.99
MODEL 70 FEATHE	RWEIGHT	5	22"	42 1/4"	13 3/4"		3/4"	6 3/4	10"	1,009.99
535200210 535200212 535200289 535200218 535200220 535200264 535200255 535200277 535200225 535200226 535200228 535200228	243 Win 6.5 Creedmoor 7mm-08 Rem 308 Win 270 WSM 300 WSM 325 WSM 25-06 Rem 270 Win 30-06 Sprg 264 Win Mag	555533355533	22" 22" 22" 24" 24" 24" 22" 22" 22"	42 1/4" 42 1/4" 42 1/4" 42 1/4" 44 1/4" 44 1/4" 44 1/4" 42 3/4"	13 3/4" 13 3/4"	1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2"	3/4" 3/4" 3/4" 3/4" 3/4" 3/4" 3/4" 3/4" 3/4" 3/4"	6 3/4 6 3/4 6 3/4 7 7 7 7 7 7 7 7 7 7 7 7	8" 9 1/2" 12" 10" 10" 10" 10" 9"	1,009.99 1,009.99 1,009.99 1,049.99 1,049.99 1,009.99 1,009.99 1,009.99 1,049.99
, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	300 Win Mag RWEIGHT COMF 22-250 Rem 243 Win 6.5 Creedmoor 7mm-08 Rem 308 Win		20" 20" 20" 20" 20"	39 1/2" 39 1/2" 39 1/2" 39 1/2" 39 1/2"	13" 13" 13" 13" 13"	1/2" 1/2" 1/2" 1/2" 1/2"	3/4" 3/4" 3/4" 3/4"	6 1/2 6 1/2 6 1/2 6 1/2 6 1/2	14" 10" 8" 9 1/2" 12"	\$1,009.99 1,009.99 1,009.99 1,009.99 1,009.99

ESE RUGGED RIFLES HAVE WHAT IT TAKES TO HANDLE THE HARSHEST OF HUNTS.



The Extreme Weather SS has a SCULPTED CHEEKPIECE that's beautifully functional, placing your eye in perfect alignment behind a scope.





A ONE-PIECE ALUMINUM BEDDING BLOCK in the Extreme Weather SS and the Coyote Light is molded right into the stock during manufacturing, providing a solid, rigid base that ensures flat-out reliability. The rifle holds a tight zero, placing every shot where you aim — dead on, in any weather condition, in any season.



### TIME TO GET EXTREME ON PREDATORS

Winchester® Varmint X® ammo is designed to devastate predators. Able to deliver extreme accuracy at extended ranges, the polymer tip bullet offers instant expansion for explosive terminal performance.



			:g:	DADREL	OVERALL	LENGTH	DROP AT	OROP AT HEEL	NOMINAL WT. (LBS)	RATE OF TWIST	
MODEL  NEW NOT INCLUBED.)	TEM NUMBER 70 EXTREM 535206212 535206289 535206220 535206264 535206255 535206277 535206225 535206228 535206228	243 Win 6.5 Creedmoor 7mm-08 Rem 308 Win 270 WSM 300 WSM 325 WSM 25-06 Rem 270 Win 30-06 Sprg 264 Win Mag	CAP	22" 22" 22" 24" 24" 24" 22" 22" 22"	42 1/4" 42 1/4" 42 1/4" 42 1/4" 42 1/4" 44 1/4" 44 1/4" 42 3/4" 42 3/4" 42 3/4" 46 3/4"	13 3/4" 13 3/4"	1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2"	1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2"	6 3/4 6 3/4 6 3/4 7 7 7 7 7 1/8 7 1/8 7 1/4 7 1/4	10"  8"  9 1/2"  10"  10"  10"  10"  10"  9 1/2"  10"  10"  10"  10"  10"  10"  10"  1	\$1,339.99 1,339.99 1,339.99 1,339.99 1,379.99 1,379.99 1,339.99 1,339.99 1,339.99 1,379.99 1,379.99 1,379.99
DE AND	535206230 535206233 535206236	7mm Rem Mag 300 Win Mag 338 Win Mag	3	26" 26"	46 3/4" 46 3/4"	13 3/4 13 3/4"		1/2"	7 1/4	10"	1,37 3.33



### **EXTREME WEATHER SS**



- BELL AND CARLSON™ SYNTHETIC STOCK WITH SCULPTED
- CHEEKPIECE has a charcoal gray textured finish

00

- ONE-PIECE ALUMINUM BEDDING BLOCK adds strength and rigidity to maintain a reliable zero under adverse conditions
- MATTE FINISHED METAL SURFACES help reduce glare
- ONE-PIECE ALLOY BOTTOM METAL adds rigidity for
- FORGED STEEL RECEIVER WITH INTEGRAL RECOIL LUG is bedded front and rear to eliminate shifts in zero for exceptional
- PRE-'64 STYLE CONTROLLED ROUND FEED WITH CLAW EXTRACTOR fully controls the cartridge from magazine, to chamber, to ejection

- THREE-POSITION SAFETY allows you to unload the chamber while on safe and shows safety status at a glance
- SPORTER WEIGHT STAINLESS STEEL, FREE-FLOATING FLUTED BARREL reduces weight and improves cooling
- RECESSED TARGET CROWN enhances accuracy and protects
- M.D.A. TRIGGER SYSTEM with zero take-up, zero creep and zero overtravel gives you outstanding accuracy
- BLADE-TYPE EJECTOR for full control of ejection force
- PACHMAYR® DECELERATOR® RECOIL PAD for optimal protection against felt recoil







- BELL AND CARLSON™ SYNTHETIC STOCK has a charcoal gray textured finish and multiple fore-end vents
- ONE-PIECE ALUMINUM BEDDING BLOCK adds strength and rigidity to maintain a reliable zero under adverse conditions
- MATTE FINISHED METAL SURFACES help reduce glare
- ONE-PIECE ALLOY BOTTOM METAL adds rigidity for
- DUAL FRONT SLING SWIVEL STUDS for sling and bipod
- FORGED STEEL RECEIVER WITH INTEGRAL RECOIL LUG is bedded front and rear to eliminate shifts in zero for exceptional long-range accuracy
- · PRE-'64 STYLE CONTROLLED ROUND FEED WITH CLAW EXTRACTOR fully controls the cartridge from magazine, to chamber, to ejection

- THREE-POSITION SAFETY allows you to unload the chamber while on safe and shows safety status at a glance
- MEDIUM HEAVY STAINLESS STEEL, FREE-FLOATING FLUTED BARREL reduces weight and improves cooling
- RECESSED TARGET CROWN enhances accuracy and protects
- THREADED MUZZLE (5/8" X 24 TPI) readily accepts an optional sound suppressor, muzzle brake or other accessory. Thread
- M.O.A. TRIGGER SYSTEM with zero take-up, zero creep and zero overtravel gives you outstanding accuracy
- BLADE-TYPE EJECTOR for full control of ejection force
- PACHMAYR® DECELERATOR® RECOIL PAD for optimal protection against felt recoil

	MAG BARREL OVERALL LENGTH OROP AT DROP AT HEEL WIT. (LBS) TWIST SUGGESTED RETAIL OF PULL COMB HEEL WIT. (LBS) TWIST SUGGESTED RETAIL WIT. (LBS) TWIST SUGGESTED RETAIL OF PULL COMB HEEL WIT. (LBS) TWIST SUGGESTED RETAIL WIT. (LBS) TWIST SUGGESTE
	MAG LANGTH LENGTH UP POLL (APPLICATION OF LENGTH LENGTH 1/2" 1/2" 7 1/2 14" \$1,269.99
MODEL 70 COYOTE LIGHT SR   535232210   22-250 Rem   535232212   243 Win   535232289   6.5 Creedmoor   535232289   6.5 Creedmoor   535232264   270 WSM   535232264   270 WSM   270 WSM   300 WSM	5       24"       44"       13 1/2"       1/2"       1/2"       7 1/2       10"       1,203.99         5       24"       44"       13 1/2"       1/2"       1/2"       7 1/2       8"       1,269.99         5       24"       44"       13 1/2"       1/2"       1/2"       7 1/2       12"       1,269.99         5       24"       44"       13 1/2"       1/2"       1/2"       7 1/2       10"       1,309.99         3       24"       44"       13 1/2"       1/2"       1/2"       7 1/2       10"       1,309.99         3       24"       44"       13 1/2"       1/2"       1/2"       7 1/2       10"       1,309.99
535232255 325 WSM 535232277 325 WSM	8 23

# EREAL

### THE LEGENDARY LEVER-ACTION RIFLES THAT BRING WESTERN HISTORY

The history of the American West was made in a wild landscape where legend, myth, romance and reality rode side by side into the sunset. The rugged rifles made by Winchester Repeating Arms® were The Guns That Won the West. No other firearm brings



Please note that these firearms are representative of the legendary guns that make up the Winchester Repeating Arms® Historic product line. They are made in limited quantities and will rotate in and out of production on an ongoing basis. **Thus not every gun shown here will be produced every year.** Available historic products for 2019 are shown on pages 26-41.







Winchester® historic rifles have long been offered with TRADITIONAL BUTTPLATE DESIGNS including a CRESCENT METAL PLATE, a METAL CARBINE STRAP and several variations of the classic flat SHOTGUN BUTTPLATE.






The **TRADITIONAL STRAIGHT GRIP** and **CURVED PISTOL GRIP** are two hallmarks of a genuine Winchester®

rifle or carbine





Classic Winchester® firearms are often fitted with a **RIFLE FOREARM CAP** or a **CARBINE BAND** to add that authentic touch every cowboy wants.








Over the decades Winchester® rear sight designs have included the SEMI-BUCKHORN, the LADDER SIGHT and the VERNIER TANG or TANG PEEP SIGHT.



## THE GOLDEN RIFLE THAT STARTED THE WINCHESTER® LEGEND.





- GRADE I AMERICAN BLACK WALNUT STRAIGHT GRIP STOCK with a satin oil finish that's velvet smooth to the touch
- CLASSIC RIFLE-STYLE FOREARM with polished brass forearm cap for the timeless look and feel of the original Model 1866
- FULL BRIGHT POLISH gives a deep, traditional glow to the brass receiver, crescent buttplate and forearm cap
- CRESCENT BRASS BUTTPLATE slips right into your shoulder for a more solid hold from any shooting position
- FOLDING LADDER REAR SIGHT AND MARBLE ARMS® GOLD BEAD FRONT SIGHT get you on target quickly
- FULL-LENGTH MAGAZINE TUBE aids in offhand balance and provides plenty of ammo capacity for hunting, competition and
- BLUED STEEL LOADING GATE allows for smoother loading and adds a touch of contrast against the highly polished brass receiver
- BLUED STEEL ACTION SCREWS create an added touch of tasteful contrast against the surface of the polished brass receiver


		IMAG I BARREL O	VERALL LENGTH	DROP AT DROP A	AT NOMINAL RA WT. [LBS] T	SUGGESTED RETAIL
ITEM NUMBER	CALIBER	CAP LENGTH L	ENGTH   DI	13/4" 3"	7 1/4 18	3/4" \$1,299.99
MODEL 1866 SHOR 534244188 534244140	38 Spcl 44-40 Win	11 20" 10 20" 10 20"	39" 13" 39" 13"	13/4" 3" 13/4" 3"	7 1/4	3/4" \$1,299.99 36" 1,299.99 26" 1,299.99
534244141	45 L'OIL					

# THESE ARE THE PERFECT COWBOY ACTION GUNS TO BRING THE WINCHESTER® LEGEND TO LIFE.

 SEMI-BUCKHORN REAR SIGHT AND MARBLE ARMS® GOLD BEAD FRONT SIGHT get you on target quickly WALNUT STRAIGHT GRIP STOCK with a satin oil finish STEEL LOADING GATE for smoother loading BRASS CARTRIDGE LIFTER for more reliable feeding, that's velvet smooth to the touch

- CLASSIC RIFLE-STYLE FOREARM with blued steel cap for the timeless look and feel of the original Model 1873
- BLUED STEEL CRESCENT BUTTPLATE slips into your shoulder for a solid hold
- even during the heat of cowboy action competition
- RECEIVER TOP TANG is drilled and tapped for an optional tang-mounted rear sight for a more precise optional tang-mounted rear sight. sight picture







TRADITIONAL DUST COVER

**ULTRA-SMOOTH ACTION** 

**BRASS CARTRIDGE LIFTER** 



- WALNUT STRAIGHT GRIP STOCK with a satin oil finish that's velvet
- CLASSIC CARBINE-STYLE FOREARM with a blued barrel band for the timeless look and feel of the original Model 1873 carbines
- BLUED STEEL CARBINE STRAP BUTTPLATE slips into your shoulder for a solid hold
- BLUED STEEL CARBINE SADDLE RING lets you secure your carbine
- LADDER STYLE REAR SIGHT AND BLADE FRONT SIGHT get you on target quickly
- STEEL LOADING GATE for smoother loading
- RECEIVER TOP TANG is drilled and tapped for an optional tang-mounted rear sight for a more precise sight picture



- WALNUT STRAIGHT GRIP STOCK with a satin oil finish that's velvet
- CLASSIC RIFLE-STYLE FOREARM with color case hardened cap for the timeless look and feel of the original Model 1873
- MAGNIFICENT COLOR CASE HARDENING on the robust
- COLOR CASE HARDENED STEEL CRESCENT BUTTPLATE slips into your shoulder for a solid hold
- SEMI-BUCKHORN REAR SIGHT AND MARBLE ARMS® GOLD BEAD FRONT SIGHT get you on target quickly
- STEEL LOADING GATE for smoother loading
- RECEIVER TOP TANG is drilled and tapped for an optional tang-mounted rear sight for a more precise sight picture

		: : DADDFL : OVER	ALL LENGTH DROP AT TH OF PULL COMB	DROP AT NOMINAL R HEEL WT. (LBS)	ATE OF SUGGESTED RETAIL
ITEM NUMBER	CALIBER	MAG BARREL UVEN CAP LENGTH LENG	10/4"	3" : / 1/4	1,000,00
MODEL 1873 CARBI 534255137	<b>NE</b> 357 Mag/38 Sp 44-40 Win	10	" 13" 13/4" 13" 13/4"	3" 71/4	26" 1,299.99
534255140 534255141 MODEL 1873 SHORI	45 Colt	CASE HARDENEL	13" 13/4"	3" 71/4	3 3/4" \$1,579.99 36" 1,579.99 26" 1,579.99
534202137 534202140	357 Mag/38 Sp 44-40 Win 45 Colt	10 20" 39 10 20" 39	" 13" 13/4";	3" 71/4	3 3/4" \$1,299.99
534202141 MODEL 1873 SHOR 534200137	<b>RIFLE</b> 357 Mag/38 Sp	10/11 20" 39 10 20" 39	" 13" 13/4"	3" 71/4	36" 1,299.99 26" 1,299.99
534200140 534200141	44-40 Win 45 Colt	10 20" 39	13" 13/4	0,	7 <b>)</b> 29

TLEMEN'S ES.

THE GUNS THAT WON THE WEST ARE STILL READY TO RIDE.





**COLOR CASE HARDENING** 



			LENGTH DROP AT D	ROP AT NOMINAL RAT TW	SUGGESTED RETAIL
	_ M	AG BARREL OVERALL	OF PULL COMB	HELD IN THE REAL PROPERTY OF THE PERSON NAMED IN THE PERSON NAMED	: +4.700.00
ITEM NUMBER	CALIBER CA	OR CASE HARDE	NED 13/4"	3" 71/2 183	3/4": \$1,739.99
MODEL 1873 SPORTER	13/29 Snl :13/	/14 24" 43"	13" 13/4"	3" 71/2 31	1739.99
534217137 35.	/ Mag/30 351 1:	3 24" 43"	13" 13/4"	3" 71/4	
534217140	45 Colt 1	3 24" 43			
534217141					

### OCTAGON DRTE SEMI-BUCKHORN REAR SIGHT AND MARBLE ARMS® GOLD BEAD

- GRADE II/III WALNUT STRAIGHT GRIP STOCK with a satin oil finish
- CLASSIC RIFLE-STYLE FOREARM with forearm cap for the timeless look and feel of the original Model 1873
- ELEGANT COLOR CASE HARDENING on the robust steel receiver, lever, crescent buttplate and forearm cap protects
- CRESCENT BUTTPLATE slips right into your shoulder for a more
- FRONT SIGHT get you on target quickly
- STEEL LOADING GATE for smoother loading
- RECEIVER TOP TANG is drilled and tapped for an optional tang-mounted rear sight that gives you a more precise sight picture and the timeless look and feel of shooting a long-barreled frontier rifle



- GRADE II/III WALNUT PISTOL GRIP STOCK with a satin oil finish
- CLASSIC RIFLE-STYLE FOREARM for the timeless look and feel of
- DEEPLY POLISHED BLUE OR COLOR CASE HARDENING on the robust steel receiver, lever, crescent buttplate and forearm cap
- CRESCENT BUTTPLATE slips right into your shoulder for a more solid hold from any shooting position
- FRONT SIGHT get you on target quickly
- STEEL LOADING GATE for smoother loading
- RECEIVER TOP TANG is drilled and tapped for an optional tang-mounted rear sight that gives you a more precise sight picture and the timeless look and feel of shooting a long-barreled frontier rifle

		MAG BARREL OVER/	ALL LENGTH DROP AT DROP AT	NOMINAL RATE OF SUGGESTED WT. (LBS) TWIST RETAIL
ITEM NUMBER	CALIBER	MAG BARREL OVERA CAP LENGTH LENG	IR CASE HARDENED	8 18 3/4" \$1,739.99 36" 1,739.99
MODEL 1873 SPOR 534228137	35/ May/00 -1	10	13" 13/4" 3" 13" 13/4" 3"	8 26" 1,739.99
534228140 534228141	45 Colt TER OCTAGON	13 24" 43" PISTOL GRIP 19/14 24" 43"	13" 13/4" 3"	8 18 3/4" \$1,469.99 8 36" 1,469.99
534229137 534229140	357 Mag/38 Spl 44-40 Win 45 Colt	13/14 24" 43 13 24" 43 13 24" 43	13" 13/4 3	8 26" 1,469.99
534229141	45 651			

## SOME.

THESE BEAUTIES RUN THE GAMUT FROM RIMFIRES TO THE 45-90 WINCHESTER® CENTERFIRE. **Model 1886** • SATIN FINISH WALNUT STOCK for classic beauty STRAIGHT GRIP for genuine good looks and fast handling STEEL CRESCENT BUTTPLATE adds traditional look while protecting the buttstock MARBLE ARMS® FRONT SIGHT AND BRASS BEAD for easier sighting ADJUSTABLE REAR SIGHT gets you on target with any ammo STEEL LOADING GATE for smoother loading

 BARREL is button-rifled with a recessed crown for ultimate accuracy RECEIVER is drilled and tapped for an optional receiver mounted peep sight

for a more precise sight picture



### Model 1885



BEEN REMOVED TO ALLOW THE SCOPE TO BE MOUNTED.

- CHECKERED WALNUT PISTOL GRIP STOCK with an oil finish that's
- TIMELESS SCHNABEL STYLE FOREARM with cut checkering sets the Hunter Rimfire apart from other rifles
- PACHMAYR® RUBBER BUTTPAD for non-slip shooting comfort
- OCTAGON 24" BARREL is button rifled for outstanding accuracy
- SEMI-BUCKHORN REAR SIGHT AND MARBLE ARMS® GOLD BEAD FRONT SIGHT get you on target quickly
- CURVED BLUED STEEL FINGER LEVER is comfortable in the hand and smoothly activates the steel falling breechblock for loading
- BLUED STEEL RECEIVER AND BARREL are drilled and tapped for scope mounting

### **Model 1886**

- HIGH GRADE III/IV SATIN FINISH WALNUT STOCK for deep grain beauty, with classic cut checkering for a sure grip
- PISTOL GRIP for good looks, improved grip and fast handling
- STEEL CRESCENT BUTTPLATE adds a traditional look while
- COLOR CASE HARDENING on the robust steel receiver, lever, crescent buttplate, grip cap, lower tang and forearm cap protect against corrosion
- MARBLE ARMS\* FRONT SIGHT AND BRASS BEAD
- ADJUSTABLE REAR SIGHT gets you on target with any ammo
- STEEL LOADING GATE for smoother loading
- BARREL is button-rifled for ultimate accuracy
- **RECEIVER** is drilled and tapped for an optional receiver mounted peep sight for a more precise sight picture

			MAG BARREL OVERA	LL: LENGTH OROP A	T DROP AT NOMINAL HEEL WT. (LBS)	RATE OF SUGGESTED TWIST RETAIL
	ITEM NUMBER	CALIBER	RIMFIRE	H OF PULL COM	11/4" 71/2	9" \$1,469.99 9" 1,469.99
MODE	<b>L 1885 LOW V</b> 524100170 524100186	17 HMR 17 WSM	N/A 24" 40" N/A 24" 40" N/A 24" 40"	13 1/2" 3/4" 13 1/2" 3/4" 13 1/2" 3/4"	11/4" / 1/2 11/4" 71/2	16" 1,469.99 16" 1,469.99
	524100102 524100104 <b>1886 DELU</b> )	22 LR 22 WMR KE RIFLE	N/A 24" 4U	11/4"	THE RELEASE DESIGNATION OF THE PERSON OF THE	20" \$1,739.99
MODE	534227142 L 1886 SHOR	45-70 GOVE	8 24" 43" 8 24" 43"	13 1/4" 1 1/4"	" 2" 83/8	20" \$1,339.99 20" 1,339.99
MUDE	534175142	45-70 Govt 45-90 WCF	8 24" 43"	13 1/4" 1 1/4"		00

THE FINEST LEVER-ACTION SADDLE GUNS EVER TO CARRY



- WALNUT STRAIGHT GRIP STOCK with a satin finish that's velvet
- LARGE LOOP LEVER hearkens back to the carbines that were LARGE LOUP LEVER HEALKERS DACK to the Carollies that were staples of Hollywood's legendary western movies of the 1940s
- CLASSIC CARBINE-STYLE FOREARM with blued steel barrel band for the timeless look and feel of the original Model 1892™ carbine
- LADDER REAR SIGHT AND MARBLE ARMS® GOLD BEAD FRONT SIGHT get you on target quickly
- STEEL LOADING GATE for smoother loading
- TOP TANG is drilled and tapped for an optional receiver mounted peep sight for a more precise sight picture



- WALNUT STRAIGHT GRIP STOCK with a satin finish that's velvet
- CLASSIC RIFLE-STYLE FOREARM with blued steel cap for the timeless look and feel of the original Model 1892™ rifle
- BLUED STEEL CRESCENT BUTTPLATE slips into your shoulder for a solid hold
- FRONT SIGHT get you on target quickly
- STEEL LOADING GATE for smoother loading
- TOP TANG is drilled and tapped for an optional receiver mounted peep sight for a more precise sight picture



- WALNUT STRAIGHT GRIP STOCK with a satin finish that's velvet
- CLASSIC CARBINE-STYLE FOREARM with blued steel barrel band for the timeless look and feel of the original Model 1892™ carbine
- BLUED STEEL CARBINE STRAP BUTTPLATE slips into your shoulder for a solid hold
- SEMI-BUCKHORN REAR SIGHT AND MARBLE ARMS® GOLD BEAD FRONT SIGHT get you on target quickly
- STEEL LOADING GATE for smoother loading
- TOP TANG is drilled and tapped for an optional receiver mounted peep sight for a more precise sight picture

	i sanne	: OVERALL : LENGTH	DROP AT DROP AT NOMINAL WT. (LBS)	RATE OF SUGGESTED RETAIL
ITEM NUMBER CAL		LENGTH OF POLL	11/0" 13/4" 6	100000
MODEL 1892 SHORT RIFLE 534162137 357 534162124 44 Rei	m Mag 10 20"	37 1/2" 12 3/4" 37 1/2" 12 3/4" 37 1/2" 12 3/4" 37 1/2" 12 3/4"	11/8" 13/4" 6	26" 1,069.99 26" 1,069.99
534162141 45	Colt 10 20	: -1/0":123/4"	11/8" 13/4" 6	18 3/4" \$1,069.99 26" 1,069.99
534177137 357 534177124 44 Re	Mag 10 20" m Mag 10 20" n Win 10 20"	- 4 /0" : 10 3/4"	11/8" 13/4" 6	36" 1,069.99 26" 1,069.99
534177141 45 534177141 45	COIT IU 20 CARBINE	37 1/2" 12 3/4"	11/8" 13/4" 6	18 3/4" \$1,259.99 26" 1,259.99 36" 1,259.99
NEW 534190137 357 NEW 534190124 44 Rei NEW 534190140 44-4	Mag 10 20" m Mag 10 20"	37 1/2" 12 3/4" 37 1/2" 12 3/4" 37 1/2" 12 3/4"	11/8" 13/4" 6	36" 1,259.39 26" 1,259.99
NEW: 534190141				35

THE MOST POPULAR DEER RIFLE IN HISTORY IS RICHLY CELEBRATED IN THESE TWO MAGNIFICENT LIMITED EDITION COLLECTOR GUNS.



DEEP RELIEF, HAND-CHASED ENGRAVING WITH GOLD EMBELLISHMENTS BY GIOVANELLI OF ITALY of the Horse and Rider and the Winchester® banner on the left side of the receiver on the 125th Anniversary Custom Model 948.



DEEP RELIEF, HAND-CHASED ENGRAVING WITH GOLD EMBELLISHMENTS BY GIOVANELLI OF ITALY of a classic running deer scene on the right side of the receiver on the 125th Anniversary Custom Model 94s.



**FULL OCTAGON BARREL** with a highly polished, deeply blued finish and special 125th Anniversary gold markings create a wonderful historic flavor.



CRISP BORDERED CUT CHECKERING with spade pattern insets decorate the grip and forearm.



DEEP RELIEF, HAND-CHASED ENGRAVING BY GIOVANELLI OF ITALY of the Horse and Rider and the Winchester® banner on the left side of the receiver on the 125th Anniversary High Grade Model 948.



DEEP RELIEF, HAND-CHASED ENGRAVING BY GIOVANELLI OF ITALY of a trophy whitetail buck and the Winchester® banner on the right side of the receiver on the 125th Anniversary High Grade Model 94°.



2019 marks the 125th anniversary of the legendary Model  $94^{\mbox{\tiny B}}$ lever-action rifle from Winchester Repeating Arms®. Over that time more than 7 million of these slim, handy guns have been produced. It's still America's all-time favorite deep woods and rough country whitetail deer rifle.

## STEEL CRESCENT BUTTPLATE adds a traditional look while

- GRADE V/VI WALNUT STOCK with oil finish, authentic straight-grip styling and a blued steel forearm band offer a nostalgic look
- FULL BORDERED CUT CHECKERING with spade insets on both the
- STUNNING HAND CHASED DEEP RELIEF ENGRAVING with gold embellished accents on both sides of the receiver
- HIGHLY POLISHED DEEPLY BLUED METALWORK further complements the magnificent engraving
- SPECIAL BARREL MARKINGS commemorate the unique nature of
- TRIPLE-CHECKED, BUTTON RIFLED, FULL OCTAGON BARREL for the ultimate in accuracy and precision

- HAMMER is drilled and tapped for a KNURLED HAMMER SPUR EXTENSION (included) to aid in cocking and decocking the hammer when a scope is mounted
- GOLD BEAD FRONT SIGHT AND ADJUSTABLE SEMI-BUCKHORN REAR SIGHT get you on target quickly
- STEEL LOADING GATE for smoother loading
- ARTICULATED CARTRIDGE STOP improves feeding reliability
- TOP TANG IS DRILLED AND TAPPED for an optional tang sight



- GRADE III/IV WALNUT STOCK with oil finish, authentic straight-grip styling and a blued steel forearm band offer a nostalgic look
- FULL BORDERED CUT CHECKERING with spade insets on both the
- STUNNING DEEP RELIEF ENGRAVING on both sides of the receiver
- HIGHLY POLISHED DEEPLY BLUED METALWORK further complements the magnificent engraving
- SPECIAL BARREL MARKINGS commemorate the unique nature of
- TRIPLE-CHECKED, BUTTON RIFLED, FULL OCTAGON BARREL for the ultimate in accuracy and precision
- HAMMER is drilled and tapped for a KNURLED HAMMER SPUR EXTENSION (included) to aid in cocking and decocking the hammer when a scope is mounted
- GOLD BEAD FRONT SIGHT AND ADJUSTABLE SEMI-BUCKHORN REAR SIGHT get you on target quickly
- STEEL LOADING GATE for smoother loading
- ARTICULATED CARTRIDGE STOP improves feeding reliability
- TOP TANG IS DRILLED AND TAPPED for an optional tang sight

		MAG BARREL OVERALL LENGTH OF PULL COMB TRUE TWIST TWIST SUGGESTED TWIST
ITEM NUMBER	THE CARVE	IISTUM 1/8": 11/4": 13/4": 71/2:
MODEL 94 125TH AND 534267114	30-30 Win	MAB BARRETH LENGTH OF PULL CUMB  **USTUM**  **B 24" 43 1/2" 13 1/2" 11/4" 13/4" 7 1/2 12" \$1,199.99  **IIGH GRADE**  **B 24" 43 1/2" 13 1/2" 11/4" 13/4" 7 1/2 12" \$1,459.99
MODEL 94 125 AND 534268114	30-30 Win	8 24 43 1/2

# DARY

TWO LEVER-ACTIONS THAT EMBODY THE SPIRIT OF THE WINCHESTER® MODEL 948; THE MOST POPULAR DEER RIFLE IN HISTORY.



barrel assembly and the stocked receiver assembly. REASSEMBLY is easy. Put the two pieces together, give the end of the magazine tube a few turns and you instantly have a full-length rifle with the same superb accuracy as the other Model 94 models.



PACHMAYR® **DECELERATOR® RECOIL PAD** is a welcome addition to models chambered in 450 Marlin.



BARREL PORTS ease felt recoil and reduce muzzle jump on models chambered in 450 Marlin.



- WALNUT STOCK with satin finish, authentic straight-grip styling and a blued steel forearm band offer a nostalgic look
- BLUED STEEL CARBINE STRAP BUTTPLATE for smooth and
- TRIPLE-CHECKED BUTTON RIFLED BARREL for the ultimate
- ROUND LOCKING BOLT TRUNNIONS help ensure a smooth,
- BOLT RELIEF CUT reduces hammer drag for smoother cocking
- RADIUSED LEVER EDGES give added protection to your fingers
- HAMMER is drilled and tapped for a KNURLED HAMMER SPUR EXTENSION (included) to aid in cocking and decocking the hammer when a scope is mounted
- MARBLE ARMS\* FRONT SIGHT AND ADJUSTABLE SEMI-BUCKHORN REAR SIGHT get you on target quickly
- STEEL LOADING GATE for smoother loading
- ARTICULATED CARTRIDGE STOP improves feeding reliability
- without damaging cartridges • DRILLED AND TAPPED FOR SCOPE MOUNTS to easily attach your favorite optics



- WALNUT STOCK with satin finish, authentic straight-grip styling and a blued steel forearm cap offer a nostalgic look
- TRADITIONAL TAKEDOWN MECHANISM is fast and easy to operate
- TRIPLE-CHECKED BUTTON RIFLED BARREL for the ultimate in
- ROUND LOCKING BOLT TRUNNIONS help ensure a smooth,
- BOLT RELIEF CUT reduces hammer drag for smoother cocking
- RADIUSED LEVER EDGES give added protection to your fingers
- SPUR EXTENSION (included) to aid in cocking and decocking the hammer when a scope is mounted
- MARBLE ARMS® FRONT SIGHT AND ADJUSTABLE SEMI-BUCKHORN REAR SIGHT get you on target quickly
- STEEL LOADING GATE for smoother loading
- ARTICULATED CARTRIDGE STOP improves feeding reliability without damaging cartridges
- DRILLED AND TAPPED FOR SCOPE MOUNTS to easily attach your favorite optics

		- : eveRAL	L LENGTH DROP AT DRO OF PULL COMB HI	JP AT NOMINAL RATE ( EEL WT. (LBS) TWIS	OF SUGGESTED T RETAIL
ITEM NUMBER	CALIBER CA	CAN THE PROPERTY OF THE PARTY O	11/4" 15	1/4": 01/6	\$1,199.99 1,199.99
MODEL 94 CARBINE 534199114 534199117	30-30 Win 7 38-55 Win 7 <b>TAKEDOWN</b>	20" 38" 20" 38"	13 1/2" 11/4" 13 13 1/2" 11/4" 13	3/4" 6 3/4 12"	\$1,459.99 1,459.99
534191114	30-30 Win E 38-55 Win E	38"	13 1/2	8/4" 6 3/4 15" 3/4" 6 3/4 20"	1,459.99
534191160	450 Marlin E			$\mathbf{n}$	39

# TREASURE YOUR TIME HUNTING IN THE DEEP WOODS OR SHOOTING ON THE RANGE WITH THIS PAIR OF CLASSIC WINCHESTER® MODEL 94® RIFLES. PACHMAYR® DECELERATOR® RECOIL PAD is a welcome addition to models chambered in 450 Marlin. 40





BARREL PORTS ease felt recoil and reduce muzzle jump on models chambered in 450 Marlin.

### • WALNUT STOCK with satin finish, authentic straight-grip styling and a blued steel forearm cap offer a nostalgic look

- SHOTGUN STYLE BUTTPLATE for smooth and easy shouldering
- TRIPLE-CHECKED BUTTON RIFLED BARREL for the ultimate in
- ROUND LOCKING BOLT TRUNNIONS help ensure a smooth,
- BOLT RELIEF CUT reduces hammer drag for smoother cocking
- RADIUSED LEVER EDGES give added protection to your fingers

- HAMMER is drilled and tapped for a KNURLED HAMMER SPUR EXTENSION (included) to aid in cocking and decocking the hammer when a scope is mounted
- MARBLE ARMS® FRONT SIGHT AND ADJUSTABLE SEMI-BUCKHORN REAR SIGHT get you on target quickly
- STEEL LOADING GATE for smoother loading
- ARTICULATED CARTRIDGE STOP improves feeding reliability without damaging cartridges
- DRILLED AND TAPPED FOR SCOPE MOUNTS to easily attach your favorite optics

## HAMMER is drilled and tapped for a KNURLED HAMMER SPUR EXTENSION (included) to aid in cocking and decocking the hammer

- WALNUT STOCK with satin finish, authentic straight-grip styling, bordered cut checkering and a blued steel forearm cap offer a
- BLUED CRESCENT BUTTPLATE slips firmly into your shoulder
- TRIPLE-CHECKED HALF ROUND/HALF OCTAGON BUTTON RIFLED BARREL for the ultimate in accuracy and precision
- ROUND LOCKING BOLT TRUNNIONS help ensure a smooth,
- BOLT RELIEF CUT reduces hammer drag for smoother cocking
- RADIUSED LEVER EDGES give added protection to your fingers

- when a scope is mounted
- MARBLE ARMS® FRONT SIGHT AND ADJUSTABLE SEMI-BUCKHORN REAR SIGHT get you on target quickly
- STEEL LOADING GATE for smoother loading
- ARTICULATED CARTRIDGE STOP improves feeding reliability without damaging cartridges
- DRILLED AND TAPPED FOR SCOPE MOUNTS to easily attach your favorite optics

	- : avsBALL	LENGTH DROP AT DROP AT WT. (LBS) TWIST SIGNED FOULL COMB TWIST SIGNED FOR STATE OF TWIST SIGNED FOR STATE OF TWIST SIGNED FOR SIGNED	GESTED RETAIL
ITEM NUMBER	IBER CAP BARREL LENGTH LENGTH	13 1/2" 11/4" 13/4" 5 5/4 15" 1,	229.99 229.99
MUDEL 94 0114 30-3	0 Win 7 20" 38" 5 Win 7 20" 38" 38"	13 1/2" 11/4" 13/4" 6 3/4 20" 1, 13 1/2" 11/4" 13/4" 6 3/4	229.99
534174117 38-5 534174160 450 I	Marlin 7 20" 38	71/2 12" \$1,	399.99 399.99
50.4170114 : 30-3	0 Win	13 1/2" : 11/4" : 1 3/4 :	41



THE SOFT SHOOTING AUTOLOADER THAT'S BUILT 4 SPEED. The Winchester® Super X®4 autoloading shotgun has quickly developed a worldwide reputation for blazing speed, reliability and smooth handling. That's why the NRA recently crowned it with their coveted Golden Bullseye Award as Shotgun of the Year for 2018. For 2019 we introduce a new model specifically for the upland game hunter and a pair of compact models that are sized right to fit the smaller shooter. Plus the Super X®4 is now available in the popular 20 gauge chambering. Discover why the

Winchester Super X4 is the world-class autoloading shotgun that is BUILT 4 SPEED. 2018 NRA Golden Bullseye Shotgun of the Year Award Winner • 2017 Guns & Ammo Shotgun of the Year

...THE SX4 AND I DANCED FROM DAWN TILL DUSK, AND FROM START TO FINISH IT WAS RAISE, SHOULDER, SWING AND PULL, CLEARING THE CANADIAN SKY LIKE WE'VE BEEN DOING IT TOGETHER OUR ENTIRE LIVES. SOMETIMES A GUN JUST FEELS RIGHT,

AND THE SX4...IS ONE OF THOSE GUNS."

– Jon Draper • Editor, NRA American Hunter One of the first things experienced shooters notice about the Super X®4 is the gun's **IMPROVED ERGONOMICS**. It's **LIGHTER** OVERALL and THE PISTOL GRIP IS ROUNDED AND MORE COMFORTABLE,

regardless of which hand you use to pull the trigger. The gun's overall balance point has been moved slightly forward to **CREATE A MORE FLUID** SWING, BETTER TARGET TRACKING AND SMOOTHER FOLLOW-THROUGH.



The fit and balance of a shotgun stock are critical factors of how well you're able to shoot it. The Super X®4 comes with polymer **LENGTH OF PULL SPACERS** that fit between the stock and the recoil pad. When adjusted properly, you shoulder the shotgun with a smooth confidence and felt recoil is greatly diminished. Synthetic stock Super X4 models come with one spacer already installed to provide a standard 14 1/4" length of pull, and include one additional spacer in the box. Wood stock models include two length of pull spacers in the box. When you remove or add a spacer, you change the length of pull by 1/4".

The latest evolution of the INFLEX TECHNOLOGY RECOIL PAD ON THE SUPER X®4 FURTHER REDUCES FELT RECOIL. Specially shaped rib structures located inside the pad help direct and channel the recoil impulse, moving the comb down and away from your cheek to reduce felt recoil to very manageable levels, even when shooting heavy magnum loads. The new pad's LARGER FOOTPRINT SPREADS RECOIL FORCES OVER A WIDER AREA for









The Super X®4 features a **SPRING-**LOADED EJECTOR that throws the empty shell out of the ejection port as soon as it clears the chamber for faster, more reliable operation, regardless of shell length.


 $201^{\circ}$ 

OF THE Y

The Super X®4 features a LARGER BOLT HANDLE and an OVERSIZED BOLT RELEASE BUTTON for easy engagement and fast operation; two very important features when your hands are cold and wet or when you're wearing gloves. The carrier and bolt release button are coated with nickel Teflon® to reduce friction and help prevent corrosion.

The larger, easier to operate AMBIDEXTROUS SAFETY button on the Super X®4 is located at the rear of the angular-profile trigger guard and is easily reversible for both right- or left-handed shooters. The opening on THE TRIGGER GUARD IS GENEROUSLY SIZED FOR EASIER ACCESS, even when wearing heavy gloves.

NEW COMPACT MODELS OF THE SUPER X®4 OFFER 13" LENGTH OF PULL to better fit smaller statured shooters. Two 1/4" spacers are included to create a more custom fit.



**BACK-BORED TECHNOLOGY** is based on extensive research and testing to find the secret to tighter, more consistent patterns. Instead of the traditional bore size of .729", this research shows the ideal 12 gauge interior diameter is .742". If the bore any larger, the gases will blow by the shot cup and reduce pellet velocity. If the bore is too tight, the pellets are deformed as they pass through the forcing cone, causing poor ballistic performance.



The proven **ACTIVE VALVE GAS SYSTEM** automatically selfadjusts to allocate the exact gas pressure necessary to reliably cycle a wide range of loads commonly used for hunting or target shooting. When firing the heaviest magnum loads in

adjusts to the process of loads commonly uses to cycle a wide range of loads commonly uses to target shooting. When firing the heaviest magnum loads in target shooting. When firing the heaviest magnum loads in target shooting. When firing the heaviest magnum loads in target shooting. When firing the heaviest magnum loads in target shooting. When firing the heaviest magnum loads in target shooting. When firing the heaviest magnum loads in target shooting. When firing the heaviest magnum loads in target shooting. When firing the heaviest magnum loads in target shooting. When firing the heaviest magnum loads in target shooting. When firing the heaviest magnum loads in target shooting. When firing the heaviest magnum loads in target shooting. When firing the heaviest magnum loads in target shooting. When firing the heaviest magnum loads in target shooting. When firing the heaviest magnum loads in target shooting. When firing the heaviest magnum loads in target shooting the heaviest magnum loads in target shooting. When firing the heaviest magnum loads in target shooting the heaviest magn



**LOAD DIVERSITY** means a Super X<sup>®</sup>4 can reliably shoot them all, from light factory field shells to heavy magnum waterfowl and turkey loads. The proven Active Valve on the Super X4 makes it the most versatile autoloader on the range, in the marsh and in the field.




The Super X®4 has a DROP-OUT TRIGGER GROUP that's easy to remove for detailed cleaning and lubrication. The SELF-ALIGNING BOLT CARRIER LINK makes it easy to reassemble.



CHROME-PLATED CHAMBER
AND BORE are critical for today's
steel and Hi-Density [HD] shot.
Hard chrome makes the surfaces
highly resistant to wear and gives
you superior protection from
rust and corrosion. That's why all
smoothbore Super X®4 shotguns
feature a hard-chromed chamber
and bore.





"AFTER SPENDING
CONSIDERABLE TIME WITH
THE NEW SUPER X'4, ITS
FEEL AND POINTABILITY
ARE SECOND TO NONE."

— John Stephens · RNT-V

From the duck blind to the firing line, the INVECTOR-PLUS™ CHOKE TUBE SYSTEM is the world's most consistent. Because the threads are located at the bottom of the choke tube they seal out corrosive gases better. The tube's thicker walls make Invector-Plus chokes much stronger than any other choke tube system, yet they remain easy to remove and clean. They are more concentric with the bore and thus produce more even, consistent shot patterns. The Super X®4 comes with full, modified and simproved cylinder flush-mounted choke tubes so your gun is ready for anything, right out of the box.





## UPER X<sup>®</sup>4







- SYNTHETIC STOCK WITH IMPROVED ERGONOMICS, A ROUNDED PISTOL GRIP AND TEXTURED GRIPPING SURFACES gives your hands a sure, non-slip grip. The non-glare matte black finish won't
- BACK-BORED TECHNOLOGY provides optimum shot patterns that
- INVECTOR-PLUS™ CHOKE TUBE SYSTEM offers consistent patterns to match your target situation
- HARD CHROME-PLATED CHAMBER AND BORE make these surfaces highly resistant to wear and corrosion
- TRUGLO® LONG BEAO™ FIBER-OPTIC FRONT SIGHT offers a true, precise sight picture

- SELF-ADJUSTING ACTIVE VALVE GAS SYSTEM cycles a wide variety of loads while reducing felt recoil
- QUADRA-VENT™ PORTS vent excess gases for cleaner operation
- DROP-OUT TRIGGER GROUP allows for easy cleaning
- AMBIDEXTROUS CROSSBOLT SAFETY is easily reversible
- LARGER BOLT HANDLE AND BOLT RELEASE BUTTON are fast
- LENGTH OF PULL SPACERS allow stock adjustments to achieve a
- INFLEX TECHNOLOGY RECOIL PAD directs felt recoil down and away from your cheek to reduce flinch and fatigue



- SYNTHETIC STOCK WITH IMPROVED ERGONOMICS, A ROUNDED PISTOL GRIP AND TEXTURED GRIPPING SURFACES gives your hands a sure, non-slip grip. Full coverage Mossy Oak® Shadow Grass Blades camo finish means your gun won't give you away to
- BACK-BORED TECHNOLOGY provides optimum shot patterns that
- INVECTOR-PLUS™ CHOKE TUBE SYSTEM offers consistent patterns to match your target situation
- HARD CHROME-PLATED CHAMBER AND BORE make these surfaces highly resistant to corrosion and wear from steel shot
- VENT RIB gives you a smooth, clean sighting plane
- TRUGLO® LONG BEAO™ FIBER-OPTIC FRONT SIGHT offers a true, precise sight picture

- variety of loads while reducing felt recoil
- QUADRA-VENT™ PORTS vent excess gases for cleaner operation
- DROP-OUT TRIGGER GROUP allows for easy cleaning
- AMBIDEXTROUS CROSSBOLT SAFETY is easily reversible
- LARGER BOLT HANDLE AND BOLT RELEASE BUTTON are fast
- LENGTH OF PULL SPACERS allow stock adjustments to achieve a
- INFLEX TECHNOLOGY RECOIL PAD directs felt recoil down and away from your cheek to reduce flinch and fatigue

th, clean sighting pl ER-OPTIC FRONT S ITEM NUMBER		offers a	true,	MAG CAP	CHOKE TUBES INCLUDED					NOMINAL WT. (LBS)	\$939.
511205291 511205292 511205391 511205392	12 12 12 12 12 20	26" 28" 26" 28" 24"	3 1/2" 3 1/2" 3" 3" 3"	4* 4* 4* 4* 4* 4*	F, M, IC F, M, IC F, M, IC F, M, IC F, M, IC	47" 49" 47" 49" 45" 47"	14 1/4" 14 1/4" 14 1/4" 14 1/4" 14 1/4"	13/4" 13/4" 13/4" 13/4"	2" 2" 2" 2" 2" 2"	7 1/8 6 7/8 7 6 1/2 6 5/8 6 3/4	939.9 799.9 799.9 939.9
511205691  W 511205692  X4 WATERFOWL  511206291  511206391  511206392	20 20 HUNT 12 12 12 12	26" 28" <b>ER (M</b> 26" 28" 26"	3"	4* 4* 4* 4* 4* 4* 4* 4*	F, M, IC 1A D O W GRA F, M, IC F, M, IC F, M, IC F, M, IC F, M, IC	47" 49" 47" 47" 49"	14 1/4" 14 1/4" 14 1/4" 14 1/4" 14 1/4"	13/4" 13/4" 13/4" 13/4" 13/4"	2" 2" 2" 2" 2"	7 71/8 67/8 7 65/8 63/4	\$1,069.9 1,069.9 939.9 939.9 1,069.9

\*TOTAL AMMUNITION CAPACITY INCLUDES ONE ADDITIONAL SHELL IN THE CHAMBER.

1

TWO NEW COMPACT SUPER X84 AUTOLOADERS THAT ARE SIZED JUST RIGHT FOR SMALLER HUNTERS AND SHOOTERS.







Flooded timber, swamps, marshes, duck blinds and john boats; duck hunters get wet ... it's all part of the hunt. Drylok Super Steel loads are trusted by the most hard-core duck hunters in the harshest of conditions. Winchester® patented technology is designed to keep your shotgun shells dry, time after time, no matter where you are. When it matters, you need Drylok Super Steel.



- COMPACT 13" LENGTH OF PULL to better fit smaller
- SYNTHETIC STOCK WITH IMPROVED ERGONOMICS, A ROUNDED PISTOL GRIP AND TEXTURED GRIPPING SURFACES gives your hands a sure, non-slip grip. Full coverage Mossy Oak® Shadow Grass Blades camo finish means your gun won't give you away to
- BACK-BORED TECHNOLOGY provides optimum shot patterns that
- INVECTOR-PLUS™ CHOKE TUBE SYSTEM offers consistent patterns to match your target situation

- HARD CHROME-PLATED CHAMBER AND BORE make these surfaces highly resistant to corrosion and wear from steel shot
- VENT RIB gives you a smooth, clean sighting plane
- TRUGLO® LONG BEAD™ FIBER-OPTIC FRONT SIGHT offers a true,
- SELF-ADJUSTING ACTIVE VALVE GAS SYSTEM cycles a wide variety of loads while reducing felt recoil
- QUADRA-VENT™ PORTS vent excess gases for cleaner operation
- **DROP-OUT TRIGGER GROUP** allows for easy cleaning
- AMBIDEXTROUS CROSSBOLT SAFETY is easily reversible
- LARGER BOLT HANDLE AND BOLT RELEASE BUTTON are fast
- PACHMAYR® DECELERATOR® RECOIL PAD helps reduce flinch and fatigue



## NEW SUPER X 4



- COMPACT 13" LENGTH OF PULL to better fit smaller
- SYNTHETIC STOCK WITH IMPROVED ERGONOMICS, A ROUNDED PISTOL GRIP AND TEXTURED GRIPPING SURFACES gives your hands a sure, non-slip grip. The non-glare matte black finish won't
- BACK-BORED TECHNOLOGY provides optimum shot patterns that
- INVECTOR-PLUS™ CHOKE TUBE SYSTEM offers consistent patterns to match your target situation
- HARD CHROME-PLATED CHAMBER AND BORE make these

- TRUGLO® LONG BEAD™ FIBER-OPTIC FRONT SIGHT offers a true,
- precise sight picture • VENT RIB gives you a smooth, clean sighting plane
- SELF-ADJUSTING ACTIVE VALVE GAS SYSTEM cycles a wide variety of loads while reducing felt recoil
- QUADRA-VENT™ PORTS vent excess gases for cleaner operation
- DROP-OUT TRIGGER GROUP allows for easy cleaning
- AMBIDEXTROUS CROSSBOLT SAFETY is easily reversible
- LARGER BOLT HANDLE AND BOLT RELEASE BUTTON are fast
- PACHMAYR® DECELERATOR® RECOIL PAD helps reduce flinch and fatigue



	: MA	G: CHOKE TUBES	OVERALL LENGTH LENGTH OF PULL	DROP AT DROP AT COMB HEEL	
ITEM NUMBER   SX4 COMPACT   NEW 511230390   NEW 511230391   NEW 511230392   NEW 511230690	BAUGE   BARREL   CHAMBER   CAI	F, M, IC F, M, IC F, M, IC F, M, IC F, M, IC	43 3/4" 13" 45 3/4" 13" 47 3/4" 13" 43 3/4" 13" 45 3/4" 13"	13/4" 2" 13/4" 2" 13/4" 2" 13/4" 2" 13/4" 2" 13/4" 2"	6 1/2       \$799.99         6 5/8       799.99         6 3/4       799.99         6 1/4       939.99         6 3/8       939.99         6 1/2       939.99
NEW 511230691 NEW 511230692 SX4 WATERFOWL NEW 511231390 NEW 511231391 NEW 511231392	20 20 3" 4* 20 28" 3" 4*  HUNTER COMPACT (MI  12 24" 3" 4*  12 26" 3" 4*  12 28" 3" 4*	P. M. IC F. M. IC F. M. IC F. M. IC F. M. IC	47 3/4" 13" 43 3/4" 13" 45 3/4" 13" 47 3/4" 13" 43 3/4" 13" 45 3/4" 13"	13/4" 2" 13/4" 2" 13/4" 2" 13/4" 2" 13/4" 2"	6 1/2 \$939.99 6 5/8 939.99 6 3/4 939.99 6 1/4 1,069.99 6 3/8 1,069.99 6 1/2 1,069.99
NEW 511231690 NEW 511231691 NEW 511231692 *TOTAL AMMUNITION CAP	20 26" 3" 4" 20 28" 3" 4*	F, M, IC	47 3/4" 13"	13/4" 2"	47

### SOME A TRIO OF SUPER X84 GAME-GETTING AUTOLOADERS FOR ANY SEASON. UNIVERSAL HUNTER ACTIVE VALVE BACK-BORED TECHNOLOGY • TRUGLO® LONG BEAD™ FIBER-OPTIC FRONT SIGHT offers a true, SYNTHETIC STOCK WITH IMPROVED ERGONOMICS, A ROUNDED SELF-ADJUSTING ACTIVE VALVE GAS SYSTEM cycles a wide PISTOL GRIP AND TEXTURED GRIPPING SURFACES gives your variety of loads while reducing felt recoil hands a sure, non-slip grip. Full coverage Mossy Oak® Break-Up • QUADRA-VENT™ PORTS vent excess gases for cleaner operation Country® camo finish means your shotgun will help give you • DROP-OUT TRIGGER GROUP allows for easy cleaning AMBIDEXTROUS CROSSBOLT SAFETY is easily reversible BACK-BORED TECHNOLOGY provides optimum shot patterns that LARGER BOLT HANDLE AND BOLT RELEASE BUTTON are fast • INVECTOR-PLUS™ CHOKE TUBE SYSTEM offers consistent • LENGTH OF PULL SPACERS allow stock adjustments to achieve patterns to match your target situation • HARD CHROME-PLATED CHAMBER AND BORE make these surfaces highly resistant to corrosion and wear from steel shot • INFLEX TECHNOLOGY RECOIL PAD directs felt recoil down and away from your cheek to reduce flinch and fatigue • VENT RIB gives you a smooth, clean sighting plane DRILLED AND TAPPED ALLOY RECEIVER is ready for optics mounting

A tight, dense pattern of heavy shot is critical for taking turkeys. You get an Invector-Plus™ Extra-Full Turkey choke tube standard with the Super X®4 NWTF® Cantilever Turkey shotgun. The knurled friction band makes it easy to install and remove and the camo front band won't give you away to a sharp-eyed tom.













- SYNTHETIC STOCK WITH IMPROVED ERGONOMICS, A ROUNDED PISTOL GRIP AND TEXTURED GRIPPING SURFACES gives your hands a sure, non-slip grip and the non-glare Mossy Oak® Obsession" camo finish helps you hide from turkeys
- BACK-BORED TECHNOLOGY provides optimum shot patterns that
- INVECTOR-PLUS™ EXTRA-FULL TURKEY EXTENDED CHOKE TUBE with camo front band produces a tight, tom-busting pattern
- 24" BARREL is easy to swing in tight brush
- HARD CHROME-PLATED CHAMBER AND BORE make these surfaces highly resistant to wear and corrosion
- TRUGLO® FIBER-OPTIC FRONT SIGHT AND ADJUSTABLE

- WEAVER®-STYLE CANTILEVER RAIL DESIGN makes it easy to attach an electronic sight or conventional scope, and it retains its zero even when the barrel is removed for cleaning or transportation
- SELF-ADJUSTING ACTIVE VALVE GAS SYSTEM cycles a wide variety of loads while reducing felt recoil
- QUADRA-VENT™ PORTS vent excess gases for cleaner operation
- **DROP-OUT TRIGGER GROUP** allows for easy cleaning
- AMBIDEXTROUS CROSSBOLT SAFETY is easily reversible
- LENGTH OF PULL SPACERS allow stock adjustments to achieve
- INFLEX TECHNOLOGY RECOIL PAD directs felt recoil down and away from your cheek to reduce flinch and fatigue




- SYNTHETIC STOCK WITH IMPROVED ERGONOMICS, A ROUNDED PISTOL GRIP AND TEXTURED GRIPPING SURFACES gives your hands a sure, non-slip grip and the non-glare matte black finish
- RIFLED 22" BARREL optimized for extreme accuracy with 2 3/4"
- MATTE BLACK RECEIVER is strong, lightweight aluminum alloy for
- WEAVER®-STYLE CANTILEVER RAIL DESIGN makes it easy to attach an electronic sight or conventional scope, and it retains its zero even when the barrel is removed for cleaning or transportation
- TRUGLO® FIBER-OPTIC FRONT SIGHT AND ADJUSTABLE REAR SIGHT gather light for quick target acquisition
- SELF-ADJUSTING ACTIVE VALVE GAS SYSTEM cycles a wide variety of loads while reducing felt recoil
- **DROP-OUT TRIGGER GROUP** allows for easy cleaning
- AMBIDEXTROUS CROSSBOLT SAFETY is easily reversible
- LENGTH OF PULL SPACERS allow stock adjustments to achieve
- INFLEX TECHNOLOGY RECOIL PAD directs felt recoil down and away from your cheek to reduce flinch and fatigue

		· · cunkFTUI	BES OVERALL LENG D LENGTH OF PU	TH OROP AT DROP AT	NOMINAL SUGGESTED WT. (LBS) RETAIL
ITEM NUMBER	GAUGE BARREL CHA	AMBER MAG CHOKE TUE INCLUDE MOSSY DAK OBS	-celeN1	4" 13/4" 2"	7 1/2 \$1,069.99
SX4 NWTF CAN 11 511214290	12 24" 3	1/2" : 4* :	14.1/		7 1/2 \$959.99
SX4 CANTILEVER 511215340	00"	3" 4* 1:28" RH T	<b>COUNTRY)</b> 2 45" 14 1/4	4" 13/4" 2"	6 7/8 \$1,069.99 7 1,069.99
5X4 UNIVERSAL 511216290	12 26" 3	1/2" 4* F, M, IC 1/2" 4* F, M, IC 1/2" 4* F, M, IC	3 47 14 1/ 49" 14 1/	4" 13/4" 2"	7 1/8 1,069.99 6 1/2 1,069.99
511216291 511216292 NEW 511216690	12 28" 3 20 24"	3" 4* F, M, IC	3 45" 14 1/ 3 47" 14 1/	4" 13/4" 2" 4" 13/4" 2"	6 5/8 1,069.99 6 3/4 1,069.99
NEW 511216691 NEW 511216692	20 20	3" 4* F, M, IC		4	

\*TOTAL AMMUNITION CAPACITY INCLUDES ONE ADDITIONAL SHELL IN THE CHAMBER.



## HERE'S A PAIR THAT'S BUILT 4 SPEED, STOCKED IN FINE CHECKERED WALNUT.





- SATIN OIL FINISH WALNUT STOCK WITH STRAIGHT LINE CUT CHECKERING, IMPROVED ERGONOMICS AND A ROUNDED PISTOL GRIP improves control and looks elegant
- THE COMPACT MODEL OFFERS A REDUCED 13" LENGTH OF PULL to better fit smaller statured shooters. Two 1/4" spacers are included
- MATTE BLACK RECEIVER is a strong, lightweight aluminum alloy to reduce weight for easy carrying
- BACK-BORED TECHNOLOGY provides optimum shot patterns
- VENT RIB gives you a smooth, clean sighting plane and helps
- TRUGLO® LONG BEAO™ FIBER-OPTIC FRONT SIGHT offers a true,

- HARD CHROME-PLATED CHAMBER AND BORE make these
- surfaces highly resistant to wear and corrosion • INVECTOR-PLUS™ CHOKE TUBES offer consistent, reliable patterns
- SELF-ADJUSTING ACTIVE VALVE GAS SYSTEM cycles a wide variety of loads while reducing felt recoil
- INFLEX TECHNOLOGY RECOIL PAD directs felt recoil down and away from your cheek to reduce flinch and fatigue
- AMBIDEXTROUS CROSSBOLT SAFETY is easily reversible
- LARGER BOLT HANDLE AND BOLT RELEASE BUTTON are fast
- DROP-OUT TRIGGER GROUP allows for easy cleaning



- SATIN OIL FINISH GRADE II/III WALNUT STOCK WITH STRAIGHT LINE CUT CHECKERING, IMPROVED ERGONOMICS AND A ROUNDED PISTOL GRIP improves control and looks elegant
- MATTE NICKEL-PLATED RECEIVER WITH ENGRAVED UPLAND GAME SCENE is a strong, lightweight aluminum alloy to reduce
- BACK-BORED TECHNOLOGY provides optimum shot patterns
- VENT RIB gives you a smooth, clean sighting plane and helps
- TRUGLO® LONG BEAD™ FIBER-OPTIC FRONT SIGHT offers a true, precise sight picture

- surfaces highly resistant to wear and corrosion
- INVECTOR-PLUS™ CHOKE TUBES offer consistent, reliable patterns
- SELF-ADJUSTING ACTIVE VALVE GAS SYSTEM cycles a wide variety of loads while reducing felt recoil
- INFLEX TECHNOLOGY RECOIL PAD directs felt recoil down and away from your cheek to reduce flinch and fatigue
- AMBIDEXTROUS CROSSBOLT SAFETY is easily reversible
- LARGER BOLT HANDLE AND BOLT RELEASE BUTTON are fast
- DROP-OUT TRIGGER GROUP allows for easy cleaning and easy to operate


MAG CHOKE TUBES OVERALL LENGTH DROP AT DROP AT WT. (LBS) RETAIL  OF PULL COMB HEEL WT. (LBS)
ITEM NUMBER GAUGE BARREL CHAMBER CAP
ITEM NUMBER   GAUGE   BARREL   CHAMBER   CHA
ITEM NUMBER GADDE LENGTH: 14 1/4" 13/4" 2" 11/19 99
4 F. M. IC 4/ 13/4" 2" 7/78
SX4 UPCAGE 12 26" 3" 4" EM IC 49" 14 1/4 157
NEW 511236391 3" 4* 5,10,10
511236392 12 20 ADDITIONAL SHELL IN THE CHAMIDETS.
TICH CAPACITY INCLUDES UNE ADDITION

\*TOTAL AMMUNITION CAPACITY INCLUDES ONE ADDITIONAL SHELL IN THE CHAMBER.

## PUMP SUPER Xº

HERE'S WHAT MAKES IT THE FASTEST PUMP ON THE PLANET.

What you hear is the sound of quality and rugged reliability when you shuck a shell into a Winchester® Super X® Pump shotgun. What you feel is the silky smoothness that comes from the Super X Pump shotgun's inertia-assisted action. Its unique design cycles so fast you'll think you're shooting an autoloader — and will boost your confidence in each and every shooting situation.



BACK-BORED TECHNOLOGY is based on extensive research and testing to find the secret to tighter, more consistent patterns. Instead of the traditional bore size of .729", this research shows the ideal 12 gauge interior diameter is .742". In 20 gauge barrels the ideal bore diameter is .630" instead of the standard .618". If the bore is any larger the gases will blow by the shot cup and reduce pellet velocity. If the bore is too tight the pellets are deformed as they pass through the forcing cone, causing poor ballistic performance.



CHROME-PLATED CHAMBER AND BORE are critical for today's steel and Hi-Density (HD) shot. Hard chrome makes the surfaces highly resistant to wear and gives you superior protection from rust and corrosion. That's why all smoothbore Super X® Pump shotguns feature a hard-chromed chamber and bore.

From the duck blind to the firing line, the INVECTOR-PLUS™ CHOKE TUBE SYSTEM is the world's most consistent. The Super X® Pump comes with full, modified and improved cylinder flush-mounted choke tubes so your gun is ready for anything, right out of the box.





**SPEED-PLUG SYSTEM** lets you remove the three-shot adaptor with your fingers. Just remove the magazine cap, push on the spring retainer holding the spring in place, twist and remove the adaptor. It's a trouble-free design that lets you "pull the plug" in mere seconds without any tools.



**DROP-OUT TRIGGER GROUP** lets you remove one pin and pull the complete trigger system out for cleaning, lubrication and inspection. It's an easy way to keep your Super X<sup>®</sup> Pump shotgun in top shape, regardless of nasty weather or gritty shooting conditions.



Four massive **ROTARY BOLT LUGS** provide support, strength and solid lockup in the barrel of the lightning-fast Super X® Pump. Under recoil, the mass of your body slows the rearward travel of the shotgun, while the inertial motion of the bolt, slide and forearm continue cycling the action to give you a head start ejecting the fired shell. Robust dual steel action guide bars eliminate the twisting and binding that waste time and energy when cycling the action.



The Super X® Pump has the best recoil pad ever put on a shotgun. Directional rib structures inside the **INFLEX TECHNOLOGY RECOIL PAD** help channel the recoil impulse by moving the comb down and away from your cheek. The pad's smooth textured surface makes shouldering the Super X Pump snag free regardless of what clothing you're wearing.



The **CROSSBOLT SAFETY** button on the Super X® Pump is located on the front of the trigger guard for easy access, even when you're wearing heavy waterfowling gloves.




bolt, barrel, slide, action bars and other parts protects better than conventional bluing and stands up to years of wear and harsh conditions.

**DURABLE E-COATING** on the magazine tube helps protect it from wear and corrosion to keep it looking sharp for years to come.



THE NEW SUPER X® PUMP YOUTH FIELD MODEL HAS A SUPER COMPACT 12" LENGTH OF PULL to better fit younger and small

to better fit younger and small statured shooters.





- SATIN FINISHED STOCK WITH A HIGH PROFILE TRAP COMB AND FOREARM WITH TRADITIONAL CHECKERING provide a sure grip when the trapshooting action gets fast and furious
- BACK-BORED TECHNOLOGY provides optimum shot patterns, even from the 27 yard line
- INVECTOR-PLUS™ CHOKE TUBE SYSTEM offers consistent patterns to match your shooting situation
- HARD CHROME-PLATED CHAMBER AND BORE make surfaces highly resistant to wear and corrosion from thousands of shells
- BLACK CHROME PROTECTION on the bolt and other components
- AN IVORY MID-BEAD produce a crisp sight picture on both rising
- 3-SHOT ADAPTOR WITH SPEED-PLUG SYSTEM is easily removed
- DROP-OUT TRIGGER GROUP allows for easy cleaning
- **CROSSBOLT SAFETY** is easily operated
- INFLEX TECHNOLOGY RECOIL PAD directs felt recoil down and away from your cheek to help reduce flinch and fatigue, especially important when you're going for 100 straight targets

## lasts longer than traditional bluing RAP COMPACT • 5/16" TRAP RIB WITH TRUGLO® FIBER-OPTIC FRONT SIGHT AND

- SATIN FINISHED STOCK WITH A HIGH PROFILE TRAP COMB AND FOREARM WITH TRADITIONAL CHECKERING provide a sure grip when the trapshooting action gets fast and furious
- COMPACT 13" LENGTH OF PULL BUTTSTOCK makes it an ideal shotgun for younger shooters or those of smaller stature
- BACK-BORED TECHNOLOGY provides optimum shot patterns, even from the 27 yard line
- INVECTOR-PLUS™ CHOKE TUBE SYSTEM offers consistent patterns to match your shooting situation
- HARD CHROME-PLATED CHAMBER AND BORE make surfaces highly resistant to wear and corrosion from thousands of shells
- BLACK CHROME PROTECTION on the bolt and other components lasts longer than traditional bluing

- AN IVORY MID-BEAD produce a crisp sight picture on both rising
- 3-SHOT ADAPTOR WITH SPEED-PLUG SYSTEM is easily removed
- DROP-OUT TRIGGER GROUP allows for easy cleaning
- CROSSBOLT SAFETY is easily operated INFLEX TECHNOLOGY RECOIL PAD directs felt recoil down and away from your cheek to help reduce flinch and fatigue, especially important when you're going for 100 straight targets

onal bluing				· aT NOMINAL	SUGGESTED
		MAG CHOKE TUBES	OVERALL LENGTH	DROP AT DROP AT NOMINAL COMB HEEL WT. (LBS	
ITEM NUMBER	GAUGE BARREL CHAMB	ER CAP INCLUDED		21/8" 71/2	\$4/9.95
SYP TRAP	: : : : 3"		51" 14 1/4 53" 14 1/4"	13/8" 21/8" 75/8	479.99
512296393 512296394	3"	4* F, IM, M		12/8" 21/8" 71/4	\$479.99
SYP TRAP COMP	ACT 3"	4* F, IM, M	47 3/4" 13" 49 3/4" 13"	13/8" 21/8" 73/8	
512297392	12 28" 3 12 30" 3"	- 4" : IM M	47 3/4" 13"	13/8" 21/8" 73/8 13/8" 21/8" 73/8	- 00
512297393 <b>NEW</b> 512297692	20 28" 3"	4" F, IM, M	49 3/4" 13"	13/0 12 //	TM
-12207693	3 20 30" 3	IONAL SHELL IN THE CHAM	IBER.	A AMERICAN	

\*TOTAL AMMUNITION CAPACITY INCLUDES ONE ADDITIONAL SHELL IN THE CHAMBER



THESE SUPER X® PUMP SHOTGUNS ARE FAST IN THE FIELD FOR SHOOTERS OF EVERY AGE AND SIZE.



Four massive ROTARY BOLT LUGS provide support, strength and solid lockup in the barrel of the lightning-fast Super X® Pump shotgun. Under recoil, the mass of your body slows the rearward travel of the shotgun, while the inertial motion of the bolt, slide and forearm continue cycling the action to give you a head start ejecting the fired shell. Robust dual steel action guide bars eliminate the twisting and binding that waste time and energy when cycling the action.



	MAG	CHOKE TUBES	OVERALL LE	NGTH DROP AT COMB	TRUP AT THE CLOCK	
<b>SXP FIELD</b> 512266391 1 512266392 1	2 26" 3" 4* 2 28" 3" 4* 0 26" 3" 5*	F, M, IC F, M, IC	46 3/4" 48 3/4" 46 3/4"	14" 15/8" 14" 15/8" 14" 15/8" 14" 15/8"	2" 7 2" 7 1/8 2" 6 3/4 2" 6 7/8	\$399.99 399.99 429.99 429.99
512266692 2  SXP FIELD COMPACT  512287390 1  512271391 1  512271690 2  512271691 2	2 24" 3" 4* 2 26" 3" 4* 2 28" 3" 4* 2 26" 3" 5* 0 24" 3" 5* 0 26" 3" 5*	F, M, IC F, M, IC F, M, IC F, M, IC F, M, IC F, M, IC	43 1/2" 45 1/2" 47 1/2" 43 1/2" 45 1/2" 47 1/2"	13" 15/8" 13" 15/8" 13" 15/8" 13" 15/8" 13" 15/8" 13" 15/8"	2" 6 1/2 2" 6 5/8 2" 6 3/4 2" 6 3/8 2" 6 1/2 2" 6 5/8	\$399.99 399.99 399.99 429.99 429.99



- SATIN FINISHED STOCK AND FOREARM WITH TRADITIONAL CHECKERING provide a sure grip when the hunting action gets hot. The Compact model has a reduced 13" length of pull making it ideal
- for younger shooters or those of smaller stature
- BACK-BORED TECHNOLOGY provides optimum shot patterns that
- 3" CHAMBER gives you the added range to knock down game with
- INVECTOR-PLUS™ CHOKE TUBE SYSTEM offers consistent patterns to match your game and situation

- BLACK CHROME PROTECTION on the bolt and other components
- lasts longer than traditional bluing BRASS FRONT SIGHT BEAD offers a fast, natural sight picture
- 3-SHOT ADAPTOR WITH SPEED-PLUG SYSTEM is easily removed
- DROP-OUT TRIGGER GROUP allows for easy cleaning
- CROSSBOLT SAFETY is easily operated
- INFLEX TECHNOLOGY RECOIL PAD directs felt recoil down and away from your cheek to reduce flinch and fatigue



- SUPER COMPACT 12" LENGTH OF PULL to better fit younger and
- SATIN FINISHED STOCK AND FOREARM WITH TRADITIONAL CHECKERING provide a sure grip when the hunting action gets hot
- BACK-BORED TECHNOLOGY provides optimum shot patterns that
- 3" CHAMBER gives you the added range to knock down game with
- INVECTOR-PLUS™ CHOKE TUBE SYSTEM offers consistent patterns to match your game and situation
- HARD CHROME-PLATED CHAMBER AND BORE make surfaces highly resistant to wear and corrosion

- BLACK CHROME PROTECTION on the bolt and other components lasts longer than traditional bluing
- BRASS FRONT SIGHT BEAD offers a fast, natural sight picture
- 3-SHOT ADAPTOR WITH SPEED-PLUG SYSTEM is easily removed
- **DROP-OUT TRIGGER GROUP** allows for easy cleaning
- **CROSSBOLT SAFETY** is easily operated
- INFLEX TECHNOLOGY RECOIL PAD directs felt recoil down and away from your cheek to reduce flinch and fatigue

D CHAMBER AND BOR and corrosion			CHOKE TUBES	OVERALL LI	ENGTH DROP AT FPULL COMB	DROP AT HEEL	WT. (LBS)	
ITEM NUMBER   SXP YOUTH FIELD   NEW   512367302   NEW   512367390   NEW   512367601   NEW   512367602   NEW   512367603   NEW   512367690   NEW   512367690	12 20" 12 22" 12 24" 20 18" 20 20" 20 22"	3" 4* 3" 4* 3" 4* 3" 4* 3" 4* 3" 4* 3" 4*	F, M, IC F, M, IC F, M, IC F, M, IC F, M, IC F, M, IC F, M, IC	38 3/4" 40 3/4" 42 3/4" 36 3/4" 38 3/4" 40 3/4" 42 3/4"	12" 15/8" 12" 15/8" 12" 15/8" 12" 15/8" 12" 15/8" 12" 15/8" 12" 15/8"	2" 2" 2" 2" 2" 2"	6 1/8 6 1/4 6 3/8 5 7/8 6 6 1/8 6 1/4	\$399.99 399.99 429.99 429.99 429.99 429.99

\*TOTAL AMMUNITION CAPACITY INCLUDES ONE ADDITIONAL SHELL IN THE CHAMBER.





			TURKE TURES	OVERALL LENGTH	OROP AT DROP	AT NOMINAL WT. (LBS)	SUGGESTED RETAIL
ITEM NUMBER	GAUGE BARRE	CHAMBER MAG	CHOKE TUBES INCLUDED HADOW GR	ASS BEASE		: 0.7/0 :	\$499.99
\$\$\frac{\text{S12270291}}{\text{512270292}}\$ \$\frac{\text{512270391}}{\text{512270392}}\$ \$\frac{\text{512270691}}{\text{512270692}}\$ \$\frac{\text{512270692}}{\text{512270692}}\$	12 26" 12 26" 12 26" 12 26" 12 28" 20 26" 20 28"	31/2" 4*. 31/2" 4*. 3" 4*. 3" 4*. 3" 5*.	F, M, IC F, M, IC F, M, IC	48 1/2" 13 3/4"	15/8"	6 3/4 6 7/8 6 1/2	499.99 459.99 459.99 499.99 499.99



- SYNTHETIC STOCK WITH TEXTURED GRIPPING SURFACES gives your hands a sure, non-slip grip and the non-glare Mossy Oak® Shadow Grass Blades finish won't spook wary waterfowl
- BACK-BORED TECHNOLOGY provides optimum shot patterns that
- 3" AND 3 1/2" CHAMBER models give you the magnum advantage to reach out for long-range waterfowl
- INVECTOR-PLUS™ CHOKE TUBE SYSTEM offers consistent patterns to match your game and situation
- HARD CHROME-PLATED CHAMBER AND BORE make these surfaces highly resistant to wear and corrosion

- TRUGLO® LONG BEAO™ FIBER-OPTIC FRONT SIGHT offers a true,
- 3-SHOT ADAPTOR WITH SPEED-PLUG SYSTEM is easily removed
- ROTARY BOLT with four massive lugs provides strength, support
- DROP-OUT TRIGGER GROUP allows for easy cleaning
- CROSSBOLT SAFETY is easily operated, even with gloves
- INFLEX TECHNOLOGY RECOIL PAD directs felt recoil down and away from your cheek to reduce flinch and fatigue




- SYNTHETIC STOCK WITH TEXTURED GRIPPING SURFACES gives your hands a sure, non-slip grip and the non-glare Mossy Oak Break-Up Country® camo finish won't spook wary game
- BACK-BORED TECHNOLOGY provides optimum shot patterns that
- 3" AND 3 1/2" CHAMBER models give you the magnum advantage to reach out for long-range birds and game
- INVECTOR-PLUS™ CHOKE TUBE SYSTEM offers consistent patterns to match your game and situation
- HARD CHROME-PLATED CHAMBER AND BORE make these surfaces highly resistant to wear and corrosion
- DRILLED AND TAPPED ALLOY RECEIVER is ready for optics mounting

- lasts longer than traditional bluing
- TRUGLO® LONG BEAD™ FIBER-OPTIC FRONT SIGHT offers a true,
- 3-SHOT ADAPTOR WITH SPEED-PLUG SYSTEM is easily removed
- ROTARY BOLT with four massive lugs provides strength, support
- DROP-OUT TRIGGER GROUP allows for easy cleaning
- CROSSBOLT SAFETY is easily operated, even with gloves
- INFLEX TECHNOLOGY RECOIL PAD directs felt recoil down and away from your cheek to reduce flinch and fatigue

				OVERALL LENG	'	DOD AT NOMII	NAL SUGGESTED RETAIL
				OVERALL LENGT	TH DROPAL D	HEEL WT. (L	BSJ: KEIMIE
	ER GAUGE BARREL LENGTH	MAG	CHOKE TUBES	LENGTH OF PU	LL COMB		
	BARREL	CHAMBER CAP	INCLUDED	INTOVI		: 00	/4 \$509.99
ITEM NUMBI	ER GAUGE LENGTH	VOAV RR	EAK-UP CUI	1N1K1)	4" 15/8"	2" 63,	500.00
	HUNTER [MD	SSY UAN DIV	F, M, IC			2" 67/	8 509.99
SYP UNIVERSAL	24"	3 1/2" 4*		47" 13 3/	4" 15/8"		509.99
51232129	io: 12: 24		F, M, IC			2" :/.	
יייייייייייייייייייייייייייייייייייייי	12 26"	J 1/ L	F, M, IC	49" 13 3/	- (01	2" 65/	
51232129	11	3 1/2" 4*	F, M, 10	44 1/2" 13 3/	4" 15/8"		
51232129	12: 12: 20		F, M, IC			2" 63,	400.00
012021	in 12 24"		- 14 10	46 1/2" 13 3/		2" 67/	
51232139	IU :	3" 4*		48 1/2" 13 3/	4" 15/8"		
51232139	12 26"		F, M, IC	40 1/2	4" 15/8"		-00.00
JIZOZIO	12 28"			44 1/2" 13 3/		2" 61/	
51232139	04"	3" 5*		46 1/2" 13 3/	4" 15/0		
51232169	0 : 2024		F, M, IC	40 1/2	4" 15/8"	2" 65/	
512510	1 20 26"		F, M, IC	48 1/2" 13 3/	4		
51232169	11 :	3" 5*	[, [v], 10				TM THE THE THE THE
51232169	12 : 211 : 20		LL IN THE CHAME	SEK.	THE PERSON NAMED IN	ARRIVATE A	A WILLIAM THE REAL PROPERTY OF THE PERSON NAMED IN COLUMN TO THE P
5120210	- DITY INCLUIRES ON	IE ADDITIONAL SHE	AND THE PERSONS	V AHUMANIA		ALL PROPERTY OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN T	H EEGS WHEN COMME

\*TOTAL AMMUNITION CAPACITY INCLUDES ONE ADDITIONAL SHELL IN THE CHAMBER







- SYNTHETIC STOCK WITH TEXTURED GRIPPING SURFACES gives your hands a sure, non-slip grip and the non-glare matte black finish
- BACK-BORED TECHNOLOGY provides optimum shot patterns that
- 3" AND 3 1/2" CHAMBER 12 gauge models give you the magnum advantage to reach out for long-range game
- INVECTOR-PLUS™ CHOKE TUBE SYSTEM offers consistent patterns to match your game and situation
- HARD CHROME-PLATED CHAMBER AND BORE make these surfaces highly resistant to wear and corrosion
- BLACK CHROME PROTECTION on the bolt and other components

- 3-SHOT ADAPTOR WITH SPEED-PLUG SYSTEM is easily removed
- ROTARY BOLT with four massive lugs provides strength and
- DROP-OUT TRIGGER GROUP allows for easy cleaning
- CROSSBOLT SAFETY is easily operated, even with gloves
- INFLEX TECHNOLOGY RECOIL PAD directs felt recoil down and away from your cheek to reduce flinch and fatigue



- SYNTHETIC STOCK WITH TEXTURED GRIPPING SURFACES gives your hands a sure, non-slip grip and the non-glare matte black finish
- 22" FULLY-RIFLED BARREL is designed to provide optimum accuracy with modern sabots and slugs
- 3" CHAMBER gives you the ability to reach out for challenging shots
- BLACK CHROME PROTECTION on the bolt and other components lasts longer than traditional bluing
- TRUGLO® FIBER-OPTIC FRONT SIGHT AND ADJUSTABLE FIBER-OPTIC REAR SIGHT offer a fast, natural sight picture

- DRILLED AND TAPPED ALLOY RECEIVER is ready for
- 3-SHOT ADAPTOR WITH SPEED-PLUG SYSTEM is easily removed
- ROTARY BOLT with four massive lugs provides strength, support
- DROP-OUT TRIGGER GROUP allows for easy cleaning
- CROSSBOLT SAFETY is easily operated, even with gloves
- INFLEX TECHNOLOGY RECOIL PAD directs felt recoil down and away from your cheek to reduce flinch and fatigue

GHT offer a fast, natural	sight picture			: -uenall	: I FNGTH	DROP AT	OROP AT	NOMINAL WT. (LBS)	SUGGESTED RETAIL
ITEM NUMBER	GAUGE BARREL CHAI	MBER: CAP IN	CLUDED	LENGTH	13 3/4"		2"	6 3/4	\$399.99
SXP BLACK SHAD 512251290	12 24" 31	/2" 4* F,	M, IC M, IC	47"	13 3/4" 13 3/4"	15/8" 15/8"	2"	6 7/8 7 6 5/8	399.99
512251291 512251292	12 28" 31	/2" 4* F. 3" 4* F.	141, 10	44 1/2" 46 1/2"	13 3/4" 13 3/4"	15/8" 15/8"	2" 2" 2"	6 3/4 6 7/8	379.99 379.99
512251390 512251391 512251392	12 26" S	4* F.	M, IC	48 1/2"	13 3/4" 13 3/4"	10/0	2"	6 3/8 6 1/2	399.99
512251690 512251691	: 20 : 20	5* F.		46 1/2" 48 1/2"	13 3/4 13 3/4"		2"	65/8	399.99 \$519.99
512251692 SYP BLACK SHAD	OW DEER	n" : 4** 1:35"	RH Twist		13 3/4" 13 3/4"	15/8" 15/8"	2" 2"	6 7/8 6 5/8	549.99
: 510061340	: 12 : 24	E** 1.24"	RH TWIST	40			LS.	manual fire	M

<sup>\*</sup>TOTAL AMMUNITION CAPACITY INCLUDES ONE ADDITIONAL SHELL IN THE CHAMBER.

<sup>\*</sup>MAGAZINE CAPACITY DEPENDS ON SHELL LENGTH, SOME SLUGS ARE LONGER THAN STANDARD 2 3/4" SHOT SHELLS.





The receivers on both Winchester® Super X® Pump Extreme Deer shotgun models are drilled and tapped for Winchester scope bases and rings, allowing you to easily attach an optional scope or electronic sight to fully utilize the incredible accuracy of today's shotgun slug ammo. See the full line of bases and rings on page 77.



- SYNTHETIC PISTOL GRIP STOCK WITH TEXTURED GRIPPING SURFACES gives your hands a sure, non-slip grip and the
- non-glare matte black finish won't spook wary game TWO INTERCHANGEABLE COMB PIECES allow you to fine-tune drop at comb for use with iron, electronic or optical sights
- TWO INTERCHANGEABLE LENGTH OF PULL SPACERS allow you to fine-tune length of pull for a perfect stock fit
- 22" FULLY-RIFLED BARREL is designed to provide optimum accuracy with modern sabots and slugs
- 3" CHAMBER gives you the ability to reach out for challenging shots
- BLACK CHROME PROTECTION on the bolt and other components lasts longer than traditional bluing

- TRUGLO® FIBER-OPTIC FRONT SIGHT AND ADJUSTABLE FIBER-OPTIC REAR SIGHT offer a fast, natural sight picture
- DRILLED AND TAPPED ALLOY RECEIVER is ready for
- 3-SHOT ADAPTOR WITH SPEED-PLUG SYSTEM is easily removed
- ROTARY BOLT with four massive lugs provides strength, support
- **DROP-DUT TRIGGER GROUP** allows for easy cleaning
- CROSSBOLT SAFETY is easily operated, even with gloves
- INFLEX TECHNOLOGY RECOIL PAD directs felt recoil down and away from your cheek to reduce flinch and fatigue



- SYNTHETIC PISTOL GRIP STOCK WITH TEXTURED GRIPPING SURFACES gives your hands a sure, non-slip grip and the Mossy Oak® Break-Up Country® camo finish won't spook wary game
- TWO INTERCHANGEABLE COMB PIECES allow you to fine-tune drop at comb for use with iron, electronic or optical sights
- TWO INTERCHANGEABLE LENGTH OF PULL SPACERS allow you to fine-tune length of pull for a perfect stock fit
- 22" FULLY-RIFLED BARREL is designed to provide optimum accuracy with modern sabots and slugs
- 3" CHAMBER gives you the ability to reach out for challenging shots
- BLACK CHROME PROTECTION on the bolt and other components lasts longer than traditional bluing
- **DRILLED AND TAPPED ALLOY RECEIVER** is ready for
- 3-SHOT ADAPTOR WITH SPEED-PLUG SYSTEM is easily removed
- ROTARY BOLT with four massive lugs provides strength, support
- DROP-OUT TRIGGER GROUP allows for easy cleaning
- CROSSBOLT SAFETY is easily operated, even with gloves
- INFLEX TECHNOLOGY RECOIL PAD directs felt recoil down and away from your cheek to reduce flinch and fatigue

ITEM NUMBER GAUGE BARREL CHAMBER MAG RATE OF TWIST OVERALL LENGTH OF PULL COMB HEEL WT. (LBS) SECTION OF THE COMB HEEL WT	STED AIL
RAPREL CHAMBER CAR RATE OF TWIST LENGTH : OF PULL :	a 99
ITEM NUMBER   GAUGE   BARREL   CHAMBER   MAB   RATE OF TWIST   LENGTH   DF POLE	0.00
EVALENTREME DEER	9 99
512312340 12 22" MISSY DAK BREAK-UP CUUN 12 3/4" 13/4" 2" / wu	
EVALENTEME DEER HUNTER (MOSE 4** 1:35" RH Twist 43" 13.07"	
SXP EXTREME DEER         512312340       12       22"       3"       4** 1:35" RH Twist       43" 10 5/*         SXP EXTREME DEER HUNTER (MOSSY DAK BREAK-UP COUNTRY)         512313240       12       22"       3"       4** 1:35" RH Twist       43"       13 3/4"       13/4"       2"       7       \$61         512313240       12       22"       3"       4** 1:35" RH Twist       43"       13 3/4"       13/4"       2"       7       \$61	

<sup>\*</sup>TOTAL AMMUNITION CAPACITY INCLUDES ONE ADDITIONAL SHELL IN THE CHAMBER. \*\*MAGAZINE CAPACITY DEPENDS ON SHELL LENGTH. SOME SLUGS ARE LONGER THAN STANDARD 2 3/4" SHOT SHELLS.

# SERIOUS HOME DEFENSE STARTS WITH THESE TWO HIGH-TECH PUMPS.








The receivers on both Winchester® Super  $X^{\text{\tiny{ID}}}$  Pump Shadow Defender $^{\text{\tiny{IM}}}$  shotgun models are drilled and tapped for Winchester scope bases and rings, allowing you to easily attach an optional scope or electronic sight to fully utilize the incredible accuracy of today's shotgun slug ammo. See the full line of bases and rings on page 77.



- SYNTHETIC PISTOL GRIP STOCK WITH TEXTURED GRIPPING
- SURFACES gives your hands a sure, non-slip grip and the non-glare matte black finish won't give you away
- TWO INTERCHANGEABLE COMB PIECES allow you to fine-tune drop at comb for use with iron, electronic or optical sights
- TWO INTERCHANGEABLE LENGTH OF PULL SPACERS allow you to fine-tune length of pull for a perfect stock fit
- TACTICAL RIBBED FOREARM for better control when you need
- HARD CHROME-PLATED CHAMBER AND BORE make these surfaces highly resistant to wear and corrosion
- INVECTOR-PLUS™ CYLINDER CHOKE TUBE handles both slugs

- 3" CHAMBER gives you the ability
- to reach out for challenging shots BLACK CHROME PROTECTION on the bolt and other components
- REMOVABLE TRUGLO® FIBER-OPTIC FRONT SIGHT plus a traditional brass front bead offer a fast, natural sight picture
- **DRILLED AND TAPPED ALLOY RECEIVER** is ready for
- ROTARY BOLT with four massive lugs provides strength, support
- CROSSBOLT SAFETY is easily operated, even with gloves
- INFLEX TECHNOLOGY RECOIL PAD directs felt recoil down and away from your cheek to reduce flinch and fatigue



- MATTE HARD CHROME PLATING on the barrel, magazine tube and slide arms for added resistance to wear and the elements
- SYNTHETIC PISTOL GRIP STOCK WITH TEXTURED GRIPPING SURFACES gives your hands a sure, non-slip grip and the non-glare matte black finish won't give you away
- TWO INTERCHANGEABLE COMB PIECES allow you to fine-tune drop at comb for use with iron, electronic or optical sights
- TWO INTERCHANGEABLE LENGTH OF PULL SPACERS allow you to fine-tune length of pull for a perfect stock fit
- TACTICAL RIBBED FOREARM for better control when you need
- HARD CHROME-PLATED CHAMBER AND BORE make these surfaces highly resistant to wear and corrosion

- INVECTOR-PLUS™ CYLINDER CHOKE TUBE handles both slugs and buckshot
- 3" CHAMBER gives you the ability to reach out for
- BLACK CHROME PROTECTION on the bolt and other components
- REMOVABLE TRUGLO® FIBER-OPTIC FRONT SIGHT plus a traditional brass front bead offer a fast, natural sight picture
- **DRILLED AND TAPPED ALLOY RECEIVER** is ready for
- ROTARY BOLT with four massive lugs provides strength, support
- CROSSBOLT SAFETY is easily operated, even with gloves
- INFLEX TECHNOLOGY RECOIL PAD directs felt recoil down and away from your cheek to reduce flinch and fatigue



Two user-interchangeable combs and height adjust spacers let you tune comb height on your Super X® Pump Shadow Defender™ you tune combinery to the your super A. Cump shadow belefined and Shadow Marine Defender™ for perfect eye-to-sight alignment with your choice of sighting systems.



A WINCHESTER® SUPER X® PUMP DEFENDER





The 12-gauge PDX1 Defender ammunition features a distinctive black hull, black oxide high-base head and 3 pellets of Grex-buffered 00 plated buckshot nested on top of a 1 oz. rifled slug. The result is the ideal, tight patterning personal defense load. The slug/buckshot combination provides optimum performance at short and long ranges while compensating for aim error.





The receivers on both the Winchester® Super X® Pump Defender™ and Marine Defender™ shotgun models are drilled and tapped for Winchester scope bases and rings. See the full line of bases and rings on page 77.




- SYNTHETIC STOCK WITH TEXTURED GRIPPING SURFACES gives your hands a sure, non-slip grip and the non-glare matte black finish
- TACTICAL RIBBED FOREARM for better control when you need
- HARD CHROME-PLATED CHAMBER AND BORE make these surfaces highly resistant to wear and corrosion
- FIXED-CYLINDER CHOKED BARREL handles both slugs
- ORILLED AND TAPPED ALLOY RECEIVER is ready for optics mounting

- ROTARY BOLT with four massive lugs provides strength and
- DROP-OUT TRIGGER GROUP allows for easy cleaning
- CROSSBOLT SAFETY is easily operated, even with gloves
- BLACK CHROME PROTECTION on the bolt and other components lasts longer than traditional bluing
- INFLEX TECHNOLOGY RECOIL PAD directs felt recoil down and away from your cheek to reduce flinch and fatigue



- MATTE HARD CHROME PLATING on barrel, magazine tube, slide arms and other components for the ultimate protection against wear
- SYNTHETIC STOCK WITH TEXTURED GRIPPING SURFACES gives your hands a sure, non-slip grip and the non-glare matte black finish
- TACTICAL RIBBED FOREARM for better control when you need
- HARD CHROME-PLATED CHAMBER AND BORE make these surfaces highly resistant to wear and corrosion
- **DRILLED AND TAPPED ALLOY RECEIVER** is ready for optics mounting

• REMOVABLE TRUGLO® FIBER-OPTIC **(** FRONT SIGHT plus a traditional brass front bead offer a fast, natural



- INVECTOR-PLUS™ CHOKE TUBE SYSTEM with cylinder choke installed, works with slugs or buckshot
- ROTARY BOLT with four massive lugs provides strength and
- DROP-OUT TRIGGER GROUP allows for easy cleaning
- CROSSBOLT SAFETY is easily operated, even with gloves
- INFLEX TECHNOLOGY RECOIL PAD directs felt recoil down and away from your cheek to reduce flinch and fatigue

: MAG : CHOKE TUBES	OVERALL LENGTH DROP AT DROP AT NOMINAL SUGGESTED RETAIL WT. (LBS)
ITEM NUMBER GAUGE BARREL CHAMBER CAP INCLUDED	- 4/4 : \$349.50
ITEM NUMBER GADBE LENGTH	12.0/4":13/8":15/8:::::::::::::::::::::::::::::::::::
CXP DEFENDEN 3" 5"	38 1/2": 13 3/4": 13/0
6////2000	61/4 : \$399.99
512252695 20 18" 3 5 CYD MARINE DEFENDER	38 1/2" 13 3/4" 13/8" 15/8" 6 1/4 \$33333 429.99
SXP MARINE DET 12 18" 3" 5' CYI	38 1/2"   13 3/4"   13/8"   15/8"   6   425.33 38 1/2"   13 3/4"   13/8"   15/8"   6   425.33
512268395 : 12	

\*TOTAL AMMUNITION CAPACITY INCLUDES ONE ADDITIONAL SHELL IN THE CHAMBER



A TRICKED-OUT TRIO OF TROPHY TOM TAKERS.

Two user-interchangeable combs and height adjustment spacers let you tune comb height on your Super X® Pump Long Beard<sup>M</sup> for perfect eye-to-sight alignment with your choice of sighting systems.



LONG BEARD™ CHOKE TUBE Aggressively avid turkey hunters will go to great lengths to tag that trophy tom. The Winchester® Super X® Pump Long Beard™ model features an extended Extra-Full Turkey tube with a fluted body, knurled friction ring and camo front band. It's designed to extract every bit of potential from Winchester Long Beard® XR® turkey ammunition.

· Large for Assembly	MAG CHOKE TUBES OVERALL LENGTH COMB HEEL WT. (LBS) RETAIL COMB HEEL WT. (LBS) RETAIL RETAIL WT. (LBS) RETAIL WT. (LBS) RETAIL WT. (LBS)
ITEM NUMBER GAUGE BARREL CHAMBER	A*         T         45"         13 3/4"         15/8"         2"         6 5/8         \$439.99           5*         T         44 1/2"         13 3/4"         15/8"         2"         6 1/4         439.99
SXP TURKEY         512341290         12         24"         3 1/2"           512341690         20         24"         3"           512341690         20         24"         3"	<b>EAK-UP COUNTRY)</b> 13 3/4" 15/8" 2" 65/8 \$519.99
SXP TURKEY HUN ER         31/2"           512307290         12         24"         31/2"           512307690         20         24"         3"	5* T 44 1/2" 13 3/4" 15/8" 2" 6 5/8 \$519.99 SESSION) 45" 13 3/4" 15/8" 2" 6 1/4 519.99
SXP TÜRKEY HÜNTER TMÜSE	4* T 44 1/2" 13 3/4" 1 5/8" 2 U.  5* T 44 1/2" 13 3/4" 1 15/8" 2 U.  DIE THE CHAMBER. **OVERAL LENGTH DOES NOT INCLUDE CHOKE TUBE.

\*TOTAL AMMUNITION CAPACITY INCLUDES ONE ADDITIONAL SHELL IN THE CHAMBER: \*\*OVERAL LENGTH DOES N



- SYNTHETIC STOCK WITH TEXTURED GRIPPING SURFACES gives your hands a sure, non-slip grip and is available in your choice of either Mossy Oak® Break-Up Country® or Obsession® camo or a non-glare matte black finish that won't scare off skittish birds
- BACK-BORED TECHNOLOGY provides optimum shot patterns that
- A 3" CHAMBER IN 20 GAUGE, OR A 3 1/2" CHAMBER IN 12 GAUGE gives you the power to reach out for those long-range turkeys
- INVECTOR-PLUS™ EXTRA-FULL TURKEY CHOKE TUBE for a tight,
- HARD CHROME-PLATED CHAMBER AND BORE make these surfaces highly resistant to wear and corrosion

- DRILLED AND TAPPED ALLOY RECEIVER is ready for
- TRUGLO® FIBER-OPTIC ADJUSTABLE SIGHTS offer a fast, natural
- ROTARY BOLT with four massive lugs provides strength and
- DROP-OUT TRIGGER GROUP allows for easy cleaning
- CROSSBOLT SAFETY is easily operated, even with gloves
- BLACK CHROME PROTECTION on the bolt and other components lasts longer than traditional bluing
- INFLEX TECHNOLOGY RECOIL PAD directs felt recoil down and away from your cheek to reduce flinch and fatigue



- SYNTHETIC PISTOL GRIP STOCK WITH TEXTURED GRIPPING SURFACES gives your hands a sure, non-slip grip and the Mossy Oak® Break-Up Country® camo finish won't spook wary birds
- TWO INTERCHANGEABLE COMB PIECES allow you to fine-tune drop at comb for use with iron, electronic or optical sights
- TWO INTERCHANGEABLE LENGTH OF PULL SPACERS allow you to fine-tune length of pull for a perfect stock fit
- BACK-BORED TECHNOLOGY provides optimum shot patterns
- CHOICE OF 3" OR 3 1/2" CHAMBER gives you the power to reach out for those long-range turkeys
- INVECTOR-PLUS™ EXTRA-FULL LONG BEARO™ TURKEY CHOKE TUBE for a tight, dense pattern, especially with Winchester® Long Beard® XR® ammunition

- HARD CHROME-PLATED CHAMBER AND BORE make these surfaces highly resistant to wear and corrosion
- DRILLED AND TAPPED ALLOY RECEIVER is ready for
- TRUGLO® FIBER-OPTIC ADJUSTABLE SIGHTS offer a fast, natural
- ROTARY BOLT with four massive lugs provides strength and
- DROP-OUT TRIGGER GROUP allows for easy cleaning
- CROSSBOLT SAFETY is easily operated, even with gloves
- BLACK CHROME PROTECTION on the bolt and other components
- lasts longer than traditional bluing • INFLEX TECHNOLOGY RECOIL PAD directs felt recoil down and away from your cheek to reduce flinch and fatigue

		G CHOKE TUBES OVERALL LENGTH DROP AT DROP AT NOMINAL RETAIL OF PULL COMB HEEL WT. (LBS)
ITEM NUMBER	GAUGE BARREL CHAMBER CAP	GOUNTRY)  COUNTRY  CO
SXP LONG BEARD 512320290	[MOSSY DAK BREAT 12 24" 31/2" 4*	Long Beard 44 1/2 13 3/4" 13 1/4" 2" 71/4 559.99
512320390 512320690	12 24 5*	Long Beard : 44 13 57
<b>SXP LONG BEARD</b> 512352290	[MUSS 7 67 3 1/2" 4*	Long Beard 44" 13 3/4" 13/4" 2" 7 1/4 559.99
512352390 512352690	12 24 5*	Long Beard 44" 13.3/4" 15/4"  Long Beard 44" 13.3/4" 15/4"  LONG BEARD ENDT INCLUDE CHOKE TUBE.  TM

<sup>\*\*</sup>TOTAL AMMUNITION CAPACITY INCLUDES ONE ADDITIONAL SHELL IN THE CHAMBER \*\*OVERAL LENGTH DOES NOT INCLUDE CHOKE TUBE.



### THE SHEER ELEGANCE OF THE MODEL 101 MAKES OWNING A CLASSIC WINCHESTER® OVER AND UNDER SHOTGUN LIKE NOTHING ELSE ON EARTH.


The exceptional quality and lasting performance, along with the exquisite look and feel of a fine Belgian-made over and under is something few ever get to experience firsthand. Now there is a perfect European stackbarrel at a price that fits into almost any shooter's budget. Today's Model 101™ is built along the classic lines of the legendary original using the latest manufacturing processes and materials. It offers legendary Winchester® quality in an over and under that exacting shooters demand.



Today's Model 101™ features the same FAMILIAR DIMENSIONS set long ago by the original. The familiar drop at comb and narrow grip ensure time-tested comfort and performance.



An ADJUSTABLE COMB stock allows you to modify individual height and cast on/off for a custom fit in just seconds. (Hex wrench is included.)





**Getting** pounded by recoil is now a thing of the past with the patented PACHMAYR® **DECELERATOR® RECOIL PAD** found on all Model 101™ shotguns. The Pachmayr pad on the Sporting model has a snag-free heel for fast and easy shouldering.




An ADJUSTABLE TRIGGER SHOE lets you fine tune its fore and aft position to your precise length of pull for more comfortable shooting on Pigeon and Sporting models. (Hex wrench is included.)



The Model 101™ has the drop on the original with the advantage of a LOW-PROFILE RECEIVER. This means that recoil occurs in-line, directly back for faster follow-up shots with less muzzle jump. Also, your forward hand is placed closer to the bore centerline, bringing your hands, face and sighting plane into a more natural alignment for intuitive and accurate shooting.



Sporting and Field models have a fitted STEEL GRIP CAP to add a touch of graceful elegance.



BACK-BORED TECHNOLOGY is based on extensive research and testing to find the secret to tighter, more consistent patterns. Instead of the traditional bore size of .729", this research shows the ideal 12 gauge interior diameter is .742". If the bore is any larger the gases will blow by the shot cup and reduce pellet velocity. If the bore is too tight the pellets are deformed as they pass through the forcing cone, causing poor ballistic performance.



CHROME-PLATED CHAMBERS AND BORES are found in all Winchester® Model 101™ shotguns. This critical plating provides protection from thousands of heavy, high density, abrasive loads. This extra feature virtually eliminates wear and tear caused by thousands of shells. TOUGH STEEL HINGE



areas bear tension from recoil with each shot, so the Model 101™ shotgun is built with surfaces that are 49% larger than many competitors. The surfaces are machined simultaneously with the hinge, ensuring perfect alignment.





From the field to the range, the INVECTOR-PLUS™ CHOKE TUBE SYSTEM is the world's most consistent. All Model 101™ shotguns come with either extended Signature or flush-mounted Invector-Plus tubes, depending on the model.



TRUGLO

Model 101™ Pigeon Trap and Sporting models feature TRUGLO® FIBER-OPTIC FRONT SIGHTS for faster target acquisition.

## POWDER EVERY CLAY TARGET THAT COMES YOUR WAY.



Model 101™ Pigeon Trap adjustable comb.



- HIGH GLOSS GRADE II/III WALNUT STOCK WITH 20 LINES-PER-INCH CUT CHECKERING looks elegant and improves grip
- TRADITIONAL MODEL 101™ SHOTGUN DIMENSIONS give you a performance advantage plus classic styling
- LOW-PROFILE RECEIVER gives you faster target acquisition, a more controlled swing and less felt recoil
- TRUGLO® TRU-BEAD® INTERCHANGEABLE FIBER-OPTIC
- FRONT SIGHT offers a fast, natural sight picture
- BACK-BORED TECHNOLOGY provides optimum shot patterns that are dense and even
- STEEL GRIP CAP adds a touch of classic elegance

- HARD CHROME-PLATED CHAMBERS AND BORES make these surfaces highly resistant against wear and corrosion
- 49% MORE HINGE SURFACE AREA than our competitors, giving you greater strength for long-term durability
- 30% MORE LOCKING LUG CONTACT AREA keeps the action tighter
- PACHMAYR® DECELERATOR® RECOIL PAD absorbs felt recoil to reduce flinch and fatigue



Every Model 101™ Sporting and Pigeon Trap shotgun comes with a durable, fitted ABS hard case imprinted with the Winchester Repeating Arms® logo.

## PIGEON TRAP BARKBORED TRUGLO

- HIGH GLOSS GRADE II/III WALNUT STOCK WITH 20 LINES-PER-INCH CUT CHECKERING looks elegant and improves grip
- ADJUSTABLE COMB OPTION lets you custom fit the stock to your
- LOW-PROFILE NICKEL-PLATED RECEIVER WITH CLASSIC PIGEON
- ENGRAVING gives you faster target acquisition, a more controlled swing and less felt recoil
- TRUGLO® TRU-BEAD® INTERCHANGEABLE FIBER-OPTIC FRONT SIGHT offers a true, precise sight picture
- TRADITIONAL MODEL 101™ SHOTGUN DIMENSIONS give you a performance advantage plus classic styling
- EXTENDED SIGNATURE INVECTOR-PLUS™ CHOKE TUBES offer predictable patterns to match your situation
- BACK-BORED BARRELS provide optimum shot patterns that are
- PORTED BARRELS reduce muzzle jump and help tame felt recoil
- ADJUSTABLE TRIGGER for perfect length of pull
- HARD CHROME-PLATED CHAMBERS AND BORES make these surfaces highly resistant to wear and corrosion
- WHITE LINE SPACER PACHMAYR® DECELERATOR® RECOIL PAD provides optimal protection against felt recoil


age plus classic sey			******	
	BARREL CHAMBER	CHOKE TUBES INCLUDED	OVERALL LENGTH DE	ROP AT DROP AT NOM OMB HEEL WT. (
ITEM N	IUMBER GAUGE BARREL CHAMBER	XF, F, IM	47 5/8" 14 5/8" 1	1/2" 2 3/8" 7 1 1/2" 2 3/8" 7 5

		CHOKE TUBES C	OVERALL LENGTH	DROP AT DROP AT COMB HEEL	NOMINAL SUGGESTED WT. (LBS) RETAIL
ITEM NUMBER G	GAUGE BARREL CHAMBER	THE RESERVE TO SERVE THE RESERVE THE RESERVE TO SERVE THE RESERVE THE		11/2" 23/8"	71/2 \$2,519.55
TARREL 101 PIGEUN	12 30" 23/4"	XF, F, IM 4	19 5/8" : 14 5/8	: 11/2	
513057494	12 32" 23/4"	E COMBI		11/2"* 23/8"*	71/2 \$2,6/9.99
MODEL 101 PIGEON 513059493	12 30" 23/4"	XF. F. IM 4	19 5/8" : 14 5/8	:11/2	7 1/8 \$2,379.99
513059494 MODEL 101 SPORTII	NG	EIM MICSK: 4	15 5/8" 14 5/8"	13/8" 23/8" 13/8" 23/8"	7 1/4 2,379.99
513054492	12 28" 23/4 12 30" 23/4"	LF, [IVI, IVI, IC, CK. /	19 5/8" 14 5/8"	13/8" 23/8" 13/8" 23/8"	7 3/8 2,379.99
513054493 513054494	12 32" 23/4"	LF, IM, M, IL, SK: 9 I WITH COMB IN THE L	OWEST POSITION.		
	IMENSIONS ARE TUBES.				

\*\*DOES NOT INCLUDE ADDED LENGTH OF CHOKE TUBES.



# THIS CLASSIC WINCHESTER® DOUBLE WILL MAKE EVERY SHOOTER'S UPLAND DREAMS A REALITY.





- HIGH GLOSS GRADE II/III WALNUT STOCK WITH 20 LINES-PER H INCH CUT CHECKERING looks elegant and improves grip
- LOW-PROFILE RECEIVER gives you faster target acquisition, a more controlled swing and less felt recoil
- STEEL GRIP CAP adds a classic touch
- BACK-BORED BARRELS provide optimum shot patterns that are
- HARD CHROME-PLATED CHAMBERS AND BORES make these surfaces highly resistant against wear and corrosion
- INVECTOR-PLUS™ CHOKE TUBES offer predictable patterns to
- 49% MORE HINGE SURFACE AREA than our competitors, giving you greater strength for long-term durability
- 30% MORE LOCKING LUG CONTACT AREA keeps the action tighter
- WHITE LINE SPACER PACHMAYR® DECELERATOR® RECOIL PAD provides optimal protection against felt recoil

	HARD CHROME-PLATEL surfaces highly resistant	TIEM NUMBER GAUE MODEL 101 FIELD 5130463371 12 513046381 12	BARREL CHAMBER CHOKE TUE LENGTH CHAMBER CHOKE TUE 26" 3" F.M., IC 28" 5" F, M., IC	114	1/4" 13/8" 23/8" 61/4" 13/8" 23/8"	SINAL SUGGESTED (LBS) SIL899.99 7 1,899.99
The state of the s						
			v o D	E L	101	) 75

WINCHESTER® CHUKE TUBES
Winchester® Signature choke tubes are unsurpassed in the shotgun industry. In collaboration with Briley®, one of the most renowned makers of choke tubes in the world, the Invector-Plus™ and Standard Invector™ tubes are carefully machined renowned makers of choke tubes in the world, the Invector-Plus™ and Standard Invector™ tubes are carefully machined renowned makers of choke tubes in the world, the Invector-Plus™ and Standard Invector™ tubes are carefully machined renowned makers of choke tubes in the world, the Invector-Plus™ and Standard Invector™ tubes are carefully machined renowned makers of choke tubes in the world, the Invector-Plus™ and Standard Invector™ tubes are carefully machined renowned makers of choke tubes in the world, the Invector-Plus™ and Standard Invector™ tubes are carefully machined renowned makers of choke tubes in the world, the Invector-Plus™ and Standard Invector™ tubes are carefully machined renowned makers of choke tubes in the world, the Invector-Plus™ and Standard Invector™ tubes are carefully machined renowned makers of choke tubes in the world, the Invector-Plus™ and Standard Invector™ tubes are carefully machined renowned makers of choke tubes in the world, the Invector-Plus™ and Standard Invector™ tubes are carefully machined renowned makers of choke tubes are ca

			game and the most diffic DESCRIPTION		CONSTRICTION	
	ITEM NUMBER	GA.	ESTRIPTION  (E TUBES  ME, SELECT, SUPER X2, SUPER X3, S  EXTRA-FUII		AND MODEL 1	O1 SHOTGUNS
	FOR-BLUS	CHOK	E TUBES	LIPER X4, SUPER X	PUMP AND MODEL	\$34.9
NVEC	UK-PEGE	DSLIPRE	ME, SELECT, SUPER X2, SUPER X3, 5	: .700	.040	24 9
2 GAUGE	FOR WINCHEST	12	Extra-Full	.705	.035	34.9
	חבחפום		Full	.715	.025	04.0
	613051	12	Improved Modified		.020	34.9
	613052	12	Modified	.720	.010	34.9
	613053	12	Improved Cylinder	.730	.005	34.9
	613054	12	Skeet	.735	.000	34.9
	613055	12		.740	.000	
		12	Cylinder			HISHER PROPERTY.
	O DO JAVE	CTOR	CHOKE TUBES  X2 PRACTICAL MODELS.			\$29.9
TAND	ARU INVE	n SUPER	X2 PRACTICAL MODELS.	.690	.035	29.9
GAUGE I	FOR WINCHEST	12	Full	.700	.025	
	6130303	12	Improved Modified	.705	.020	29.9
	6130313		Modified		.010	29.9
	6130323	12	Improved Cylinder	.715	.005	29.9
	6130333	12	Skeet	.720	.000	29.9
	6130343	12	dor	.725	THE RESERVE OF THE PARTY OF THE	
	613N353	12	CYMNUS TURES		MODEL 1	n1 SHOTGUNS
	TURE INVE	CTOR	-PLUS CHOKE TUBES  EME, SELECT, SUPER X2, SUPER X3, S	SUPER X4, SUPER X	PUMP AND MODEL	\$49.9
SIGNA	- DAWNICHESTE	R SUPRE	ME, SELECT, SUPER X2, SUPER X	.660	.082	49.9
2 GAUGE	FOR WINCHESTE	12	Turkey [Lamb Da	.700	.040	49.9
	61307103	12	Extra-Full Trap	.705	.035	49.9
	6130703		Full	.710	.030	
	6130713	12	Light Full	.715	.025	49.9
	6130723	12	Improved Modified		.020	49.9
	6130733	12	Modified	.720	.015	49.9
	6130743	12	Light Modified	.725	.010	49.9
	6130753	12	Improved Cylinder	.730	.005	49.9
	6130763	12	Improved by	.735		49.9
	6130773	12	Skeet	.740	.000	74.9
	0100702	12	Cylinder	Rifled		
	6130783		Spreader/Diffuser			et CHOTGLINS
	6130/93	/FCTO	Spreader/Diffusions  R-PLUS CHOKE TUBE  EME, SELECT, SUPER X2, SUPER X3, S  Long Beard	NUDER X4 SUPER X	PUMP AND MODEL 1	OI SHUIGON
ONG	BEARD IN		ME SELECT, SUPER X2, SUPER X3, S	: 665	.077	209.9

		SUGGESTED
	DESCRIPTION	
ITEM NUMBER	RPLATE MAGAZINE 30-06 Sprg	\$79.99
SUPER X RIFLE HINGED FLOOR		79.99
112029907	300 Win Mag	79.99
112029906	270 WSM	79.99
	300 WSM	
112029905	FLOORPLATE MAGAZINE 30-06 Sprg	\$79.99
CURER X RIFLE DETACHABLE	30-06 Sprg	79.99
112029903	300 Win May	79.99
112029902	270 WSM	79.99
112029900	300 WSM	
112029901	MAGAZINE OR SE Spre	\$29.99
	I onn Statiudiss	29.99
112098800 Mag	num: 7mm Rem Mag, 300 Win Mag, 300 Win	29.99
112098801 Long May	num: 7mm Rem Mag, 300 Win Mag, 330 ard: 243 Win, 6.5 Creedmoor, 7mm-08 Rem, 308 Win 	29.99
	ard: 243 Win, 6.5 Creedmoul, 711 rt Magnum: 270 WSM, 300 WSM, 325 WSM	*10.00
112098803 S10		\$16.99
WILDCAT RIFLE MAGAZINE	22 Long Rifle (AMMUNITION SHOWN NOT II	NCLUDED.J
112028022	Marie 1-	
		RII



SUPER X<sup>®</sup> RIFLE HINGED FLOORPLATE MAGAZINE



SUPER X® RIFLE DETACHABLE FLOORPLATE MAGAZINE





Your favorite Winchester® firearm should carry its scope in genuine Winchester bases and rings. Designed and manufactured with absolute precision from 7000-series aircraft grade aluminum alloy or solid steel (where noted) these mounts will reliably SUGGESTED RETAIL hold today's high-magnification optics without shifting zero.




XPR® AND MODEL 708 RIFLE SCOPE SET WITH INTEGRATED BASES simplify mounting and help ensure the scope will stay zeroed in adverse conditions.




**BASES AND RINGS** are available in GLOSS FINISH to match both scope and firearm.











			BBHA	DESCRIPTION	SUGGES RETA
		: BA	ARREL		\$179
ITEM NUMBER	GA. CHA	MBER LE	NGTH	Rived Rifled TruGlo Sights	179
DER X PUMP RIF	LED BA	ARREL	22"	Matte Blued, Rifled, TruGlo Sights	179
611261240		3"			\$149
611261340			70"	Matte Blued, Riffed, Hudio - 5	149
611261640 PER X PUMP FIE	20 : 3	o Tuok	(EY E	Matte Blued, Rifled, Modified Invector-Plus Choke Tube  Matte Blued, Vent Rib, w/ One Modified Invector-Plus Choke Tube  Matte Blued, Vent Rib, w/ One Modified Invector-Plus Choke Tube	145
DED X PUMP FIE	LU AN	10K	24"	Matte Blued, Vent Rib, w/ One Modified Invector-Plus Choke Tube  Matte Blued, Vent Rib, w/ One Modified Invector-Plus Choke Tube  Matte Blued, Vent Rib, w/ One Modified Invector-Plus Choke Tube	1/10
611521520		1.5"	26"	Matte Blued, Vent Rib, w/ One Modified Invector-Plus Choke Tube  Matte Blued, Vent Rib, w/ One Modified Invector-Plus Choke Tube  Matte Blued, Vent Rib, w/ One Modified Invector-Plus Choke Tube	1/10
: 61123123			 28"	Matte Blued, Vent Rib, w/ One Modified Invector-Plus Choke Tube	140
611251292		٠. ا			1/10
611251390					140
611251391		·		Matte Blued, Veril Rib, W	
611251392		3"	24"	Matte Blued, Vent Rib, w/ One Modified Invector-Plus Choke Tube  Matte Blued, Vent Rib, w/ One Modified Invector-Plus Choke Tube  Matte Blued, Vent Rib, w/ One Modified Invector-Plus Choke Tube  Matte Blued, Vent Rib, w/ One Modified Invector-Plus Choke Tube	189
: 611531000		3"	26"	Matte Blued, Vent Rib, W/ One Modified Invector-Plus Choke Tube	189
: 611231031		3" 2	28"	Matte Blued, Vent Rib, W/ One Modified Invector-Plus Choke Tube	189
611251692	LU.		26"	Matte Blued, Vent Rib, w/ One Modified Invector-Plus Chake Tube MOBUC, Vent Rib, w/ One Modified Invector-Plus Chake Tube MOBUC Vent Rib, w/ One Modified Invector-Plus Chake Tube MOBUC Vent Rib, w/ One Modified Invector-Plus Chake Tube	189
611321291					189
611321292		1.5"		···	189
611270291			28"	MDSGB, Vent Rib, w/ One Modified Invector-Plus Choke Tube MODB, Vent Rib, w/ One Modified Invector-Plus Choke Tube MODB, Vent Rib, w/ One Modified Invector-Plus Choke Tube	189
611270292			26"	MOSGB, Vent Rib, w/ One Modified Invector-Plus Choke Tube MODB, Vent Rib, w/ One Modified Invector-Plus Choke Tube MODB, Vent Rib, w/ One Modified Invector-Plus Choke Tube	189
611254291			28"	MODB, Vent Rib, w/ One Modified Invector-Plus Choke Tube MOBL, Vent Rib, w/ One Modified Invector-Plus Choke Tube	189
611254292		1.5"	26"	MOBL, Vent Rib, w/ One Modified Invector-Plus Choke Tube MOBL, Vent Rib, w/ One Modified Invector-Plus Choke Tube MOBL, Vent Rib, w/ One Modified Invector-Plus Choke Tube	189
611293291		1.5"	28"	MOBL, Vent Rib, w/ One Modified Invector-Plus Choke Tube  MAX-5, Vent Rib, w/ One Modified Invector-Plus Choke Tube	100
611293292	11-	1.5"	26"	MOBIL, Vent Rib, w/ One Modified Invector-Plus Choke Tube  MAX-5, Vent Rib, w/ One Modified Invector-Plus Choke Tube  MAX-5, Vent Rib, w/ One Modified Invector-Plus Choke Tube	
611290291			28"	MAX-5, Vent Rib, w/ One Modified Invector-Plus Choke Tube MAX-5, Vent Rib, w/ One Modified Invector-Plus Choke Tube MAX-5, Vent Rib, w/ One Modified Invector-Plus Choke Tube MAX-5, Vent Rib, w/ One Modified Invector-Plus Choke Tube	
611230202		3"	26"	MAX-5, Vent Rib, w/ One Modified Invector-Plus Choke Tube MAX-5, Vent Rib, w/ One Modified Invector-Plus Choke Tube MODB, Vent Rib, w/ One Modified Invector-Plus Choke Tube	189
611290391	11-	3" 2	28"	MAX-5, Vent Rib, W/ One Modified Invector-Plus Chake Tube	149
611290392	12	J .			149
611254391	12	3" 2	28"	MODB, Vent Kib, W/ One X-Full Invector-Plus 515	139
611254392			24"	MODB, Vent Rib, w/ One X-Full Invector-Plus Cloke Tube Matte Blued, Vent Rib, w/ One X-Full Invector-Plus Choke Tube Matte Blued, Vent Rib, G-Shot, w/ One X-Full Invector-Plus Choke Tube Matte Blued, Vent Rib 5-Shot, w/ One X-Full Invector-Plus Choke Tube	139
: DIIZJILOO		3" "			149
611251353	12	3" 2	26"	Matte Blued, Vent Rib 5-Shot, w/ One X-Full Investor	
611257391	12	3" 2	28"	Matte Blued, Vent Rib 5-Shot, w/ One X-Full Invector  Matte Blued, Vent Rib, w/ One X-Full Invector-Plus Choke Tube  Matte Blued, Vent Rib, w/ One X-Full Invector-Plus Choke Tube	\$579
611257392	20 3	٠ :	24"	Matte Blued, vo	579
611251653 PER X3 RIFLED	BARRE	LS		Matte Blued, Vent Rib, W. G.  Matte Blued, Rifled, Cantilever Scope Mount w/ Synthetic Forearm*  Matte Blued, Rifled, Cantilever Scope Mount w/ Synthetic Forearm*  Matte Blued, Rifled, Cantilever Scope Mount w/ Synthetic Forearm*	599
PER X3 RIPLED 611108240	12 3	1.5"	22"	Matte Blued, Rifled, Cantilever Scope Mount W/ Synthetic Forearm*	579
: 611100540	12	· · · ·	22"	Matte Blued, Rifled, Cantilever Scope Mount W/ Synthetic Forearm* MOBUC, Rifled, Cantilever Scope Mount W/ Synthetic Forearm* MOBUC, Rifled, Cantilever Scope Mount W/ Synthetic Forearm Matte Blued, Rifled, Cantilever Scope Mount W/ Synthetic Forearm	
: 911100240	12	·	22"	MUBDE, Miled, Rifled, Cantilever Scope Modife W. 67	\$419
0111070		3" 2	22"	Matte Blued, Rifled, Cantileval And Madified Invector-Plus Choke Tube	134134114114114134413441
611062640 PER X3 FIELD AI	ND TUR	KEY B	ARR	Matte Blued, Rifled, Cantilever Goop  LS  Perma-Cote UT Gray, Vent Rib, w/ One Modified Invector-Plus Choke Tube  Perma-Cote UT Gray, Vent Rib, w/ One Modified Invector-Plus Choke Tube  Perma-Cote UT Gray, Vent Rib, w/ One Modified Invector-Plus Choke Tube	419
PER X3 FIELD A 611053271			26"	Perma-Cote UT Gray, Verit Ris, W/ One Modified Invector-Plus Cristo Perma-Cote UT Gray, Vent Rib, w/ One Modified Invector-Plus Choke Tube Perma-Cote UT Gray, Vent Rib, w/ One Modified Invector-Plus Choke Tube	419
PIIDOOF			28"	Perma-Cote UT Gray, Verit Rib, w/ One Modified Invector-Plus Cricke Tube Perma-Cote UT Gray, Vent Rib, w/ One Modified Invector-Plus Choke Tube Perma-Cote UT Gray, Vent Rib, w/ One Modified Invector-Plus Choke Tube	
611054371	12	٠	26"	Perma-Cote UT Gray, Verit Ris, W/ One Modified Invector-Plus Crioke Perma-Cote UT Gray, Vent Rib, w/ One Modified Invector-Plus Choke Tube Perma-Cote UT Gray, Vent Rib, w/ One Modified Invector-Plus Choke Tube	419
: 01102-27	12	J .	28"	Perma-Cote UT Gray, Verit Ris, W/ One Modified Invector-Plus Cristo Perma-Cote UT Gray, Vent Rib, w/ One Modified Invector-Plus Choke Tube Perma-Cote UT Gray, Vent Rib, w/ One Modified Invector-Plus Choke Tube	399
611054691	20		26"	Perma-Cote UT Gray, Vent Rib, w/ One Modified Invector-Plus One Perma-Cote UT Gray, Vent Rib, w/ One Modified Invector-Plus Choke Tube Matte Blued, Vent Rib, w/ One Modified Invector-Plus Choke Tube	399
611054692	20 3		28"	Perma-Cote UT Gray, Vent.  Matte Blued, Vent Rib, w/ One Modified Invector-Plus Choke Tube  Matte Blued, Vent Rib, w/ One Modified Invector-Plus Choke Tube  Matte Blued, Vent Rib, w/ One Modified Invector-Plus Choke Tube	399
611123291	12 3		-0"	Matte Rilled, Verit Nis,	
611123292	11-			Matte Blued, Vent Nis,	
6111233390	12		-0"	Matte Blued, Veril Kib, W	399
611123391	12	٠	-0"	Matte Rilled, Verit Nis,	399
611123392		٠	2.411	Matte Blued, Vent Kis, W Madified Invector-Plus Brision	
611123690			-0"	Matte Riued, Veril Rib, W	
	20 3		26"	Matte Blued, Vent Rib, w/ One Modified Invector-Plus Choke Tube  Matte Blued, Vent Rib, w/ One Modified Invector-Plus Choke Tube  MOSGB, Vent Rib, w/ One Modified Invector-Plus Choke Tube	499
			20"	MOSGB, Vent Rib, W Ustad Invector-Plus Clicks 1999	
611123692			-0"	MOSGR Vent Riu, W. Stranger of Invector-Plus Little Tubs	
611123692		1.5"	28"	MOBL, Vent Rib, w/ One Modified Invector-Plus Chake Tube	499
611123692 611155291			ne" :		
611123692 611155291 611155292	12 3			Cont Nont RILL W/ UTO	400
611123692 611155291 611155292	12 3			MOSGB, Vent Rib, w/ One Modified Invector-Plus Choke Tube MOBL, Vent Rib, w/ One Modified Invector-Plus Choke Tube MOBL, Vent Rib, w/ One Modified Invector-Plus Choke Tube MOBL, Vent Rib, w/ One Modified Invector-Plus Choke Tube MOBL, Vent Rib, w/ One Modified Invector-Plus Choke Tube MOBL, Vent Rib, w/ One Modified Invector-Plus Choke Tube RED BARRELS WITH 3" RECEIVERS NOR 3" CHAMBERS WITH 3 1/2" RECEIVERS. *TO PREVENT DAMAGE TO IT RECEIVERS. *TO PREVENT DAMAGE TO IT RECEIVERS WITH A NEW FOREARM SPECIFICALLY DESIGNED TO FIT OVER THE THICKER, RIFLED	FOREARMS, THE


DO NOT ATTEMPT THE USE OF 3 1/2" CHAMBERED BARRELS WITH 3" RECEIVERS NOR 3" CHAMBERS WITH 3 1/2" RECEIVERS. \*TO PREVENT DAMAGE TO FOREARMS, THE 12 GAUGE SUPER X3 RIFLED CANTILEVER BARRELS ARE DELIVERED WITH A NEW FOREARM SPECIFICALLY DESIGNED TO FIT OVER THE THICKER, RIFLED BARREL WALL. DO NOT ATTEMPT THE USE OF 3 1/2" CHAMBERED BARRELS WITH 3" RECEIVERS NOR 3" CHAMBERS WITH 3 1/2" RECEIVERS WITH 3 1/2" WITH 3 1/2" RECEIVERS WITH 3 1/2" WIT

					SUGGESTED RETAIL
				DESCRIPTION	\$499.99
		CHAMBER	BARREL		
ITEM	GA.	CHAMBER	LENGTH	Control of the Choke Tube	499.99
NUMBER ER X3 FIELD A	NΠ	TURKEY	DARK	Vant Rih W/ Une Mourille	499.99
ER X3 FIELD	20	3"	28"	MUBL, Vent (13)	499.99
611128025		3.5"	26"	MAX-5, Verit Ris, W. One Modified Invector-Plus Choice Tube	499.99
611159291	12	3.5"	28"	MDBC, Vent Rib, W/ One Modified Invector-Plus Choke Tube  MAX-5, Vent Rib, W/ One Modified Invector-Plus Choke Tube  MAX-5, Vent Rib, W/ One Modified Invector-Plus Choke Tube	499.99
611159292	12			Mant Diff W/ Diff	499.99
611159391	12	3"		MAY 5 Vent RID, W/ DISCONSTRUCTOR PILIS LITURE 1435	
611159392	12	3"		MAY 5 Vent RID, W/ DISCONSISSION CHOICE PILIS DITURE TUBE	399.99
011100002	20	3"	26"	WAX 5, Vent Rib. W/ One Modified IIIVector	399.99
611159691	20	3"	28"	MAX-5, Vent Rib. Tru-Glo Sights, W/ Orle X Sull Extended Invector-Plus Crioks Tube	399.99
611159692		3.5"	24"	MAX-5, Vent Rib, w/ One Modified Invector  MAX-5, Vent Rib, W/ One Modified Invector  Matte Blued, Vent Rib, Tru-Glo Sights, w/ One X-Full Extended Invector-Plus Choke Tube  Matte Blued, Vent Rib, Tru-Glo Sights, w/ One X-Full Extended Invector-Plus Choke Tube  Matte Blued, Vent Rib, Tru-Glo Sights, w/ One X-Full Extended Invector-Plus Choke Tube	CALL TO STATE
611123253	12	3"	24"	Matte Blued, Verit Rib, 114-Glo Sights, w/ One X-Full Externeed	\$299.99
611123353	12		24"	Matte Blued, Vent Rib, I'd 818 43	299.99
611123653	20	3"	PA DO:	Matte Blued, Vent Rib, w/ One Modified Invector-Plus Choke Tube  Matte Blued, Vent Rib, w/ One Modified Invector-Plus Choke Tube	
611123653 R X4 FIELD A	ND'	TURKEY	BARK	Matte Blued, Vent Rib, w/ One Modified Invector-Plus Choke Tube  Matte Blued, Vent Rib, w/ One Modified Invector-Plus Choke Tube  Matte Blued, Vent Rib, w/ One Modified Invector-Plus Choke Tube	299.99
R X4 FIELD	12	3.5"	24"	Matte Blued, Verit Kis,  Matte Blued, Vent Rib, w/ One Modified Invector-Plus Choke Tube  Matte Blued, Vent Rib, w/ One Modified Invector-Plus Choke Tube  Matte Blued, Vent Rib, w/ One Modified Invector-Plus Choke Tube	299.99
: 619500500	12	3.5"	26"	Matte Blue, West Rih W/ One Modified Illyector Blue Choke Tube	299.99
615205291	12	3.5"	28"	Matte Blued, Vert Rib, w/ One Modified Invector-Plus Choke Tube	299.99
615205292		3"	24"	Matte Blued, Vent Rib, w/ One Modified Invector-Plus Choke Tube  Matte Blued, Vent Rib, w/ One Modified Invector-Plus Choke Tube  Matte Blued, Vent Rib, w/ One Modified Invector-Plus Choke Tube  Matte Blued, Vent Rib, w/ One Modified Invector-Plus Choke Tube	369.99
615210390	12				369.99
615210391	12	3"			
615210392	12	3"			369.99
615206291	12	3.5"		The same of the sa	369.99
: 619500531	12	3.5"	28"	MOSGB, Vent Rib, w/ One Modified Invector-Plus Choke Tube MOSGB, Vent Rib, w/ One Modified Invector-Plus Choke Tube	369.99
615206292		3"	26"	MOSGB, Vent Rib, w/ One Modified Invector-Plus Choke Tube	369.99
615206391	12	3"	28"	MUSCB, Vent Rib, w/ One Modified Invector-Plus Choke Tube MOBL, Vent Rib, w/ One Modified Invector-Plus Choke Tube	369.99
615206392	12			" Vant DIII W/ DIII DIIIC I III NO 1400	369.99
615212291	12	3.5"		" Vant DIII W/ DII Illic I IIING TUDO	
615212292	12	3.5"			369.99
615212391	12	3"		" and Vant Dill W/ Dill Dille I lille I de	369.99
610212001	12	3"		/ C Vant RIII W/ UTIO	369.99
615212392	12	3.5"	26"	MAX-5, Vert rus,	369.99
615207291		3.5"	28"	MAX-5, Veril Ris, W. One Modified Invector-Plus Choke Tube	299.99
615207292	12		00"	MAX-5. Vent RID, W. Street Invector-Plus Litoke 1000 -tar-Dius Choke 1000	369.99
615207391	12	3"	28"	MAX-5, Vent Rib, w/ One Modified Invector-Plus Choke Tube  MAX-5, Vent Rib, w/ One Modified Invector-Plus Choke Tube  MAX-5, Vent Rib, w/ One Modified Invector-Plus Choke Tube  MAX-5, Vent Rib, w/ One Modified Invector-Plus Choke Tube	
615207392	12	3"		Matta Bluen, Landilleven,	299.99
615205253	12	3.5"	24"	MODE Cantilever, Tru-Glo Signis, W. Synthetic Forearm	MS, THE
615214390	12	3.5"	24"	Matte Blued, Cartillever, Tru-Glo Sights, w/ One X-Full Externed: MOOB, Cantillever, Tru-Glo Sights, w/ One X-Full Externed: Motte Blued, Rifled, Cantillever Scope Mount w/ Synthetic Forearm* Matte Blued, Rifled, Cantillever Scope Mount w/ Synthetic Forearm* Matte Blued, Rifled, Cantillever Scope Mount w/ Synthetic Forearm* Matte Blued, Cantillever, Tru-Glo Sight Synthetic Forearm* Matte Blued, Rifled, Cantillever Scope Mount w/ Synthetic Forearm* Matte Blued, Rifled, Cantillever Scope Mount w/ Synthetic Forearm* Matte Blued, Rifled, Cantillever Scope Mount w/ Synthetic Forearm* Matte Blued, Rifled, Cantillever Scope Mount w/ Synthetic Forearm* Matte Blued, Rifled, Cantillever Scope Mount w/ Synthetic Forearm* Matte Blued, Rifled, Cantillever Scope Mount w/ Synthetic Forearm* Matte Blued, Rifled, Cantillever Scope Mount w/ Synthetic Forearm* Matte Blued, Rifled, Cantillever Scope Mount w/ Synthetic Forearm* Matte Blued, Rifled, Cantillever Scope Mount w/ Synthetic Forearm* Matter Blued, Rifled, Cantillever Scope Mount w/ Synthetic Forearm* Matter Blued, Rifled, Cantillever Scope Mount w/ Synthetic Forearm* Matter Blued, Rifled, Rif	L WALL.
· 615/1400U		3"	72"	MAILE DIGGS,	BIRTHETTER TO


DO NOT ATTEMPT THE USE OF 3 1/2" CHAMBERED BARRELS WITH 3" RECEIVERS NOR 3" CHAMBERS WITH 3 1/2" RECEIVERS. \*TO PREVENT DAMAGE TO FOREARMS, THE 12 GAUGE SUPER X3 RIFLED CANTILEVER BARRELS ARE DELIVERED WITH A NEW FOREARM SPECIFICALLY DESIGNED TO FIT OVER THE THICKER, RIFLED BARREL WALL.













at representing both sides of that story! 

environment. Sometimes things go right and sometimes they don't. Benny has always been among the best





EXPECT THE SAME GREAT THE ARMS

EXPECT THE SAME GREAT CUSTOMER SErvice you've become accustomed to over the years. Expert gunsmiths can help you with the most technical expect the same great customer service you've become accustomed to over the years. Expert gunsmiths can help you with the most technical expectation. There are many Authorized Repair Senters (ARR) throughout the security with our repair professionals who know your firearm inside expect the same great customer service you've become accustomed to over the years. Expert gunsmiths can help you with the most technical questions. There are many Authorized Repair Centers (ARC) throughout the country with gun repair professionals who know your firearm inside and questions. There are many Authorized Repair Centers (ARC) throughout the country with gun repair Popular Popular Repair Centers (ARC) throughout the country with gun repair Popular Repair Centers (ARC) throughout the country with gun repair Popular Repair Centers (ARC) throughout the country with gun repair Popular Repair Centers (ARC) throughout the country with gun repair Popular Repair Centers (ARC) throughout the country with gun repair Popular Repair Centers (ARC) throughout the country with gun repair Popular Repair Centers (ARC) throughout the country with gun repair Popular Repair Centers (ARC) throughout the country with gun repair Popular Repair Centers (ARC) throughout the country with gun repair Popular Repair Centers (ARC) throughout the country with gun repair Popular Repair Centers (ARC) throughout the country with gun repair Popular Repair Centers (ARC) throughout the country with gun repair Popular Repair Centers (ARC) throughout the country with gun repair Popular Repair Centers (ARC) throughout the country with gun repair Popular Repair Centers (ARC) throughout the country with gun repair Popular Repair Centers (ARC) throughout the country with gun repair Popular Repair Centers (ARC) throughout thro questions. There are many Authorized Repair Centers (ARC) throughout the country with gun repair professionals who know your firearm inside and out. If you need service on current models, as well as older models, please contact one of the Authorized Repair Centers or our main Service Center out. If you need service on current models, as well as older models, please contact one of the Authorized Repair Centers or our main Service Center out. If you need service on current models, as well as older models, please contact one of the Authorized Repair Centers or our main Service Center of the Authorized Repair Centers or our main Service Center. out. If you need service on current models, as well as older models, please contact one of the Authorized Repair Centers of our main Service in Arnold, Missouri. Please call (800) 333-3288 or visit online at http://www.winchesterguns.com/customerservice/partsservice/index.asp

for more information.

WINCHESTER REPEATING ARMS Customer Service Department 275 Winchester Avenue Morgan, UT 84050 (800) 945-5237

Parts and Service 3005 Arnold Tenbrook Road Arnold, MO 63010 [800] 322-4626

ALL WINCHESTER® FIREARMS ARE SHIPPED WITH A FREE LOCKING DEVICE TO ASSIST IN THE SAFE STORAGE OF FIREARMS. (NOT SHOWN ACTUAL SIZE.)

Owner's manuals for all Winchester® firearms in this catalog or previous catalogs are available upon request at no charge. Owners of Winchester Covers and uwner's manuals for all winchester Tirearms in this catalog or previous catalogs are available upon request at no charge, uwners or winchester firearms without owner's manuals are encouraged to view one online or request one from our Customer Service Department. Some models and collinear services are apply models accordingly. Winchester Departing Armos (ADA) receives the right to delay protection or disposition production of any models are available. nrearms without owner's manuals are encouraged to view one online or request one from our customer Service Department, some models and calibers are only made periodically. Winchester Repeating Arms® (WRA) reserves the right to delay, postpone or discontinue production of any winchester finarm for any reason, and to modify archange product engineering finally discontinue product and to modify archange product engineering finally discontinue product and to modify archange product engineering finally discontinue production (No. 1). Calibers are only made periodically. Windenster Repeating Arms<sup>®</sup> LWRAJ reserves the right to delay, postpone or discontinue production of any Windenster firearm for any reason, and to modify or change product specifications (including those listed in this catalog) without notice. Weights, extend discontinue product and the modify or change product specifications (including those listed in this catalog) without notice. Weights, extend discontinue products and the modify or change product specifications (including those listed in this catalog) without notice. winchester tirearm for any reason, and to modify or change product specifications (including those listed in this catalog) without notice, weight stock dimensions, wood appearance, etc., may vary slightly between individual firearms. Wood is a natural product. No two pieces are alike and while stock dimensions, wood appearance, etc., may vary slightly between individual firearms. Wood is a natural product. No two pieces are alike and while support to the proposition of the proposition of the proposition. SLOCK UITHERISIONS, WOOD APPEARANCE, etc., may vary slightly between individual Tirearms. Wood is a natural product. No two pieces are alike and variation between stocks is to be expected. WRA will make every reasonable effort to make sure this catalog is accurate at the time of printing and applications and experience and experience and experience.

applications for principles, descriptions and specifications.

Please note that the following models are made in Japan: Models 1866, 1873, 1885, 1886, 1892, 1894, 1895, 63 and 528. Model 101 shotguns are made in Polytical The following trademarks of models are made in Polytical The following trademarks of the Polytical The following t Please note that the following models are made in Japan: Models 1866, 1873, 1885, 1885, 1882, 1894, 1895, 63 and 528. Model 101 snotguns are made in Belgium and assembled in Portugal. Super X4 shotguns, XPR rifles and Model 70 rifles are made in Portugal. The following trademarks are used with permission from Olio Corporation Winshorter the Users and Bider design. Super X 6V4 design. Super X4 Model 1889. Colort. Model 1889. made in Beigium and assembled in Portugal. Super X4 snotguns, XPK rifles and Model /U rifles are made in Portugal. The following trademarks are used with permission from Olin Corporation: Winchester, the Horse and Rider design, Super X, SX4 design, Super X4, Model 1892, Select, Model 101, Model 1992, Model 1992, Model 1992, Super X Dump Long Board VDD red Widest name and the Wildest design. Other trademarks used in this used with permission from Ulin Corporation: Winchester, the Horse and Rider design, Super X, SX4 design, Super X4, Model 1892, Select, Model 101, Model 190, Model 190, Model 190, Model 190, Model 190, Super X Pump, Long Beard, XPR, red W design, Wildcat name and the Wildcat design. Other trademarks used in this Model 190, Model 190, Super X Pump, Long Beard, XPR, red W design, Wildcat name and the Wildcat design. Other trademarks used in this Model 190, Model 190, Super X Pump, Long Beard, XPR, red W design, Wildcat name and the Wildcat design. Other trademarks used in this Model 190, Model 190, Super X Pump, Long Beard, XPR, red W design, Wildcat name and the Wildcat design. Other trademarks used in this Model 190, Model 190, Model 190, Super X Pump, Long Beard, XPR, red W design, Wildcat name and the Wildcat design. Other trademarks used in this Model 190, Model 190, Model 190, Model 190, Super X Pump, Long Beard, XPR, red W design, Wildcat name and the Wildcat design. Other trademarks used in this Model 190, Model 1 catalog: Mussy Dak Orladow Grass Blades, Mussy Dak Break-Up Infinity, Mossy Dak Break-Up Country, Mossy Dak Bottomiana, Mossy Dak Dreak-Up Infinity, Mossy Dak Break-Up Country, Mossy Dak Break-Up Co and mussy tak buck bling are registered trademarks of Haas buttoodrs. Strata is a trademark of True Limber, Highlander is a trademark of Ryptek.

Pachmayr and Decelerator are registered trademarks of Lyman. Invector-Plus, Dura-Touch and Perma-Cote are trademarks of Browning. TRUGLO is a trademark of True Line Markles Arms is a trademark of Markles Arms Waster is a registered trademark of Vista Buttles Arms is a trademark of Markles Arms Waster is a registered trademark of Vista Buttles Arms is a trademark of Markles Arms Pachmayr and Decelerator are registered trademarks of Lyman. Invector-Plus, Dura-Touch and Perma-Lote are trademarks of Browning. IRUGLU is a trademark of TRUGLO, Inc. Marble Arms is a trademark of Marbles Arms. Weaver is a registered trademark of Vista Outdoor. 10/22 is a registered trademark of Sturm. Purply Section 1975.

© Copyright, WRA, December 2018. No part of this catalog may be reproduced without the written permission of Winchester Repeating Arms. Pricing E copyright, WKA, December 2018. No part of this catalog may be reproduced without the Written permission of Winchester Repeating Arms. is in U.S. dollars, are approximate and subject to change without notice. Printed in USA. CG18124/18075 Winchester firearms are imported by the Winchester is a registered trademark of this Corporation.

A portion of the sale of every Winchester firearm is proudly donated to the Heritage Fund, which helps to expand the legal defense A portion of the sale of every windnesser threatm is proudly donated to the Heritage Fund, which helps to expand the legal defense against politically motivated lawsuits against the hunting and shooting industry. Working together, the rightful tradition of firearms in America will continue in America will continue.

