

MINICHESTER REPEATING ARMS 2013. THE REAL DEAL.

2013 is another banner year for Winchester Repeating Arms. Pump fans have several new Super X Pump shotguns to choose from, including the new wood-stocked Field, the robust Marine Defender and the rugged Black Shadow Deer. Model 70 lovers have a pair of new camo-clad rifles that will help them disappear into the deepest woods. No Winchester Repeating Arms catalog would be complete without bringing back a few all-time favorites like the Model 73 and the Model 1894 Carbine, two of the most historically significant rifles of the last half of the 19th century. Remember, if it doesn't say Winchester Repeating Arms on the barrel, it isn't the

real deal.

SUPER X

SUPER X'3 SPORTING

SUPER X®3	14-25
TECHNICAL FEATURES	14-1
SPORTING	16-1
FIELD / FIELD COMPACT	18-1
BLACK SHADOW / CANTILEVER BUCK	20-2
WATERFOWL HUNTER / UNIVERSAL HUNTER	22-2
NWTF CANTILEVER TURKEY	24-2

MODEL 101° PIGEON TRAP


MODEL 101®	26-29
TECHNICAL FEATURES	
SPORTING / PIGEON TRAP / FIELD	28-2



SUPER X® PUMP ACTION. PERIOD.

Nothing in the world sounds like shucking a shell into a pump shotgun. The Winchester® Super X Pump is the perfect choice for pump fans with its smooth as glass and ultra-reliable inertia-assisted slide away. Your buddies may think your Super X Pump has autoloader speed. You know it does.





.742" BACK-BORED TECHNOLOGY is based on extensive research and testing. When it comes to back-boring shotgun barrels, .742" is the ideal 12 gauge interior diameter to ensure tight, consistent patterns. Any larger and gases blow by the shot cup and reduce pellet velocity. Too tight and the pellets are deformed as they pass through the forcing cone, causing poor ballistic performance.



HARD CHROME CHAMBER AND BORE are critical for today's steel or tungsten shot. Hard chrome makes the surfaces highly resistant to wear and gives you superior protection from rust and corrosion. That's why all smoothbore Super X® Pump shotguns feature a hard-chromed chamber



SPEED-PLUG SYSTEM lets you remove the three-shot adapter with your fingers. Just remove the magazine cap, push on the spring retainer holding the spring in place, twist and and remove the adapter. It's a trouble-free design that let's you "pull the plug" in mere seconds without any tools.



DROP-OUT TRIGGER GROUP lets you remove one pin and pull the complete trigger system out for cleaning, lubrication and inspection. It's an easy way to keep your Super X® Pump in top shape, regardless of nasty weather or gritty shooting conditions.

The CROSSBOLT SAFETY button on the Super X® Pump is located on the front of the trigger guard for easy access, even when you're wearing heavy waterfowling gloves.



From the duck blind to the firing line, the INVECTOR-PLUS™ CHOKE TUBE SYSTEM is the world's most consistent. The Super X® Pump comes with full, modified and improved cylinder flush-mounted choke tubes so your gun is ready for anything, right out of the box. Additional choke tubes are available at your local Winchester Repeating Arms dealer.



Four massive ROTARY BOLT LUGS provide support, strength and solid lockup in the receiver of the lightning-fast Super X® Pump. Under recoil, the mass of your body slows the rearward travel of the shotgun, while the inertial motion of the bolt, slide and forearm continue cycling the action to give you a head start ejecting the fired shell. Robust dual steel action guide bars eliminate the twisting and binding that waste time and energy when cycling the action.



The Super X® Pump has the best recoil pad ever put on a synthetic stocked shotgun. Directional rib structures inside the INFLEX TECHNOLOGY RECOIL PAD help channel the recoil impulse by moving the comb down and away from your cheek. A hard heel insert on the pad makes shouldering the Super X Pump snag free regardless of what clothing you're wearing.

BLACK CHROME FINISH on the bolt, barrel, slide, action bars, trigger and other parts protects better than conventional bluing and stands up to years of wear and harsh conditions.




Take to the field with a perfectly balanced pump that offers instinctive pointability and absolute reliability — the new Field model of the Super X Pump shotgun. Stocked in traditional hardwood and sporting a vent

Take to the field with a perfectly balanced pump that offers instinctive pointability and absolute reliability
— the new Field model of the Super X Pump shotgun. Stocked in traditional hardwood and sporting a vent
rib barrel with 3" chamber and Invector-Plus™ choke tubes, the Field is ready to drop a limit of birds at your
command. Get behind a new Super X Pump Field and you'll be getting ahead of the game.



WINCHESTERGUNS.COM







HARD CHROME CHAMBER AND **BORE** critical for today's steel or tungsten shot. This makes the surfaces highly resistant to wear and gives you superior protection from rust and corrosion. That's why all smoothbore Super X® Pump shotguns feature a hard-chromed chamber and bore.



SPEED-PLUG SYSTEM lets you remove the three-shot adapter with your fingers. Just remove the magazine cap, push on the spring retainer holding the spring in place and remove the adapter. It's a trouble-free design that let's you "pull the plug" in mere seconds without any tools.



WATER-OWL HUNTER

 SYNTHETIC STOCK WITH TEXTURED GRIPPING SURFACES gives your hands a sure, non-slip grip and the non-glare Mossy Oak® Shadow Grass Blades finish won't spook wary waterfowl • .742" BACK-BORED TECHNOLOGY provides optimum shot patterns that are dense and even • 3½" CHAMBER models give you the magnum advantage to reach out for longrange waterfowl ■ INVECTOR-PLUS™ CHOKE TUBE SYSTEM offers consistent patterns to match your situation • HARD CHROME CHAMBER AND BORE make these surfaces highly resistant to wear and corrosion • BLACK CHROME PROTECTION on bolt and other components lasts longer than traditional bluing • TRUGLO® LONG BEAD™ FIBER-OPTIC FRONT SIGHT offers a true, precise sight picture • 3-SHOT ADAPTER WITH SPEED-PLUG SYSTEM is easily removed without tools • ROTARY BOLT with four massive lugs provides strength, support and solid lockup - DROP-OUT TRIGGER GROUP allows easy cleaning • CROSSBOLT SAFETY is easily operated, even with gloves INFLEX TECHNOLOGY RECOIL PAD directs felt recoil down and away from your cheek to reduce flinch and fatigue

Š.	Item Number	Gauge	Barrel Length	Chamber	Magazine Capacity	Choke Tubes Included	Overall Length	Length of Pull	Drop at Comb	Drop at Heel	Nominal Wt. (lbs.)	Sugg. Retail
SXP WATERFOWL HUNTER												
NEW	512270291	12	26"	31/2"	4*	F, M, IC	47"	13¾"	15/8"	2"	61/8	\$499.99
NEW	512270292	12	28"	31/2"	4*	F, M, IC	49"	13¾"	15/8"	2"	7	499.99
NEW	512270391	12	26"	3"	4*	F, M, IC	461/2"	13¾"	15/8"	2"	6¾	459.99
NEW	512270392	12	28"	3"	4*	F, M, IC	481/2"	13¾"	1%"	2"	61/8	459.99
Total Capacity (Includes one shell in the chamber): Waterfowl Hunter: 2½ = 5, 3* = 4, 3½* = 4												

SIPERX® PUMP BLACK. MAGIC.

If you want a do-it-all shotgun that can drop ducks, roll rabbits and crush clays, you need the super-fast, super-smooth Super X Pump Black Shadow. If taking a trophy buck is on your to-do list, take to the stand with the new Super X Pump Black Shadow Deer. Its 22" precision rifled barrel and fully adjustable sights will help you fill your freezer with venison and that empty spot on your trophy room wall.



512251292

512251391

512251392

NEW 512261340

12

12

12

SXP BLACK SHADOW DEER

28"

26"

28"

31/2"

3"

3"

4*

4*

F, M, IC

F, M, IC

F, M, IC

N/A

49"

461/2"

481/2"

13¾"

13¾"

13¾"

13¾"

15/8"

1%"

15/8"

15/8"

2"

2"

2"

7

 $6\frac{3}{4}$

61/8

61/8

429.99

379.99

379.99

\$519.99








SUPER X® PUMP SPEED FOR THE BIRDS.

Turn that strutting old tom into your Thanksgiving dinner with the fastest, 3½" pump shotgun on the planet! Its instant pointability, adjustable fiber-optic sights, extra-full choke tube and heavy magnum punch are perfect for putting wild turkeys on a platter. Follow-up shots come nearly as fast as with an autoloader because of the Super X Pump shotgun's inertia-assisted slide action that's capable of pounding out three shots in a mere half-second. The Inflex Technology recoil pad helps ease the thump of heavy turkey loads. With the SXP Turkey Hunter you'll never be under-gunned when that trophy tom is within range.






SUPER X 3 JUST HOW FAST?

How about a blazing 12 shots in a mere 1.442 seconds? That's Winchester® Super X3 fast! But remember, raw cycling speed without precise control doesn't put more birds in your boat or get your name at the top of the scoreboard. That's why the Super X3 is designed to fit naturally with a fluid, balanced swing that becomes a perfect extension of your body. The softer felt recoil provided by the Inflex Technology recoil pad and the adjustable stock will contribute to your accuracy and let you enjoy shooting all day long. And when you're finished firing a few boxes of shells, you'll really appreciate how this slick-shooting gas-operated autoloader keeps itself cleaner than the competition. The Super X3 — when you're ready for the fast lane.




Getting pounded by your gun's recoil is a thing of the past with the INFLEX TECHNOLOGY RECOIL PAD. Specially shaped rib structures located inside the pad help direct and channel the recoil impulse, moving the comb down and away from your cheek to reduce felt recoil to very manageable levels, even when shooting heavy magnum loads. A hard heel insert on the pad makes mounting the Super X°3 snag-free.



- 1 Neutral cast. Raises the comb.
 1R/1L Changes cast. Raises the comb.
- 2- Neutral cast. Neutral comb.
 2R/2L-Changes cast. Neutral comb.
- 3- Neutral cast. Lowers the comb. 3R/3L-Changes cast. Lowers the comb.

Every shooter is different, and no single stock design will perfectly fit every person. **CAST/DROP SHIMS** on Super X°3 synthetic stock models allow you to easily adjust both cast on/cast off and drop at comb over a ¼" range simply by inserting one of the six special shims between the receiver and the buttstock.

EWINCHESTERGUNS.COM



.742" BACK-BORED TECHNOLOGY is based on extensive research and testing. .742" is the ideal 12 gauge interior barrel diameter, ensuring uniform, consistent patterns. Any larger and gases blow by the shot cup and reduce pellet velocity. Too tight and the pellets are deformed as they pass through the forcing cone, causing poor ballistic performance.



HARD CHROME CHAMBER AND

BORE are critical for today's steel or tungsten shot. Hard chrome makes the surfaces highly resistant to wear and gives you superior protection from rust and corrosion. That's why all smoothbore Super X®3 shotguns feature a hard-chromed chamber and bore.



LOAD DIVERSITY means a Super X°3 can reliably shoot them all, from light factory target shells to heavy magnum waterfowl and turkey loads. That's why the Super X°3 has been proven as the most versatile autoloader on the range, in the marsh and in the field.



From the duck blind to the firing line, the INVECTOR-PLUS™ CHOKE TUBE SYSTEM is the world's most consistent. The Super X®3 comes with either extended Signature or flush-mounted tubes, depending on the model. Additional tubes are available at your local Winchester Repeating Arms dealer.



ACTIVE VALVE



The ACTIVE VALVE SYSTEM automatically self-adjusts to allocate the exact gas pressure necessary to reliably cycle a wide range of loads commonly used for hunting or target shooting. When firing the heaviest magnum loads in 3½" models, gases vent upward and a portion of them are vented forward out the Quadra-Vent" ports in the forearm to help regulate bolt speed. Both 3" and 3½" Super X°3 shotguns will reliably cycle even 1½ oz., 2¾" light target loads.



Excess gases from heavy loads are channeled through the forward QUADRA-VENT™ ports for cleaner and more reliable operation.



The AMBIDEXTROUS

SAFETY button on the Super X°3 is located at the rear of the trigger guard and is easily reversible for both right- or left-handed shooters.



The DROP-OUT TRIGGER GROUP is easy to remove for cleaning or lubrication.

RNT-V

Winchester Repeating Arms is a PROUD SPONSOR of the television show RNT-V. If you want to stay on top of your game in expert waterfowl calling and shooting, tune in for timely tactics. Check your local listings for broadcast dates and times.





















Camo is critical to keep you concealed from game and the Super X3 Waterfowl Hunter in the new Mossy Oak® Shadow Grass Blades blends right in with your blind to hide you from wary ducks and geese. The Universal Hunter in Mossy Oak® Break-Up Infinity® camo pattern helps you disappear in the deep woods. It's also drilled and tapped for scope mounts. Both of these camo-clad speed machines come in 12 and 20 gauge models to perfectly match your quarry and are designed to suit your individual hunting needs and shooting style.



3"

3"

26"

28"

20

511148691

511148692

4*

F, M, IC

F, M, IC

47"

49"

141/4"

141/4"


13/4"

13/4"

65/8

1,159.99

1,159.99











VIODEL OF TWO ELEGANTLY REFINED SHOTS.

Whether your passion is trap, sporting clays or hunting afield, the Model 101 is the perfect shotgun for you. Every Winchester® Model 101 shotgun is built on a low-profile receiver to place your forward hand and eye closer to

the centerline of the bore to give you faster target acquisition with less felt recoil. The end result is a classic over and under with a crisp, smooth and controlled swing that will put more birds on the ground and more hits on your scorecard. See for yourself when you shoulder a classic Model 101 at your Winchester Repeating Arms dealer.

T-Wrench, LF, IM, M, IC, SK



SPORTING

BACKBORD TRUCLO

• HIGH GLOSS GRADE II / III WALNUT STOCK WITH 20 LINES-PER-INCH CUT CHECKERING looks elegant and improves grip ■ TRADITIONAL MODEL 101® DIMENSIONS give you a performance advantage plus classic styling ■ LOW-PROFILE RECEIVER gives you faster target acquisition, a more controlled swing and less felt recoil ■ TRUGLO® TRU-BEAD® INTERCHANGEABLE FIBER-OPTIC FRONT SIGHT offers a fast, natural sight picture ■ 742" BACK-BORED TECHNOLOGY provides optimum shot patterns that are dense and even ■ STEEL GRIP CAP adds a touch of classic elegance ■ EXTENDED SIGNATURE INVECTOR-PLUS™ CHOKE TUBES offers predictable patterns to match your situation ■ ADJUSTABLE TRIGGER SHOE for perfect length of pull ■ HARD CHROME PLATED CHAMBERS AND BORES make these surfaces highly resistant to wear and corrosion ■ 49% MORE HINGE SURFACE AREA than our competitors giving you greater strength for long-term wear ■ 30% MORE LOCKING LUG CONTACT AREA keeps action tighter and minimizes wear ■ PACHMAYR® DECELERATOR® RECOIL PAD absorbs felt recoil to reduce flinch and fatigue

	Item Number	Gauge	Barrel Length	Chamber	Choke Tubes Included	Overall Length	Length of Pull	Drop at Comb	Drop at Heel	Nominal Wt. (Ibs.)	Sugg. Retail
MC	DEL 101	PIG	EON	TRAF)						
	513057493	12	30"	23/4"	XF, F, IM	475%"	145/8"	1½"	23/8"	7½	\$2,469.99
	513057494	12	32"	23/4"	XF, F, IM	495/8"	145/8"	1½"	23/8"	7%	2,469.99
MC	DEL 101	PIG	EON	TRAF	(ADJUST/	ABLE	COM	В)			
	513059493	12	30"	23/4"	XF, F, IM	475/8"	145/8"	1½"*	23/8"*	7½	\$2,629.99
	513059494	12	32"	23/4"	XF, F, IM	495/8"	145/8"	1½"*	23/8"*	7%	2,629.99
MC	DEL 101	SPO	ORTIN	lG							
	513054492	12	28"	23/4"	LF, IM, M, IC, SK	45%"	145/8"	13/8"	23/8"	71/8	\$2,319.99
	513054493	12	30"	23/4"	LF, IM, M, IC, SK	475/8"	145/8"	13/8"	23/8"	71/4	2,319.99
	513054494	12	32"	23/4"	LF, IM, M, IC, SK	495/8"	14%"	13/8"	23/8"	73/8	2,319.99
MC	DEL 101	FIE	LD								
	513046371	12	26"	3"	F, M, IC	431/4"	141/4"	13/8"	23/8"	6¾	\$1,869.99
	513046361	12	28"	3"	F, M, IC	451/4"	141/4"	13/8"	23/8"	7	1,869.99

28

WINCHESTERGUNS.COM



HISTORICAL RIDE THE HIGH COUNTRY.

No other firearm brand can lay claim to the legendary reputation of Winchester Repeating Arms. Through the genius of John M. Browning, many of these all-time favorites are forever a part of America's history. From blazing a trail across the Great Plains to facing down a charging grizzly on a narrow path in the High Rockies, many of the men whose legendary courage tamed the Wild West chose to be armed with a genuine Winchester rifle or carbine. It was the gun they carried with absolute confidence, knowing that their lives and livelihoods depended on it shooting straight and true every time they pulled the trigger.


These magnificent historic rifles are limited production models and each one is crafted to the most exacting standards. This level of quality takes time and talent, and with so many classic variations in detail — like case colored receivers, different barrel lengths, deluxe and commemorative models in both rifles and carbines — it means that Winchester Repeating Arms will not have every historic model in the product line every year. So if you want a specific model that you see in this catalog, you best get on down to your local Winchester Repeating Arms dealer and add it to your rifle rack today. It may be several years before that specific model comes back into the Winchester rifle round-up. And if you don't see the rifle or carbine that's just right for you, please be patient. You can bet your spurs Winchester Repeating Arms is already working on it for an introduction somewhere down the trail.




MINCHESTERGUNS.CON

the VERNIER TARGET SIGHT.







ODEL 94 TAKE DOWN A NICE TROPHY OR TWO.

The Winchester® Model 94® is the world's most popular lever-action and today's rifles utilize the latest manufacturing technology to bring you the most accurate models ever produced. The Trails End Takedown rifle incorporates John M. Browning's original takedown design to quickly separate into two compact components for storage or transport. The Trails End Takedown chambered in the hard-hitting 450 Marlin is ported for less muzzle jump and is fitted with a comfortable Pachmayr® Decelerator® recoil pad. The new Model 94 Carbine is perfect for hunting in thick brush for deer, bear, wild hogs and other fast-moving game. Pick your Model 94 and pick out your target.





TAKE DOWN the Model 94° into two compact components — the barrel assembly and the stocked receiver assembly then slip it into your backpack, wrap it in your bedroll, strap it on your ATV or tuck it behind the seat of your truck, boat or bush plane.

REASSEMBLY is easy. Put the two pieces together, give the end of the magazine tube a few turns and you have a full-length rifle with the same superb accuracy as the other models.

Winchester is a registered transmark of Olin Compration

TRAILS END

- WALNUT STOCK with satin finish, authentic straight-grip styling and a blued steel forearm cap offer a nostalgic look
- TRADITIONAL JOHN M. BROWNING-DESIGNED TAKEDOWN MECHANISM is fast and easy to operate TRIPLE-CHECKED BUTTON RIFLED

 BARREL for the ultimate in accuracy and precision ROUND LOCKING BOLT TRUNNIONS HELP ensure a smooth, quick lever throw
- TOP-TANG SAFETY is easy to see and operate REBOUNDING HAMMER provides an added margin of safety BOLT RELIEF CUT reduces hammer drag for smoother cocking RADIUSED LEVER EDGES give added protection to your fingers HAMMER is drilled and tapped for KNURLED HAMMER SPUR EXTENSION (included) to aid in cocking and decocking the hammer when a scope is mounted MARBLE ARMS® FRONT SIGHT AND ADJUSTABLE SEMI-BUCKHORN REAR SIGHT get you on target quickly STEEL LOADING GATE for smoother loading ARTICULATED CARTRIDGE STOP improves feeding reliability without damaging cartridges DRILLED AND TAPPED FOR SCOPE MOUNTS lets you easily attach your favorite optics

CARBINE

- WALNUT STOCK with satin finish, authentic straight-grip styling and a blued steel forearm band offer a nostalgic look
- ** BLUED STEEL CARBINE STRAP BUTTPLATE for smooth and easy shouldering ** TRIPLE-CHECKED BUTTON RIFLED BARREL for the ultimate in accuracy and precision ** ROUND LOCKING BOLT TRUNNIONS HELP ensure a smooth, quick lever throw ** TOP-TANG SAFETY is easy to see and operate ** REBOUNDING HAMMER provides an added margin of safety ** BOLT RELIEF CUT reduces hammer drag for smoother cocking ** RADIUSED LEVER EDGES give added protection to your fingers ** HAMMER is drilled and tapped for KNURLED HAMMER SPUR EXTENSION (included) to aid in cocking and decocking the hammer when a scope is mounted ** MARBLE ARMS** FRONT SIGHT AND ADJUSTABLE SEMI-BUCKHORN REAR SIGHT get you on target quickly ** STEEL LOADING GATE for smoother loading
- ARTICULATED CARTRIDGE STOP improves feeding reliability without damaging cartridges
 DRILLED AND TAPPED FOR SCOPE MOUNTS
 lets you easily attach your favorite optics



VODEL 92 WORLD'S MOST FAMOUS LEVER.

What makes the Winchester® Model 94 so exciting is the variety of models available, and each offers a level of accuracy that will impress you. The Sporter model with its traditional straight-grip stock, blued steel crescent buttplate, and the elegant half-round, half-octagon barrel is a nostalgic favorite. The satin oil finished walnut stock is finely checkered with double-line bordering. The Short Rifle's 20" barrel makes it quick-swinging, lightweight and lightning fast in the brush. It has a rifle-style forearm with blued steel forearm cap and a full-length magazine. The receivers on both rifles are drilled and tapped for mounting a scope. The Winchester Model 94 — It's a joy to own, fun to show off and a hoot to shoot.



■ WALNUT STOCK with satin finish, authentic straight-grip styling, bordered cut checkering and a blued steel forearm cap offer a nostalgic look ■ BLUED CRESCENT BUTTPLATE slips firmly into your shoulder for a solid hold ■ TRIPLE-CHECKED HALF ROUND / HALF OCTAGON BUTTON RIFLED BARREL for the ultimate in accuracy and precision ■ ROUND LOCKING BOLT TRUNNIONS HELP ensure a smooth, quick lever throw ■ TOP-TANG SAFETY is easy to see and operate ■ REBOUNDING HAMMER provides an added margin of safety ■ BOLT RELIEF CUT reduces hammer drag for smoother cocking ■ RADIUSED LEVER EDGES give added protection to your fingers ■ HAMMER is drilled and tapped for KNURLED HAMMER SPUR EXTENSION (included) to aid in cocking and decocking the hammer when a scope is mounted ■ MARBLE ARMS® FRONT SIGHT AND ADJUSTABLE SEMI-BUCKHORN REAR SIGHT get you on target quickly ■ STEEL LOADING GATE for smoother loading ■ ARTICULATED CARTRIDGE STOP improves feeding reliability without damaging cartridges ■ DRILLED AND TAPPED FOR SCOPE MOUNTS lets you easily attach your favorite optics





HISTORICAL OWN A PIECE OF

The Model 1886™ was the biggest, meanest lever-action repeater of its day. Designed to handle potent cartridges like the classic 45-70 Government, the robust Model 1886 was more than a match for grizzly bear, bull elk and bison. The saddle-wise Model 1892 shares the double locking bolt system of the Model 1886 but was designed to handle the shorter pistol calibers of yesteryear, allowing a working cowboy to use the same ammunition in both carbine and revolver. Cowboy Action Shooters love the short lever throw of the Model 1892 and so will you.





VODEL 70° TOUGH TOUGHER. AND TOUGHEST.

For more than 75 years the Model 70 has been the best-known and most respected bolt-action rifle design in the entire world. Embraced by savvy sportsmen everywhere, it has endured as The Rifleman's Rifle. No other centerfire bolt-action rifle enjoys a reputation for pinpoint accuracy and robust reliability like the real thing — the Winchester® Model 70.



STAINLESS STEEL COMPONENTS The trigger housing and all internal components

The trigger housing and all internal components of the M.O.A. Trigger System are constructed of durable, corrosion-resistant stainless steel.

C

B

Sear

Return

Spring

ZERO TAKE-UP

Take-up is the distance the triggerpiece travels prior to the sear moving toward release and the shooter feeling resistance. The M.O.A. Trigger System uses a spring to eliminate take-up by keeping the triggerpiece in constant contact with the actuator. Unlike competitors' designs, the unique geometry of the M.O.A. pre-loads the entire trigger system to bias out normal manufacturing tolerances.

ZERO CREEP

Creep is the perceptible movement of the trigger prior to the release of the firing pin and has a negative influence on accuracy causing inconsistency and uncertainty during the pull of the trigger. Creep contributes to jerking the trigger, thus adding to movement of the gun during firing. The 2:1 mechanical advantage created by the M.O.A. Trigger's unique design geometry has virtually eliminated creep in the Model 70° M.O.A. Trigger.

ZERO OVERTRAVEL


Overtravel is the rearward movement of the trigger after the firing pin has been released. It can actually jar the gun away from its intended point of aim and is very distracting to the shooter. The Model 70° M.O.A. Trigger System is set at the factory to have no perceptible overtravel. When the sear drops, the trigger stops! Where you aim is where you shoot.

1) M.O.A. TRIGGER SYSTEM

The Model 70° M.O.A. Trigger System works on the simple principle of the pivoting lever. Pictured at the left are the triggerpiece (A), actuator (B), and sear (C). The housing and all internal parts, pins and springs are precision crafted from stainless steel. In addition, the sear and actuator are Slick Shot® electroless nickel Teflon® coated for corrosion resistance and smoother operation.

2) 2:1 MECHANICAL ADVANTAGE

The M.O.A.'s triggerpiece offers a wide, smooth face to better distribute finger pressure for a lighter, more sensitive feel. Because of its geometry and 2:1 mechanical advantage, the triggerpiece travels only half the distance of the actuator (2X). Since this distance is cut in half, the perception of creep and overtravel are virtually eliminated.





Trigger

Housing

Adj. Screw

Pull Weight

Adj. Screw

WANNA SEE TOUGH?





Every Model 70° has a THREE-POSITION SAFETY that is convenient to operate with the thumb of your firing hand. The design retracts the firing pin away from the sear. When the safety selector is in the middle position, the action can still be operated, allowing unfired cartridges to be cycled with the safety on. It's smooth to engage and easily identifies by sight and feel the safety status of the rifle.

a lifetime of shooting. The bottom profile of the Model 70° receiver is flat to offer more surface area for bedding. It's then bedded at the front and rear to eliminate shifts in zero and preserve pinpoint accuracy. The flat bottom contour also resists twisting inside the stock during firing, making it superior to the competitions' round bottom receivers.

THE INTEGRAL RECOIL LUG on the Model 70° is actually forced.



THE INTEGRAL RECOIL LUG on the Model 70° is actually forged and machined as part of the receiver. It's a block of solid steel, not a mere washer or tab that's just sandwiched between the barrel and the action during assembly. This allows the barrel to be trued in perfect alignment to the front ring of the receiver for greater accuracy. There is nothing to move, settle or shift the barrel out of alignment, ever. It's what makes a Model 70 shoot straight and true, year after year.

THE STEEL RECEIVER IS FORGED for superior material properties. Each forging is precision machined to create a strong, stiff and solid receiver that resists flexing and delivers top accuracy over



A BLADE-TYPE EJECTOR gives you full control when ejecting a fired case. Pull the bolt back slowly and the empty case pops out gently — perfect for target shooters and varminters. Pull the bolt back smartly and the empty case clears the port with greater force.







If there were a single feature responsible for the Model 70° being labeled the "Bolt-Action Rifle of the Century," it would be the classic CONTROLLED ROUND FEED AND CLAW EXTRACTOR (CRF) bolt design. The Pre-'64 style massive claw extractor smoothly slips onto and secures the cartridge's base, exerting full control from the very moment it leaves the magazine and enters the chamber, gripping tightly until it's fully ejected. This time-proven design allows an unfired cartridge to be extracted even if it is not yet fully chambered.



You can expect 1 MOA ACCURACY for three-shot groups from your Model 70° using high-quality ammo and optics under suitable weather and range conditions.



Every Model 70° features a RECESSED TARGET CROWN at the muzzle to protect the rifling from nicks and dings. Each bullet exits the barrel uniformly, with ultimate precision.




The RECOIL PAD on Model 70° rifles (except the Ultimate Shadow models) is a premium Pachmayr® Decelerator® recoil pad. This ideally contoured pad's contact area offers optimal protection against felt recoil.



A critical feature of any high-powered rifle is how the barrel is made and set in the stock. Most Model 70° barrels are COLD HAMMER-FORGED AND FREE-FLOATING — forged from a solid billet of steel, shaped by massive rotary hammers over a mandrel to create the rifling. Then each barrel is stress relieved to ensure top accuracy, even during the heat of long strings of fire. The Model 70 barrel is free-floating in the stock so that no part of the fore-end touches the barrel, because pressure from the stock adversely influences accuracy.









DOUBLE RECOIL LUGS add strength to the stock and action of the Safari Express to better handle heavy magnum recoil.



The Safari Express has a **DELUXE CHEEKPIECE** that's beautifully functional, placing your eye in perfect alignment behind either open sights or a scope.



TWO CROSS BOLTS and solid, one-piece steel bottom metal and steel floorplate add extra rigidity to the stock of the Safari Express.

SAFARI EXPRESS

■ SATIN FINISH GRADE I WALNUT STOCK WITH CUT CHECKERING and DELUXE CHEEKPIECE places your eye in perfect alignment with open sights or a scope ■ ONE-PIECE BOTTOM METAL WITH STEEL FLOORPLATE adds rigidity for better accuracy ■ MATTE FINISHED METAL SURFACES reduce glare ■ DUAL DECORATIVE STEEL CROSSBOLTS add strength, rigidity and a touch of stylish refinement ■ FORGED STEEL RECEIVER WITH DOUBLE INTEGRAL RECOIL LUGS IS BEDDED FRONT AND REAR to eliminate shifts in zero for exceptional long-range accuracy ■ PRE-'64 STYLE CONTROLLED ROUND FEED WITH CLAW EXTRACTOR fully controls the cartridge from magazine, to chamber, to ejection ■ THREE-POSITION SAFETY shows safety status at a glance ■ COLD HAMMER-FORGED FREE-FLOATING BARREL for years of pinpoint accuracy ■ FULLY ADJUSTABLE REAR SIGHT WITH HOODED BRASS BEAD FRONT get you on target quickly ■ BARREL-MOUNTED FRONT SLING SWIVEL adds a classic touch ■ RECESSED TARGET CROWN enhances accuracy and protects the rifling ■ M.O.A. TRIGGER SYSTEM with zero take-up, zero creep and zero overtravel gives you outstanding accuracy ■ BLADE-TYPE

ALASKAN

EJECTOR for full control of ejection force - PACHMAYR® DECELERATOR® RECOIL PAD for optimal protection against felt recoil



BARREL BOSS provides a solid mounting point for the adjustable folding rear sight.


- SATIN FINISH MONTE CARLO WALNUT STOCK WITH CUT CHECKERING places your eye in perfect alignment with open sights or a scope ALLOY ONE-PIECE BOTTOM METAL adds rigidity for better accuracy POLISHED METAL SURFACES add style and elegance
- FORGED STEEL RECEIVER WITH INTEGRAL RECOIL LUG IS BEDDED FRONT AND REAR to eliminate shifts in zero for exceptional long-range accuracy PRE-'64 STYLE CONTROLLED ROUND FEED WITH CLAW EXTRACTOR fully controls the cartridge from magazine, to chamber, to ejection THREE-POSITION SAFETY shows safety status at a glance COLD HAMMER-FORGED FREE-FLOATING BARREL for years of pinpoint accuracy
- RECESSED TARGET CROWN enhances accuracy and protects the rifling FOLDING ADJUSTABLE REAR SIGHT WITH HOODED BRASS BEAD FRONT get you on target quickly
- M.O.A. TRIGGER SYSTEM with zero take-up, zero creep and zero overtravel gives you outstanding accuracy BLADE-TYPE EJECTOR for full control of ejection force
- PACHMAYR® DECELERATOR® RECOIL PAD for optimal protection against felt recoil





		WAY -	/		4		*	1	(1)		"本书"
	Item Number	Caliber	Magazine Capacity	Barrel Length	Overall Length	Length of Pull	Drop at Comb	Drop at Heel	Nominal Wt. (Ibs.)	Rate of Twist	Sugg. Retail
MO	DEL 70	FEATHER\	NEIG	HT							
	535200210	22-250 Rem	5	22"	421/4"	13¾"	1/2"	3/4"	6¾	14"	\$879.99
	535200212	243 Win	5	22"	421/4"	13¾"	1/2"	3/4"	6¾	10"	879.99
	535200218	7mm-08 Rem	5	22"	421/4"	13¾"	1/2"	3/4"	6¾	91/2"	879.99
	535200220	308 Win	5	22"	421/4"	13¾"	1/2"	3/4"	6¾	12"	879.99
	535200264	270 WSM	3	24"	441/4"	13¾"	1/2"	3/4"	7	10"	919.99
NEW	535200265	7mm WSM	3	24"	441/4"	13¾"	1/2"	3/4"	7	91/2"	949.99
	535200255	300 WSM	3	24"	441/4"	13¾"	1/2"	3/4"	7	10"	919.99
	535200277	325 WSM	3	24"	441/4"	13¾"	1/2"	3/4"	7	10"	919.99
	535200225	25-06 Rem	5	22"	42¾"	13¾"	1/2"	3/4"	7	10"	879.99
	535200226	270 Win	5	22"	42¾"	13¾"	1/2"	3/4"	7	10"	879.99
	535200228	30-06 Sprg	5	22"	42¾"	13¾"	1/2"	3/4"	7	10"	879.99
	535200229	264 Win Mag	3	24"	44¾"	13¾"	1/2"	3/4"	71/4	9"	919.99
	535200233	300 Win Mag	3	24"	44¾"	13¾"	1/2"	3/4"	71/4	10"	919.99
MO	DEL 70	FEATHER	WEIG	нт с	OMPA	CT					
	535201210	22-250 Rem	5	20"	39½"	13"	1/2"	3/4"	6½	14"	\$879.99
	535201212	243 Win	5	20"	39½"	13"	1/2"	3/4"	61/2	10"	879.99
	535201218	7mm-08 Rem	5	20"	39½"	13"	1/2"	3/4"	6½	9½"	879.99
	535201220	308 Win	5	20"	39½"	13"	1/2"	3/4"	6½	12"	879.99





A ONE-PIECE ALUMINUM BEDDING BLOCK in the Extreme Weather SS and the Coyote Light is molded right into the stock during manufacturing, providing a solid, rigid base. This feature ensures flat-out reliability. The rifle holds a tight zero, placing every shot where you aim — dead on, in any weather condition, in any season.



The Extreme Weather SS has a SCULPTED CHEEKPIECE that's beautifully functional, placing your eye in perfect alignment behind a scope.

EXTREME WEATHER SS


- BELL AND CARLSON™ SYNTHETIC STOCK with SCULPTED CHEEKPIECE has a charcoal gray textured finish
- ONE-PIECE ALUMINUM BEDDING BLOCK adds strength and rigidity to maintain a reliable zero under adverse conditions MATTE FINISHED METAL SURFACES help reduce glare ALLOY ONE-PIECE BOTTOM METAL adds rigidity for better accuracy FORGED STEEL RECEIVER WITH INTEGRAL RECOIL LUG IS BEDDED FRONT AND REAR to eliminate shifts in zero for exceptional long-range accuracy PRE-'64 STYLE CONTROLLED ROUND FEED WITH CLAW EXTRACTOR fully controls the cartridge from magazine, to chamber, to ejection THREE-POSITION SAFETY shows safety status at a glance SPORTER WEIGHT STAINLESS STEEL, FREE-FLOATING FLUTED BARREL reduces weight and improves cooling RECESSED TARGET CROWN enhances accuracy and protects the rifling M.O.A. TRIGGER SYSTEM with zero take-up, zero creep and zero overtravel gives you outstanding accuracy BLADE-TYPE EJECTOR for full control of ejection force PACHMAYR® DECELERATOR® RECOIL PAD for optimal protection against felt recoil

COYOTE LIGHT

■ BELL AND CARLSON™ SYNTHETIC STOCK has a charcoal gray textured finish and multiple fore-end vents ■ ONE-PIECE ALUMINUM BEDDING BLOCK adds strength and rigidity to maintain a reliable zero under adverse conditions ■ MATTE FINISHED METAL SURFACES help reduce glare ■ ALLOY ONE-PIECE BOTTOM METAL adds rigidity for better accuracy ■ DUAL FRONT SLING SWIVEL STUDS for sling and bipod ■ FORGED STEEL RECEIVER WITH INTEGRAL RECOIL LUG IS BEDDED FRONT AND REAR to eliminate shifts in zero for exceptional long-range accuracy ■ PRE-'64 STYLE CONTROLLED ROUND FEED WITH CLAW EXTRACTOR fully controls the cartridge from magazine, to chamber, to ejection ■ THREE-POSITION SAFETY shows safety status at a glance ■ MEDIUM HEAVY STAINLESS STEEL, FREE-FLOATING FLUTED BARREL reduces weight and improves cooling ■ RECESSED TARGET CROWN enhances accuracy and protects the rifling ■ M.O.A. TRIGGER SYSTEM with zero take-up, zero creep and zero overtravel gives you outstanding accuracy ■ BLADE-TYPE EJECTOR for full control of ejection force ■ PACHMAYR® DECELERATOR® RECOIL PAD for optimal protection against felt recoil

		Item Number	Caliber	Magazine Capacity	Barrel Length	Overall Length	Length of Pull	Drop at Comb	Drop at Heel	Nominal Wt. (lbs.)	Rate of Twist	Sugg. Retail
	MO	DEL 70	COYOTE L	.IGHT								
4		535207210	22-250 Rem	5	24"	44"	13½"	1/2"	1/2"	7½	14"	\$1,099.99
		535207212	243 Win	5	24"	44"	13½"	1/2"	1/2"	7½	10"	1,099.99
1		535207220	308 Win	5	24"	44"	13½"	1/2"	1/2"	7½	12"	1,099.99
K		535207264	270 WSM	3	24"	44"	13½"	1/2"	1/2"	7½	10"	1,149.99
2/1/2		535207255	300 WSM	3	24"	44"	13½"	1/2"	1/2"	7½	10"	1,149.99
150		535207277	325 WSM	3	24"	44"	13½"	1/2"	1/2"	7½	10"	1,149.99





W ULTIWATE SHADOW HUNTER S

■ LIGHTWEIGHT SYNTHETIC STOCK WITH MOSSY OAK® BREAK-UP INFINITY® CAMO helps you hide from wary game ■ GRAY OVERMOLDED RUBBERIZED GRIPPING SURFACES offer enhanced control = MATTE METAL SURFACES help reduce glare = ALLOY ONE-PIECE BOTTOM METAL WITH STEEL FLOORPLATE adds rigidity for better accuracy • FORGED STAINLESS STEEL RECEIVER WITH INTEGRAL RECOIL LUG IS BEDDED FRONT AND REAR to eliminate shifts in zero for exceptional long-range accuracy • PRE-'64 STYLE CONTROLLED ROUND FEED. WITH CLAW EXTRACTOR fully controls cartridge from magazine, to chamber, to ejection - THREE-POSITION SAFETY shows safety status at a glance • SPORTER WEIGHT FREE-FLOATING STAINLESS STEEL BARREL for years of pinpoint accuracy • RECESSED TARGET CROWN enhances accuracy and protects the rifling • M.O.A. TRIGGER SYSTEM with zero take-up, zero creep and zero overtravel gives you outstanding accuracy ■ BLADE-TYPE EJECTOR for full ejection control ■ WINSORB™ TECHNOLOGY RECOIL PAD for optimal protection against felt recoil

ULTIMATE SHADOW HUNTER

LIGHTWEIGHT SYNTHETIC STOCK WITH MOSSY OAK® BREAK-UP INFINITY® CAMO helps you hide from wary game GRAY OVERMOLDED RUBBERIZED GRIPPING SURFACES offer enhanced control = SATIN BLUED METAL SURFACES help reduce glare = ALLOY ONE-PIECE BOTTOM METAL WITH STEEL FLOORPLATE adds rigidity for better accuracy • FORGED STEEL RECEIVER WITH INTEGRAL RECOIL LUG IS BEDDED FRONT AND REAR to eliminate shifts in zero for exceptional long-range accuracy ■ PRE-'64 STYLE CONTROLLED ROUND FEED WITH CLAW EXTRACTOR fully controls cartridge from magazine, to chamber, to ejection • THREE-POSITION SAFETY shows safety status at a glance - SPORTER WEIGHT FREE-FLOATING BARREL for years of pinpoint accuracy - RECESSED TARGET CROWN enhances accuracy and protects the rifling • M.O.A. TRIGGER SYSTEM with zero take-up, zero creep and zero overtravel gives you outstanding accuracy

BLADE-TYPE EJECTOR for full ejection control ■ WINSORB™ TECHNOLOGY RECOIL PAD for optimal protection against felt recoil

=	And the second	to the	and the second									
		Item Number	Caliber	Magazine Capacity	Barrel Length	Overall Length	Length of Pull	Drop at Comb	Drop at Heel	Nominal Wt. (lbs.)	Rate of Twist	Sugg. Retail
2	MO	DEL 70	ULTIMATE	SHA	DOW	HUN'	ΓER					
110	NEW	535208212	243 Win	5	22"	42"	13½"	3/8"	3/8"	6¾	10"	\$829.99
	NEW	535208218	7mm-08 Rem	5	22"	42"	13½"	3/8"	3/8"	6¾	91/2"	829.99
	NEW	535208220	308 Win	5	22"	42"	13½"	3/8"	3/8"	6¾	12"	829.99
	NEW	535208264	270 WSM	3	24"	44"	13½"	3/8"	3/8"	7	10"	869.99
	NEW	535208255	300 WSM	3	24"	44"	13½"	3/8"	3/8"	7	10"	869.99
	NEW	535208277	325 WSM	3	24"	44"	13½"	3/8"	3/8"	7	10"	869.99
	NEW	535208226	270 Win	5	24"	44¾"	13¾"	3/8"	3/8"	7	10"	829.99
2	NEW	535208228	30-06 Sprg	5	24"	443/4"	13¾"	3/8"	3/8"	7	10"	829.99
STATE OF	NEW	535208233	300 Win Mag	3	26"	46¾"	13¾"	3/8"	3/8"	71/4	10"	869.99
P.	NEW	535208236	338 Win Mag	3	26"	46¾"	13¾"	3/8"	3/8"	71/4	10"	869.99







2 WINCHESTERGUNS COM

3

3

3

26"

26"

26"

26"

463/4"

463/4"

463/4"

463/4"

13¾"

13¾"

13¾"

13¾"

3/8"

3/8"

3/8"

3/8"

3/8"

3/811

3/8"

3/8"

71/4

71/4

71/4

71/4

9"

91/2"

10"

10"

799.99

799.99

799.99


799.99

535210229 264 Win Mag

535210230 7mm Rem Mag

535210233 | 300 Win Mag

535210236 338 Win Mag



WINCHESTER® CHOKE TUBES

Winchester Signature choke tubes are unsurpassed in the shotgun industry. In collaboration with Briley, one of the most renowned makers of choke tubes in the world, the Invector-Plus™ and Standard Invector™ tubes are carefully machined from the best materials and calibrated to the strictest tolerances to deliver shot patterns exceeding your highest expectations. Installing these tubes in your barrel ensures that you are getting optimum patterning for the most challenging of wild game and the most difficult presentations in clay target shooting.



	Item Number	Gauge	Description	Diameter	Constriction	Sugg. Retail
SIC	ANATURE	E INV	ECTOR-PLU	S CI	IOKE 1	TUBES
12 Ga	uge for Winchester Su	preme, Sel	ect, Super X2, Super X3 and Su	per X Pump	Shotguns	
	61307103	12	Turkey	.660	.082	\$49.99
	6130703	12	Extra-Full Trap	.700	.040	49.99
	6130713	12	Full	.705	.035	49.99
	6130723	12	Light Full	.710	.030	49.99
	6130733	12	Improved Modified	.715	.025	49.99
	6130743	12	Modified	.720	.020	49.99
	6130753	12	Light Modified	.725	.015	49.99
	6130763	12	Improved Cylinder	.730	.010	49.99
	6130773	12	Skeet	.735	.005	49.99
	6130783	12	Cylinder	.740	.000	49.99
	6130793	12	Spreader/Diffuser	Rifled	_	69.99

	Item Number	Gauge	Description	Diameter	Constriction	Sugg. Retail
INV	/ECTOR-	PLU	S CHOKE TU	BES		
12 Gai	uge for Winchester Su	preme, Sel	lect, Super X2, Super X3 and Su	ıper X Pumı	Shotguns	
	613050	12	Extra-Full	.700	.040	\$29.99
	613051	12	Full	.705	.035	29.99
	613052	12	Improved Modified	.715	.025	29.99
	613053	12	Modified	.720	.020	29.99
	613054	12	Improved Cylinder	.730	.010	29.99
	613055	12	Skeet	.735	.005	29.99
	613056	12	Cylinder	.740	.000	29.99
ST	ANDARD	INV	ECTOR CHO	KE T	UBES	
12 Gai	uge for Winchester Su	per X2 Pra	ctical Models			
	6130303	12	Full	.690	.035	\$24.99
	6130313	12	Improved Modified	.700	.025	24.99

.705

.715

.720

.725

.020

.010

.005

.000

24.99

24.99

24.99

24.99

12

12

12

12

Modified

Skeet

Cylinder

Improved Cylinder

6130323

6130333

6130343

6130353



	Item Number	Description	Sugg. Retail
		FLE HINGE FE MAGAZI	
	112029907	30-06 Sprg	\$69.99
	112029906	300 Win Mag	69.99
	112029904	270 WSM	69.99
	112029905	300 WSM	69.99
		FLE DETAC	
FLC	112029903	TE MAGAZI	NE \$69.99
	112029903	30-06 Sprg	\$69.99
	112029902	300 Win Mag	69.99
	112029900	270 WSM	69.99
	112029901	300 WSM	69.99

WINCHESTER® SCOPE BASES AND RINGS

Make sure your favorite Winchester® firearm carries its scope with Winchester bases and rings. Designed and manufactured with absolute precision, the unitized mount is machined from 7000-series aircraft grade aluminum alloy. It integrates the mounting base with the lower portion of the scope ring so there is nothing to come out of alignment that might cause your scope to lose zero. Integrated mounts are available in both 1" and 30mm ring diameters, in low, medium or high ring heights and in your choice of a matte black or gloss black finish to match your scope and firearm. Weaver®-style alloy bases are available for Super X® Pump, Super X®3 and Super X®2 shotguns. Traditional steel bases and rings are also available in a gloss black finish for the Model 70® and the Model 1885® These scope bases and rings are easy to install and should, with proper care, provide you with years of accurate and dependable service. Complete installation instructions are included with each ring set.



BASES for 1885 RIFLES accept Winchester®-style rings.

\$59.99

59.99

59.99

59.99

59.99

59.99

59.99

59.99

59.99

59.99

59.99

59.99

59.99

59.99

59.99

59.99

59.99

59.99

59.99

59.99

59.99

59.99

59.99

59.99

39.99

99.99

99.99

89.99

89.99

89.99

89.99

89.99

89.99

29.99

	Item Number	Gauge	Chamber	Barrel Length	Description	Sugg. Retail
SUF	PER X3 R	IFLE	ED B	ARR	ELS	
	611108340	12	3"	22"	Matte Blued, Rifled, Cantilever Scope Mount with Synthetic Forearm*	\$579.99
	611107340	12	3"	22"	MOBU, Rifled, Cantilever Scope Mount with Synthetic Forearm*	659.99
	611121340	12	3"	22"	MOINF, Rifled, Cantilever Scope Mount with Synthetic Forearm*	659.99
	611062640	20	3"	22"	Matte Blued, Rifled, Cantilever Scope Mount	539.99
	611121640	20	3"	22"	MOINF, Rifled, Cantilever Scope Mount	599.99
SUF	PER X2 F	IELD) ANI	D TU	RKEY BARRELS	
	611063253	12	3½"	24"	Matte Blued, Vent Rib, Tru-Glo Sights, w/ 1 X-Full Extended Inv+ Choke Tube	\$499.99
	611064346	12	3"	28"	Gloss Blued, Vent Rib, w/ 1 Inv+ Choke	379.99
SUF	PER X2 R	IFLE	ED BA	ARR	EL	
	611101240	12	3½"	22"	Matte Blued, Rifled, Cantilever Scope Mount	\$549.99
SUF	PER X PL	JMP	FIEL	D Ai	ND TURKEY BARRE	LS
	611251291	12	3½"	26"	Matte Blued, Vent Rib, w/ 1 Modified Inv+ Choke	\$149.99
	611251292	12	3½"	28"	Matte Blued, Vent Rib, w/ 1 Modified Inv+ Choke	149.99
	611251391	12	3"	26"	Matte Blued, Vent Rib, w/ 1 Modified Inv+ Choke Matte Blued, Vent Rib,	149.99
	611251392	12	3"	28"	w/ 1 Modified Inv+ Choke MOSGB, Vent Rib,	149.99
IEW	611270291	12	3½"	26"	w/ 1 Modified Inv+ Choke MOSGB, Vent Rib,	189.99
IEW	611270292	12	3½"	28"	w/ 1 Modified Inv+ Choke	189.99
	611254291	12	3½"	26"	MODB, Vent Rib, w/ 1 Modified Inv+ Choke	189.99
	611254292	12	3½"	28"	MODB, Vent Rib, w/ 1 Modified Inv+ Choke	189.99
	611254391	12	3"	26"	MODB, Vent Rib, w/ 1 Modified Inv+ Choke	179.99
	611254392	12	3"	28"	MODB, Vent Rib, w/ 1 Modified Inv+ Choke	179.99
	611251253	12	3½"	24"	Matte Blued, Vent Rib, w/ 1 X-Full Extended Inv+ Choke	159.99
	611251353	12	3"	24"	Matte Blued, Vent Rib, w/ 1 X-Full Extended Inv+ Choke Matte Blued, Vent Rib 5 Shot,	159.99
	611257391	12	3"	26"	w/ 1 Modified Inv+ Choke Matte Blued, Vent Rib 5 Shot,	139.99
	611257392	12	3"	28"	w/ 1 Modified Inv+ Choke Matte Blued, Rifled,	139.99
NEW	611261340	12	3"	22"	Tru-Glo Sights eivers nor 3" chambers with 3½" receivers.	139.99

*To prevent damage to forearms, all Super X3 rifled cantilever barrels are delivered with a new forearm



	Item Number	Gauge	Chamber	Barrel Length	Description	Sugg. Retail
SUF	PER X3 F	IELD) ANI	D TU	RKEY BARRELS	
	611053271	12	3½"	26"	Perma-Cote UT Gray, Vent Rib, w/ 1 Modified Inv+ Choke	\$519.99
	611053261	12	3½"	28"	Perma-Cote UT Gray, Vent Rib, w/ 1 Modified Inv+ Choke	519.99
	611054371	12	3"	26"	Perma-Cote UT Gray, Vent Rib, w/ 1 Modified Inv+ Choke	419.99
	611054361	12	3"	28"	Perma-Cote UT Gray, Vent Rib, w/ 1 Modified Inv+ Choke	419.99
	611054691	20	3"	26"	Perma-Cote UT Gray, Vent Rib, w/ 1 Modified Inv+ Choke	419.99
	611054692	20	3"	28"	Perma-Cote UT Gray, Vent Rib, w/ 1 Modified Inv+ Choke	419.99
	611123291	12	3½"	26"	Matte Blued, Vent Rib, w/ 1 Modified Inv+ Choke	459.99
	611123292	12	3½"	28"	Matte Blued, Vent Rib, w/ 1 Modified Inv+ Choke	459.99
	611123391	12	3"	26"	Modified Inv+ Choke	399.99
	611123392	12	3"	28"	Matte Blued, Vent Rib, w/ 1 Modified Inv+ Choke	399.99
	611123691	20	3"	26"	Matte Blued, Vent Rib, w/ 1 Modified Inv+ Choke	399.99
	611123692	20	3"	28"	Matte Blued, Vent Rib, w/ 1 Modified Inv+ Choke	399.99
NEW	611155291	12	3½"	26"	MOSGB, Vent Rib, w/ 1 Modified Inv+ Choke	549.99
NEW	611155292	12	3½"	28"	MOSGB, Vent Rib, w/ 1 Modified Inv+ Choke	549.99
	611074271	12	3½"	26"	MODB, Vent Rib, w/ 1 Modified Inv+ Choke	549.99
	611074261	12	3½"	28"	Modified Inv+ Choke	549.99
NEW	611155691	20	3"	26"	Modified Inv+ Choke	549.99
NEW	611115692	20	3"	28"	Modified Inv+ Choke	549.99
	611074691	20	3"	26"	Modified Inv+ Choke	549.99
	611074692	20	3"	28"	Modified Inv+ Choke	549.99
	611117291	12	3½"	26"	MOINF, Vent Rib, w/ 1 Modified Inv+ Choke	549.99
	611117292	12	3½"	28"	MOINF, Vent Rib, w/ 1 Modified Inv+ Choke	549.99
	611117691	20	3"	26"	MOINF, Vent Rib, w/ 1 Modified Inv+ Choke	549.99
	611117692	20	3"	28"	MOINF, Vent Rib, w/ 1 Modified Inv+ Choke	549.99
	611053253	12	3½"	24"	Perma-Cote UT Gray, Vent Rib, Tru-Glo Sights, w/ 1 X-Full Extended Inv+ Choke Tube	519.99
	611053653	20	3"	24"	Perma-Cote UT Gray, Vent Rib, Tru-Glo Sights, w/ 1 X-Full Extended Inv+ Choke Tube	549.99
	611123253	12	3½"	24"	Matte Blued, Vent Rib, Tru-Glo Sights, w/ 1 X-Full Extended Inv+ Choke Tube	459.99
	611123353	12	3"	24"	Matte Blued, Vent Rib, Tru-Glo Sights, w/ 1 X-Full Extended Inv+ Choke Tube	399.99
	611123653	20	3"	24"	Matte Blued, Vent Rib, Tru-Glo Sights, w/ 1 X-Full Extended Inv+ Choke Tube	399.99
	NEW NEW	SUPER X3 F 611053271 611053261 611054371 611054361 611054691 611054692 611123291 611123391 611123392 611123691 611123692 NEW 611155291 NEW 611155291 NEW 611155691 NEW 611155691 NEW 61115692 611074271 611074261 611074261 611074291 61117291 611117292 611117691 611117692 611053253 611053653	SUPER X3 FIELD 611053271 12 611053261 12 611054371 12 611054361 12 611054691 20 611054692 20 611123291 12 611123391 12 611123392 12 611123691 20 611123692 20 NEW 611155291 12 NEW 611155292 12 611074271 12 12 NEW 611155292 12 NEW 611155691 20 611074261 12 NEW 61115692 20 611074691 20 61117291 12 61117292 12 61117691 20 61117692 20 61117691 20 611117691 20 611117692 20 6111173253 12	SUPER X3 FIELD AN 611053271 12 3½" 611054371 12 3½" 611054361 12 3" 611054691 20 3" 611054692 20 3" 611123291 12 3½" 611123391 12 3½" 611123392 12 3" 611123391 12 3" 611123392 12 3" 611123691 20 3" NEW 611155291 12 3½" NEW 611155291 12 3½" NEW 611074271 12 3½" NEW 611155691 20 3" NEW 611155691 20 3" 611074261 12 3½" 611074691 20 3" 611177491 12 3½" 611117292 12 3½" 611117691 20 3" 6111053253 12	SUPER X3 FIELD AND TU 611053271 12 3½" 26" 611053261 12 3½" 28" 611054371 12 3" 26" 611054691 20 3" 26" 611054692 20 3" 26" 611123291 12 3½" 26" 611123391 12 3½" 26" 611123392 12 3½" 26" 611123391 12 3" 26" 611123392 12 3" 26" 611123691 20 3" 26" 611123692 20 3" 26" NEW 611155291 12 3½" 26" NEW 611155292 12 3½" 26" NEW 611155292 12 3½" 26" NEW 61115692 2 3" 26" NEW 611174691 2 3" 26" 611117291 12	SUPER X3 FIELD AND TURKEY BARRELS 611053271 12 3½" 26" Perma-Cote UT Gray, Vent Rib, w 1 Modified Inv+ Choke 611054371 12 3" 26" W1 Modified Inv+ Choke 611054361 12 3" 28" Perma-Cote UT Gray, Vent Rib, w 1 Modified Inv+ Choke 611054691 20 3" 28" Perma-Cote UT Gray, Vent Rib, w 1 Modified Inv+ Choke 611054692 20 3" 28" Perma-Cote UT Gray, Vent Rib, w 1 Modified Inv+ Choke 611123291 12 3½" 26" Perma-Cote UT Gray, Vent Rib, w 1 Modified Inv+ Choke Matte Blued, Vent Rib, w 1 Modified Inv+ Choke Perma-Cote UT Gray, Vent Rib, w 1 Modified Inv+ Choke Perma-Cote UT Gray, Vent Rib, w 1 Modified Inv+ Choke Matte Blued, Vent Rib, w 1 Modified Inv+ Choke Matte Blued, Vent Rib, w 1 Modified Inv+ Choke Matte Blued, Vent Rib, w 1 Modified Inv+ Choke Matte Blued, Vent Rib, w 1 Modified Inv+ Choke Matte Blued, Vent Rib, w 1 Modified Inv+ Choke Matte Blued, Vent Rib, w 1 Modified Inv+ Choke Matte Blued, Vent Rib, w 1 Modified Inv+ Choke Matte Blued, Vent Rib, w 1 Modified Inv+ Choke Matte Blued, Vent Rib, w 1 Modified Inv+ Choke Matte Blued, Vent Rib, w 1 Modified Inv+ Choke Matte Blued, Vent Rib, w 1 Modified Inv+ Choke Modified Inv+ Choke

13

*To prevent damage to forearms, all Super X3 rifled cantilever barrels are delivered with a new forearm



CUSTOMER SERVICE FOR WINCHESTER® FIREARMS

You can expect the same great Customer Service you've become accustomed to over the years. Expert gunsmiths can help you with the most technical problems and repairs to your firearms. There are many Authorized Repair Centers (ARC) throughout the country with gun repair professionals who know your firearm inside and out. If you need service on current models, as well as older Model 70, Model 94, Model 9422 or Model 1300 firearms, please contact one of the Authorized Repair Centers or our main Service Center in Arnold, Missouri. Please call (800) 333-3288 for more information.

WINCHESTER REPEATING ARMS®

Customer Service Department 275 Winchester Avenue Morgan, UT 84050 (800) 945-5237 (801) 876-3440

Parts and Service 3005 Arnold Tenbrook Road Arnold, MO 63010 (800) 322-4626

FOR FIREARMS: WINCHESTERGUNS.COM FOR AMMUNITION: WINCHESTER.COM

Owner's manuals for all Winchester® firearms in this or previous catalogs are available upon request at no charge. Owners of Winchester firearms without owner's manuals are encouraged to view one online or request one at the address below. Some models and calibers are only made periodically. Winchester Repeating Arms (WRA) reserves the right to delay, postpone or discontinue production of any Winchester firearm for any reason without notice. All specifications in this catalog are subject to change without notice. Weights, stock dimensions, wood appearance, etc., may vary slightly between individual firearms. Wood is a natural product. No two pieces are alike and variation between stocks is to be expected. WRA reserves the right to modify or change specifications without notice. WRA will make every effort to make sure this catalog is accurate at the time of printing and apologizes for any errors in photographs, descriptions and specifications.

Please note that the following models are or were manufactured in Japan: Models 1885, 1886, 1892, 1894, 1895, 63 and 52B. Super X2, Super X3 and 101 shotguns are manufactured in Belgium and assembled in Portugal. Model 70 rifles are manufactured in the USA or in Portugal. The following trademarks are used with permission from Olin Gorporation: Winchester, the Horse and Rider design, Super X, SX2 design, Super X2, SX3 design, Super X3, SXR design, Model 1892, Select, Model 101, Model 1300, Model 94, Model 70, Model Super X Pump and the red W design. Other trademarks used in this catalog: Mossy Oak Shadow Grass Blades and Mossy Oak Break-Up Infinity are registered trademarks of Haas Outdoors. Pachmayr and Decelerator are registered trademarks of Lyman. Invector-Plus, Dura-Touch and Perma-Cote are trademarks of Browning. TRUGLO is a trademark of TruGlo, Inc. Marble's is a trademark of Marble's Arms. Weaver is a registered trademark of Alliant Tech.

© Copyright, WRA, September 2012. No part of this catalog may be reproduced without the written permission of Winchester Repeating Arms. Suggested retail pricing is in U.S. dollars and approximate and subject to change without notice. If you have any questions concerning Winchester brand firearms, visit your Winchester Repeating Arms dealer or write to: Winchester Repeating Arms, 275 Winchester Ave., Morgan, UT 84050-9333. Printed in USA. GAC1209200/12197 Winchester firearms are imported by BACO, Inc. Winchester is a registered trademark of Olin Corporation.



A portion of the sale of every Winchester firearm is proudly donated to the Heritage Fund, which helps to expand the legal defense against politically motivated lawsuits against the hunting and shooting industry. Working together, the rightful tradition of firearms in America will continue.



PRSRT STD U.S. Postage Paid Permit 315 Ogden. Ut

Winchester Repeating Arms 275 Winchester Ave., Morgan, UT 84050-9333



GOULD BROTHERS EXHIBITION SHOOTING TEAM JOINS WINCHESTER REPEATING ARMS.

Aaron and Steve Gould are the most exciting exhibition shooting team ever to dust a clay target. Wowing crowds across the nation with their incredible shooting demonstrations, the Goulds demand shotguns with the speed and reliability to set a blistering pace. That's why they insist on the Winchester® Super X®3 autoloader and the Super X® Pump.

Look for the Gould Brothers Exhibition Shooting Team at a range near you. To see them now, scan the code.

We proudly support these organizations.













