


WINCHESTER[®]

REPEATING ARMS



2015



DAVID JACKSON



ABOUT THE COVER

Long supportive of whitetail conservation efforts, Winchester Repeating Arms has commissioned *The Motivator*, an original oil painting by noted outdoor artist David W. Jackson. A professional artist for more than 40 years, Jackson's unique style of impressionist realism appeals to avid outdoorsmen and collectors from all walks of life. His work is held in numerous private and public collections throughout the United States, Canada and Europe.

2015

WINCHESTER REPEATING ARMS®

2015 is a banner year for Winchester® fans. It's been a half-century since Winchester Repeating Arms® introduced a **NEW BOLT-ACTION RIFLE**, and you'll find the **ALL-NEW XPR™ RIFLE** is well worth the wait. With advanced materials and cutting edge design plus state-of-the-art manufacturing technology, the XPR is an accurate, rugged rifle that can deliver under all conditions. The **SUPER X® PUMP** goes high-tech tactical with the **NEW ULTIMATE DEFENDER** and **ULTIMATE MARINE DEFENDER**. Versatile, slick handling and soft recoiling, the 20 gauge smoothbore has long been a favorite of savvy hunters. Check out several **NEW 20 GAUGE MODELS** of the popular **SUPER X PUMP**. Avid turkey hunters can strut their stuff with the **NEW SUPER X®3 LONG BEARD**, a dedicated tom-buster that's optimized for Winchester's popular Long Beard™ XR™ turkey ammunition. History buffs should saddle up with the **NEW MODEL 1873 OCTAGON COLOR CASE HARDENED**, the legendary lever-action that takes you back to the heydays of Dodge City, Deadwood and Tombstone. Whatever sparks your shooting interests, **WINCHESTER REPEATING ARMS HAS YOUR NEXT GUN**. Visit winchesterguns.com to learn more.

XPR™



TECHNICAL FEATURES	2-3
XPR	4-5

MODEL 70



TECHNICAL FEATURES	6-7
SUPER GRADE / SPORTER	8-9
SAFARI EXPRESS / ALASKAN	10-11
FEATHERWEIGHT / FEATHERWEIGHT COMPACT	12-13
EXTREME WEATHER SS / COYOTE LIGHT	14-15
ULTIMATE SHADOW HUNTER / ULTIMATE SHADOW HUNTER SS	16-17
ULTIMATE SHADOW / ULTIMATE SHADOW SS	18-19

HISTORICAL




TECHNICAL FEATURES / OVERVIEW	20-21
MODEL 73 OCTAGON COLOR CASE HARDENED	22-23
MODEL 73 SHORT RIFLE / MODEL 73 COLOR CASE HARDENED	24-25
1885 RIMFIRE / 1886 SHORT RIFLE	26-27
1892 SHORT RIFLE / 1892 LARGE LOOP CARBINE	28-29
94 TRAILS END TAKEDOWN / 94 CARBINE	30-31
94 SHORT RIFLE / 94 SPORTER	32-33

SXP



TECHNICAL FEATURES	34-35
TRAP / TRAP COMPACT	36-37
FIELD / FIELD COMPACT	38-39
WATERFOWL HUNTER	40-41
BLACK SHADOW / BLACK SHADOW DEER	42-43
ULTIMATE DEFENDER / ULTIMATE MARINE DEFENDER	44-45
DEFENDER / MARINE DEFENDER	46-47
TURKEY HUNTER	48-49

SXB



TECHNICAL FEATURES	50-51
SPORTING	52-53
FIELD / FIELD COMPACT	54-55
BLACK SHADOW / CANTILEVER BUCK	56-57
WATERFOWL HUNTER / UNIVERSAL HUNTER	58-59
NWTF CANTILEVER TURKEY / LONG BEARD	60-61

MODEL 101



TECHNICAL FEATURES	62-63
SPORTING / PIGEON TRAP	64-65
FIELD	66-67

ACCESSORIES



CHOKE TUBES / MAGAZINES	68
BASES AND RINGS	69
EXTRA BARRELS	70-71

PERSONALITIES



GOULD BROTHERS EXHIBITION SHOOTERS	72
RNT-V	72
MELISSA BACHMAN - WINCHESTER DEADLY PASSION TV	72
BOB FOULKROD - WINCHESTER LEGENDS TV	73
RON SPOMER - WINCHESTER WORLD OF WHITETAIL TV	73

THE ALL-NEW

XPR™

REAL PRECISION. REAL PERFORMANCE. REAL WINCHESTER.

It's been a half-century since Winchester Repeating Arms® introduced a new bolt-action rifle, and the feature packed XPR™ has been well worth the wait. With advanced materials and the latest technology, the XPR is an accurate and rugged hunting rifle that will get the job done every time. Best of all it's priced just right for today's hunter.



HARDENED STEEL COMPONENTS

The trigger housing and all internal components in the XPR™ rifle's M.O.A trigger are constructed of polished and hardened carbon steel, with a blued finish for added durability and corrosion resistance.

ZERO TAKE-UP


Take-up is the distance the trigger piece travels prior to the sear moving toward release and the shooter feeling resistance. The XPR™ rifle's M.O.A. Trigger System uses a spring to eliminate take-up by keeping the trigger piece in constant contact with the actuator. Unlike many competitors' designs, the unique geometry of the M.O.A. pre-loads the entire trigger system to bias out normal manufacturing tolerances.

ZERO CREEP

Creep is the perceptible movement of the trigger prior to the release of the firing pin and has a negative influence on accuracy, causing inconsistency and uncertainty during the pull of the trigger. Creep contributes to jerking the trigger, thus adding to movement of the gun during firing. The 2:1 mechanical advantage created by this unique design geometry has virtually eliminated creep in the XPR™ rifle's M.O.A. Trigger.

ZERO OVERTRAVEL

Overtravel is the rearward movement of the trigger after the firing pin has been released. It can actually jar the gun away from its intended point of aim and is very distracting to the shooter. The XPR™ rifle's adjustable M.O.A. Trigger System is set at the factory to break at a crisp 3 1/2 pounds with no perceptible overtravel. When the sear drops, the trigger stops. Where you aim is where you shoot.




(1) M.O.A. TRIGGER SYSTEM

The XPR™ rifle's M.O.A. Trigger System works on the simple principle of the pivoting lever. Pictured above are the trigger piece (A), actuator (B), and sear (C).


(2) 2:1 MECHANICAL ADVANTAGE

The M.O.A.'s trigger piece offers a wide, smooth face to better distribute finger pressure for a lighter, more sensitive feel. Because of its geometry and 2:1 mechanical advantage, the trigger piece travels only half the distance of the actuator (2X). Since this distance is cut in half, the perception of creep and overtravel are virtually eliminated. This means that your "feel" for the trigger is greatly enhanced, and thus your effective accuracy, both in the field and off the bench are improved.





Every XPR™ rifle has a **TWO-POSITION SAFETY** that's convenient to operate with the thumb of your firing hand. The safety's design fully retracts the trigger away from the actuator. Located just in front of the safety button, the **BOLT RELEASE BUTTON** allows the action to cycle unfired cartridges while the safety is on. The **COCKING INDICATOR** on the bolt shroud gives you both a tactile and visual reference of the rifle's cocked/uncocked condition.



The robust **XPR™ BOLT** is crafted from chromoly steel barstock and is through-hardened during heat-treatment. The bolt design offers three front locking lugs and a short 60-degree lift for improved scope clearance when cycling. The full-diameter bolt body creates a more rigid component. It is then coated with **NICKEL TEFLON®** for smoother operation and added corrosion resistance. The one-piece bolt handle is sculpted to give a more positive grip. The bolt can be fieldstripped in just seconds without special tools for cleaning and lubrication.



The one-piece **TRIGGER GUARD** and **MAGAZINE FRAME** design offers a generous guard opening for use with gloves. The **DETACHABLE BOX MAGAZINE** is constructed of a light yet rugged polymer and securely latches at both the front and rear. A single stack design that feeds cartridges in a straight line to the chamber; the magazine's capacity is three rounds in both magnum and standard calibers. Additional magazines can be easily carried in a pocket or pack.

Every XPR™ rifle features a **RECESSED TARGET-STYLE CROWN** at the muzzle to protect the rifling from nicks and dings. Each bullet exits the barrel uniformly for the ultimate in downrange accuracy.



The **CHROMOLY STEEL BARREL** on the XPR™ rifle is precisely button-rifled to create outstanding accuracy with a wide variety of bullet weights and types. Every barrel is thermally stress relieved to ensure straight and true accuracy, even during long strings of fire. The **BARREL NUT** keeps the entire barrel/receiver assembly precisely aligned and allows for more accurate headspace control during manufacture. This means there is nothing to shift out of position and degrade accuracy. The entire barrel is **FREE-FLOATING** to eliminate any accuracy robbing pressure points.



The **XPR™ RECEIVER** starts out as a hefty piece of chromoly steel barstock that's precision machined and through-hardened during heat-treating to create a strong, stiff and solid receiver capable of delivering pinpoint accuracy. The ejection port is generously sized for more reliable ejection and easier access when loading single cartridges by hand. Two hefty socket head action screws allow the receiver to be precisely torqued in the stock for maximum accuracy. The receiver is drilled and tapped for beefy 8-40 screws, creating a more secure mounting for today's larger, high-magnification scopes.



The XPR™ rifle has an **ADVANCED POLYMER STOCK** that offers a matte finish with textured panels on the fore-end and pistol grip to improve grip in cold, wet weather. The fore-end has rounded edges plus a slightly flattened bottom profile for comfortable shooting from any position. This flattened profile also optimizes stability when firing off sandbags or a rest.



A critical feature of any high-powered rifle is how the action and barrel are set in the stock. The XPR rifle's receiver nestles onto **FLAT PROFILE INTERFACE PADS** and into a cross-mounted recoil lug to resist flex and twist when firing. The XPR will hold its zero under the most adverse conditions.



The **INFLEX TECHNOLOGY RECOIL PAD** has specially-shaped internal rib structures that redirect the recoil impulse, moving the comb down and away from your face. The ideally contoured contact area on the XPR™ rifle offers optimal protection against felt recoil, even when shooting today's magnum loads.

THE ALL-NEW

XPR™

DISCOVER WHAT MAKES THE NEW XPR
THE PERFECT RIFLE
FOR YOU.

M.O.A.™
TRIGGER SYSTEM

XPR™



[SCOPE AND MOUNTS SHOWN NOT INCLUDED.]

XPR

	ITEM NUMBER	CALIBER	MAGAZINE CAPACITY	BARREL LENGTH	OVERALL LENGTH	LENGTH OF PULL	DROP AT COMB	DROP AT HEEL	NOMINAL WT. (LBS)	RATE OF TWIST	SUGGESTED RETAIL
NEW	535700226	270 Win	3	24"	44 1/2"	13 3/4"	1/2"	3/4"	7	10"	\$549.99
NEW	535700228	30-06 Sprg	3	24"	44 1/2"	13 3/4"	1/2"	3/4"	7	10"	549.99
NEW	535700233	300 Win Mag	3	26"	46 1/2"	13 3/4"	1/2"	3/4"	7 1/4	10"	549.99
NEW	535700236	338 Win Mag	3	26"	46 1/2"	13 3/4"	1/2"	3/4"	7 1/4	10"	549.99



NEW

XPR

- **M.O.A. TRIGGER SYSTEM** with zero take-up, zero creep and zero overtravel gives you outstanding accuracy
- **BOLT UNLOCK BUTTON** allows the chamber to be unloaded with the thumb safety in the on-safe position
- **NICKEL TEFLON®** on the bolt body offers smoother operation and added corrosion resistance
- **DETACHABLE BOX MAGAZINE** is a single stack design constructed from a rugged polymer for greater reliability
- **ADVANCED POLYMER STOCK** with textured panels help improve wet weather grip, while the flattened fore-end profile improves stability from sandbags or a benchrest
- **MATTE BLUED METAL SURFACES** minimize glare to help prevent game-spooking reflections and protect from corrosion
- **INFLEX TECHNOLOGY RECOIL PAD** directs energy down and away from your cheek to reduce felt recoil
- **STEEL RECOIL LUG** is inletted into the stock to prevent the receiver from twisting under recoil for more reliable and predictable long-range accuracy
- **RECEIVER IS MACHINED FROM SOLID STEEL BAR STOCK** and through-hardened during heat treating for longer life and enhanced accuracy
- **TWO-POSITION THUMB SAFETY** and a cocking indicator show the XPR™ rifle's safety status at a glance or by feel
- **BUTTON-RIFLED, FREE-FLOATED STEEL BARREL** is thermally stress-relieved then precisely aligned and headspaced during assembly via the barrel nut
- **RECESSED TARGET CROWN** protects the muzzle rifling from wear and impact damage to help maintain greater accuracy



WINCHESTER® DEER SEASON™ XP™. SHOOT THE BIGGER TIP FOR BIGGER IMPACT ON THE BIGGEST BUCKS.

Deer Season™ XP™ is the first ammunition ever designed specifically by Winchester for hunting deer. The Extreme Point (XP) bullets feature a radically new, large-tip-diameter technology to deliver massive energy immediately on impact to put deer down quickly.

MODEL 70[®]


TRUSTED BY MILLIONS TO BE TOUGH FOR MORE THAN 75 YEARS.

For nearly eight decades the Model 70[®] rifle has been the best-known and most respected rifle in the entire world. No other centerfire bolt-action has earned such trust from generations of knowledgeable hunters for safety, pinpoint accuracy and robust reliability. Isn't it time you discovered the classic Model 70 for yourself? Isn't it time you finally owned The Rifleman's Rifle?

M.O.A.[™] TRIGGER SYSTEM

STAINLESS STEEL COMPONENTS

The trigger housing and all internal components of the M.O.A. Trigger System are constructed of durable, corrosion-resistant stainless steel.



(1) M.O.A. TRIGGER SYSTEM

The Model 70[®] rifle's M.O.A. Trigger System works on the simple principle of the pivoting lever. Pictured at the left are the trigger piece (A), actuator (B), and sear (C). The housing and all internal parts, pins and springs are precision crafted from stainless steel. In addition, the sear and actuator are Slick Shot[®] electroless nickel Teflon[®] coated for corrosion resistance and smoother operation.

(2) 2:1 MECHANICAL ADVANTAGE

The M.O.A.'s trigger piece offers a wide, smooth face to better distribute finger pressure for a lighter, more sensitive feel. Because of its geometry and 2:1 mechanical advantage, the trigger piece travels only half the distance of the actuator (2X). Since this distance is cut in half, the perception of creep and overtravel are virtually eliminated.

ZERO TAKE-UP


Take-up is the distance the trigger piece travels prior to the sear moving toward release and the shooter feeling resistance. The M.O.A. Trigger System uses a spring to eliminate take-up by keeping the trigger piece in constant contact with the actuator. Unlike competitors' designs, the unique geometry of the M.O.A. pre-loads the entire trigger system to bias out normal manufacturing tolerances.

ZERO CREEP

Creep is the perceptible movement of the trigger prior to the release of the firing pin and has a negative influence on accuracy causing inconsistency and uncertainty during the pull of the trigger. Creep contributes to jerking the trigger, thus adding to movement of the gun during firing. The 2:1 mechanical advantage created by the M.O.A. Trigger's unique design geometry has virtually eliminated creep in the Model 70[®] rifle's M.O.A. Trigger.

ZERO OVERTRAVEL

Overtravel is the rearward movement of the trigger after the firing pin has been released. It can actually jar the gun away from its intended point of aim and is very distracting to the shooter. The Model 70[®] rifle's M.O.A. Trigger System is set at the factory to have no perceptible overtravel. When the sear drops, the trigger stops. Where you aim is where you shoot.





Every Model 70® rifle has a **THREE-POSITION SAFETY** that is convenient to operate with the thumb of your firing hand. The design retracts the firing pin away from the sear. When the safety selector is in the middle position, the action can still be operated, allowing unfired cartridges to be cycled with the safety on. It's smooth to engage and easily identifies, by sight and feel, the safety status of the rifle.



A **BLADE-TYPE EJECTOR** gives you full control when ejecting a fired case. Pull the bolt back slowly and the empty case pops out gently — perfect for target shooters and varminters. Pull the bolt back smartly and the empty case clears the port with greater force.



If there were a single feature responsible for the Model 70® rifle being labeled the "Bolt-Action Rifle of the Century," it would be the classic Pre-'64 style **CONTROLLED ROUND FEED AND CLAW EXTRACTOR (CRF)** bolt design. The massive claw extractor secures the cartridge's base, exerting full control from the very moment it leaves the magazine and enters the chamber, gripping it tightly until it's fully ejected. This time-proven design allows an unfired cartridge to be extracted even if it is not yet fully chambered.



The **RECOIL PAD** on Model 70® rifles (except the Ultimate Shadow models) is a premium Pachmayr® Decelerator® recoil pad. This industry leading pad offers optimal protection against felt recoil.

THE STEEL RECEIVER IS FORGED for superior material properties. Each forging is precision machined to create a strong, stiff and solid receiver that resists flexing and delivers top accuracy over a lifetime of shooting. The bottom profile of the Model 70® rifle receiver is flat to offer more surface area for bedding. It's then bedded at the front and rear to eliminate shifts in zero and preserve pinpoint accuracy. The flat bottom contour also resists twisting inside the stock during firing, making it superior to the competitors' round bottom receivers.



THE INTEGRAL RECOIL LUG on the Model 70® rifle is actually forged and machined as part of the receiver. It's a hefty block of solid steel, not a mere washer or tab that's just sandwiched between the barrel and the action during assembly. This allows the barrel to be trued in perfect alignment to the front ring of the receiver for greater accuracy. There is nothing to move, settle or shift the barrel out of alignment, ever. It's what makes a Model 70 rifle shoot straight and true, year after year.

The trigger guard and magazine frame of each Model 70® rifle feature a solid, **ONE-PIECE BOTTOM METAL** supporting the action through the magazine well. This added rigidity contributes to accuracy and integrity better than two-piece systems. The hinged magazine floorplate speeds unloading of the cartridges to avoid having to cycle them through the action. The action and trigger guard are held in place by stout hex head screws.



You can expect **1 MOA ACCURACY** for three-shot groups from your Model 70® rifle using high-quality ammo and optics under suitable weather and range conditions.



Every Model 70® rifle features a **RECESSED TARGET CROWN** at the muzzle to protect the rifling from nicks and dings. Each bullet exits the barrel uniformly, with ultimate precision.



Critical to rifle accuracy is how the barrel is made and set in the stock. Most Model 70® rifle barrels are **COLD HAMMER-FORGED** — from a solid billet of steel, shaped by massive rotary hammers over a mandrel to create the rifling. Then each barrel is stress relieved to ensure top accuracy, even during the heat of long strings of fire. Every Model 70 rifle barrel is **FREE-FLOATING** in the stock so that no part of the fore-end touches the barrel, because pressure from the stock adversely influences accuracy.

MODEL 70[®]

LEGENDARY LOOKS AND TIMELESS UTILITY.

M.O.A.[™]
TRIGGER SYSTEM

MODEL 70





SHADOWLINE CHEEKPIECE



ONE-PIECE STEEL BOTTOM METAL

ITEM NUMBER	CALIBER	MAGAZINE CAPACITY	BARREL LENGTH	OVERALL LENGTH	LENGTH OF PULL	DROP AT COMB	DROP AT HEEL	NOMINAL WT. (LBS)	RATE OF TWIST	SUGGESTED RETAIL
MODEL 70 SUPER GRADE										
535203264	270 WSM	3	24"	44 1/4"	13 3/4"	1/2"	1/2"	8	10"	\$1,399.99
535203255	300 WSM	3	24"	44 1/4"	13 3/4"	1/2"	1/2"	8	10"	1,399.99
535203226	270 Win	5	24"	44 3/4"	13 3/4"	1/2"	1/2"	8 1/4	10"	1,359.99
535203228	30-06 Sprg	5	24"	44 3/4"	13 3/4"	1/2"	1/2"	8 1/4	10"	1,359.99
535203230	7mm Rem Mag	3	26"	46 3/4"	13 3/4"	1/2"	1/2"	8 1/2	9 1/2"	1,399.99
535203233	300 Win Mag	3	26"	46 3/4"	13 3/4"	1/2"	1/2"	8 1/2	10"	1,399.99
535203236	338 Win Mag	3	26"	46 3/4"	13 3/4"	1/2"	1/2"	8 1/2	10"	1,399.99
MODEL 70 SPORTER										
535202264	270 WSM	3	24"	44 1/4"	13 3/4"	1/2"	1/2"	7 1/4	10"	\$979.99
535202255	300 WSM	3	24"	44 1/4"	13 3/4"	1/2"	1/2"	7 1/4	10"	979.99
535202277	325 WSM	3	24"	44 1/4"	13 3/4"	1/2"	1/2"	7 1/4	10"	979.99
535202225	25-06 Rem	5	24"	44 3/4"	13 3/4"	1/2"	1/2"	7 1/4	10"	939.99
535202226	270 Win	5	24"	44 3/4"	13 3/4"	1/2"	1/2"	7 1/4	10"	939.99
535202228	30-06 Sprg	5	24"	44 3/4"	13 3/4"	1/2"	1/2"	7 1/4	10"	939.99
535202229	264 Win Mag	3	26"	46 3/4"	13 3/4"	1/2"	1/2"	7 3/4	9"	979.99
535202230	7mm Rem Mag	3	26"	46 3/4"	13 3/4"	1/2"	1/2"	7 3/4	9 1/2"	979.99
535202233	300 Win Mag	3	26"	46 3/4"	13 3/4"	1/2"	1/2"	7 3/4	10"	979.99
535202236	338 Win Mag	3	26"	46 3/4"	13 3/4"	1/2"	1/2"	7 3/4	10"	979.99

(SCOPE AND MOUNTS SHOWN NOT INCLUDED.)




SUPER GRADE

- **GRADE IV / V FULL FANCY WALNUT STOCK WITH SHADOWLINE CHEEKPIECE** places your eye in perfect alignment with the scope
- **HIGHLY POLISHED METAL SURFACES** add style and elegance
- **ONE-PIECE BOTTOM METAL** with steel floorplate adds rigidity for better accuracy
- **DECORATIVE STEEL CROSSBOLT** adds strength, rigidity and a touch of stylish refinement
- **INLETTED SLING SWIVEL STUDS** allow you to attach your favorite sling
- **FORGED STEEL RECEIVER WITH INTEGRAL RECOIL LUG** is bedded front and rear to eliminate shifts in zero for exceptional long-range accuracy
- **PRE-'64 STYLE CONTROLLED ROUND FEED WITH CLAW EXTRACTOR** fully controls the cartridge from magazine, to chamber, to ejection
- **THREE-POSITION SAFETY** allows you to unload the chamber while on safe and shows safety status at a glance
- **COLD HAMMER-FORGED FREE-FLOATED BARREL** for years of pinpoint accuracy
- **RECESSED TARGET CROWN** enhances accuracy and protects the rifling
- **M.O.A. TRIGGER SYSTEM** with zero take-up, zero creep and zero overtravel gives you outstanding accuracy
- **BLADE-TYPE EJECTOR** for full control of ejection force
- **PACHMAYR® DECELERATOR® RECOIL PAD** for optimal protection against felt recoil



SPORTER

- **SATIN FINISH GRADE I WALNUT STOCK WITH CUT CHECKERING AND DELUXE CHEEKPIECE** places your eye in perfect alignment with the scope
- **POLISHED METAL SURFACES** add style and elegance
- **STEEL SLING SWIVEL STUDS** allow you to attach your favorite sling
- **ALLOY ONE-PIECE BOTTOM METAL** adds rigidity for better accuracy
- **FORGED STEEL RECEIVER WITH INTEGRAL RECOIL LUG** is bedded front and rear to eliminate shifts in zero for exceptional long-range accuracy
- **PRE-'64 STYLE CONTROLLED ROUND FEED WITH CLAW EXTRACTOR** fully controls the cartridge from magazine, to chamber, to ejection
- **THREE-POSITION SAFETY** allows you to unload the chamber while on safe and shows safety status at a glance
- **COLD HAMMER-FORGED FREE-FLOATED BARREL** for years of pinpoint accuracy
- **RECESSED TARGET CROWN** enhances accuracy and protects the rifling
- **M.O.A. TRIGGER SYSTEM** with zero take-up, zero creep and zero overtravel gives you outstanding accuracy
- **BLADE-TYPE EJECTOR** for full control of ejection force
- **PACHMAYR® DECELERATOR® RECOIL PAD** for optimal protection against felt recoil



RAISED CHEEKPIECE

MODEL 70[®]

BUILT FOR THE
BIGGEST BEASTS
ON THE PLANET.

M.O.A.[™]
TRIGGER SYSTEM

MODEL 70



ITEM NUMBER	CALIBER	MAGAZINE CAPACITY	BARREL LENGTH	OVERALL LENGTH	LENGTH OF PULL	DROP AT COMB	DROP AT HEEL	SIGHT RADIUS	NOMINAL WT. (LBS)	RATE OF TWIST	SUGGESTED RETAIL
MODEL 70 SAFARI EXPRESS											
535204161	375 H&H Mag	3	24"	44 3/4"	13 3/4"	1/2"	1/2"	18"	9	12"	\$1,499.99
535204139	416 Rem Mag	3	24"	44 3/4"	13 3/4"	1/2"	1/2"	18"	9	14"	1,499.99
535204144	458 Win Mag	3	24"	44 3/4"	13 3/4"	1/2"	1/2"	18"	9	14"	1,499.99
MODEL 70 ALASKAN											
535205128	30-06 Sprg	5	25"	45 3/4"	13 3/4"	5/8"	5/8"*	18 1/2"	8 1/2	10"	\$1,339.99
535205133	300 Win Mag	3	25"	45 3/4"	13 3/4"	5/8"	5/8"*	18 1/2"	8 1/2	10"	1,339.99
535205136	338 Win Mag	3	25"	45 3/4"	13 3/4"	5/8"	5/8"*	18 1/2"	8 1/2	10"	1,339.99
535205138	375 H&H Mag	3	25"	45 3/4"	13 3/4"	5/8"	5/8"*	18 1/2"	8 1/2	12"	1,379.99

*DROP AT MONTE CARLO IS 2"



DOUBLE RECOIL LUGS



SAFARI EXPRESS DELUXE CHEEKPIECE



DOUBLE CROSS BOLTS



SAFARI EXPRESS

- **SATIN FINISH GRADE I WALNUT STOCK WITH CUT CHECKERING AND DELUXE CHEEKPIECE** places your eye in perfect alignment with open sights or a scope
- **ONE-PIECE BOTTOM METAL WITH STEEL FLOORPLATE** adds rigidity for better accuracy
- **MATTE FINISHED METAL SURFACES** reduce glare
- **DUAL STEEL CROSSBOLTS** add strength, rigidity and a touch of stylish refinement
- **FORGED STEEL RECEIVER WITH DOUBLE INTEGRAL RECOIL LUGS** is bedded front and rear to eliminate shifts in zero for exceptional long-range accuracy
- **PRE-'64 STYLE CONTROLLED ROUND FEED WITH CLAW EXTRACTOR** fully controls the cartridge from magazine, to chamber, to ejection
- **THREE-POSITION SAFETY** allows you to unload the chamber while on safe and shows safety status at a glance
- **COLD HAMMER-FORGED FREE-FLOATING BARREL** for years of pinpoint accuracy
- **FULLY ADJUSTABLE REAR SIGHT AND HOODED BRASS BEAD FRONT** get you on target quickly
- **BARREL-MOUNTED FRONT SLING SWIVEL** adds a classic touch
- **RECESSED TARGET CROWN** enhances accuracy and protects the rifling
- **M.O.A. TRIGGER SYSTEM** with zero take-up, zero creep and zero overtravel gives you outstanding accuracy
- **BLADE-TYPE EJECTOR** for full control of ejection force
- **PACHMAYR® DECELERATOR® RECOIL PAD** for optimal protection against felt recoil



ALASKAN



ADJUSTABLE FOLDING REAR SIGHT ON BARREL BOSS

- **SATIN FINISH MONTE CARLO WALNUT STOCK WITH CUT CHECKERING** places your eye in perfect alignment with open sights or a scope
- **ALLOY ONE-PIECE BOTTOM METAL** adds rigidity for better accuracy
- **POLISHED METAL SURFACES** add style and elegance
- **FORGED STEEL RECEIVER WITH INTEGRAL RECOIL LUG** is bedded front and rear to eliminate shifts in zero for exceptional long-range accuracy
- **PRE-'64 STYLE CONTROLLED ROUND FEED WITH CLAW EXTRACTOR** fully controls the cartridge from magazine, to chamber, to ejection
- **THREE-POSITION SAFETY** allows you to unload the chamber while on safe and shows safety status at a glance
- **COLD HAMMER-FORGED FREE-FLOATING BARREL** for years of pinpoint accuracy
- **RECESSED TARGET CROWN** enhances accuracy and protects the rifling
- **FOLDING ADJUSTABLE REAR SIGHT AND HOODED BRASS BEAD FRONT** get you on target quickly
- **M.O.A. TRIGGER SYSTEM** with zero take-up, zero creep and zero overtravel gives you outstanding accuracy
- **BLADE-TYPE EJECTOR** for full control of ejection force
- **PACHMAYR® DECELERATOR® RECOIL PAD** for optimal protection against felt recoil

MODEL 70®

NOTHING CAPTURES THE
SPIRIT OF 70
LIKE A CLASSIC FEATHERWEIGHT.

M.O.A.™
TRIGGER SYSTEM

MODEL
70



**FEATHERWEIGHT
COMPACT**

- **SATIN FINISH WALNUT STOCK WITH SHORTER 13" LENGTH OF PULL, CLASSIC FEATHERWEIGHT CUT CHECKERING AND SCHNABEL FOREARM** creates the iconic Featherweight look
- **POLISHED METAL SURFACES** add style and elegance
- **ALLOY ONE-PIECE BOTTOM METAL** adds rigidity for better accuracy
- **FORGED STEEL SHORT ACTION RECEIVER WITH INTEGRAL RECOIL LUG** is bedded front and rear to eliminate shifts in zero for exceptional long-range accuracy
- **PRE-'64 STYLE CONTROLLED ROUND FEED WITH CLAW EXTRACTOR** fully controls cartridge from magazine, to chamber, to ejection

- **THREE-POSITION SAFETY** allows you to unload the chamber while on safe and shows safety status at a glance
- **20" COLD HAMMER-FORGED FREE-FLOATING FEATHERWEIGHT PROFILE BARREL** for years of pinpoint accuracy
- **RECESSED TARGET CROWN** enhances accuracy and protects the rifling
- **M.O.A. TRIGGER SYSTEM** with zero take-up, zero creep and zero overtravel gives you outstanding accuracy
- **BLADE-TYPE EJECTOR** for full control of ejection force
- **PACHMAYR® DECELERATOR® RECOIL PAD** for optimal protection against felt recoil

FEATHERWEIGHT

- **SATIN FINISH WALNUT STOCK WITH CLASSIC FEATHERWEIGHT CUT CHECKERING AND SCHNABEL FOREARM** creates the iconic Featherweight look
- **POLISHED METAL SURFACES** add style and elegance
- **ALLOY ONE-PIECE BOTTOM METAL** adds rigidity for better accuracy
- **FORGED STEEL RECEIVER WITH INTEGRAL RECOIL LUG** is bedded front and rear to eliminate shifts in zero for exceptional long-range accuracy
- **PRE-'64 STYLE CONTROLLED ROUND FEED WITH CLAW EXTRACTOR** fully controls cartridge from magazine, to chamber, to ejection
- **THREE-POSITION SAFETY** allows you to unload the chamber while on safe and shows safety status at a glance
- **COLD HAMMER-FORGED FREE-FLOATING FEATHERWEIGHT PROFILE BARREL** for years of pinpoint accuracy
- **RECESSED TARGET CROWN** enhances accuracy and protects the rifling
- **M.O.A. TRIGGER SYSTEM** with zero take-up, zero creep and zero overtravel gives you outstanding accuracy
- **BLADE-TYPE EJECTOR** for full control of ejection force
- **PACHMAYR® DECELERATOR® RECOIL PAD** for optimal protection against felt recoil

ITEM NUMBER	CALIBER	MAGAZINE CAPACITY	BARREL LENGTH	OVERALL LENGTH	LENGTH OF PULL	DROP AT COMB	DROP AT HEEL	NOMINAL WT. (LBS)	RATE OF TWIST	SUGGESTED RETAIL
MODEL 70 FEATHERWEIGHT										
535200210	22-250 Rem	5	22"	42 1/4"	13 3/4"	1/2"	3/4"	6 3/4	14"	\$939.99
535200212	243 Win	5	22"	42 1/4"	13 3/4"	1/2"	3/4"	6 3/4	10"	939.99
535200218	7mm-08 Rem	5	22"	42 1/4"	13 3/4"	1/2"	3/4"	6 3/4	9 1/2"	939.99
535200220	308 Win	5	22"	42 1/4"	13 3/4"	1/2"	3/4"	6 3/4	12"	939.99
535200264	270 WSM	3	24"	44 1/4"	13 3/4"	1/2"	3/4"	7	10"	979.99
535200255	300 WSM	3	24"	44 1/4"	13 3/4"	1/2"	3/4"	7	10"	979.99
535200277	325 WSM	3	24"	44 1/4"	13 3/4"	1/2"	3/4"	7	10"	979.99
535200225	25-06 Rem	5	22"	42 3/4"	13 3/4"	1/2"	3/4"	7	10"	939.99
535200226	270 Win	5	22"	42 3/4"	13 3/4"	1/2"	3/4"	7	10"	939.99
535200228	30-06 Sprg	5	22"	42 3/4"	13 3/4"	1/2"	3/4"	7	10"	939.99
535200229	264 Win Mag	3	24"	44 3/4"	13 3/4"	1/2"	3/4"	7 1/4	9"	979.99
535200233	300 Win Mag	3	24"	44 3/4"	13 3/4"	1/2"	3/4"	7 1/4	10"	979.99
MODEL 70 FEATHERWEIGHT COMPACT										
535201210	22-250 Rem	5	20"	39 1/2"	13"	1/2"	3/4"	6 1/2	14"	\$939.99
535201212	243 Win	5	20"	39 1/2"	13"	1/2"	3/4"	6 1/2	10"	939.99
535201218	7mm-08 Rem	5	20"	39 1/2"	13"	1/2"	3/4"	6 1/2	9 1/2"	939.99
535201220	308 Win	5	20"	39 1/2"	13"	1/2"	3/4"	6 1/2	12"	939.99

(SCOPE AND MOUNTS SHOWN NOT INCLUDED.)

MODEL 70[®]

WHEN THE GOING GETS TOUGH
 CARRY A TOUGHER MODEL 70.

M.O.A.[™]
 TRIGGER SYSTEM

MODEL 70



The Extreme Weather SS has a **SCULPTED CHEEKPIECE** that's beautifully functional, placing your eye in perfect alignment behind a scope.




EXTREME WEATHER SS

(SCOPE AND MOUNTS SHOWN NOT INCLUDED.)

ITEM NUMBER	CALIBER	MAGAZINE CAPACITY	BARREL LENGTH	OVERALL LENGTH	LENGTH OF PULL	DROP AT COMB	DROP AT HEEL	NOMINAL WT. (LBS)	RATE OF TWIST	SUGGESTED RETAIL
MODEL 70 EXTREME WEATHER SS										
535206212	243 Win	5	22"	42 1/4"	13 3/4"	1/2"	1/2"	6 3/4	10"	\$1,269.99
535206218	7mm-08 Rem	5	22"	42 1/4"	13 3/4"	1/2"	1/2"	6 3/4	9 1/2"	1,269.99
535206220	308 Win	5	22"	42 1/4"	13 3/4"	1/2"	1/2"	6 3/4	12"	1,269.99
535206264	270 WSM	3	24"	44 1/4"	13 3/4"	1/2"	1/2"	7	10"	1,299.99
535206255	300 WSM	3	24"	44 1/4"	13 3/4"	1/2"	1/2"	7	10"	1,299.99
535206277	325 WSM	3	24"	44 1/4"	13 3/4"	1/2"	1/2"	7	10"	1,299.99
535206225	25-06 Rem	5	22"	42 3/4"	13 3/4"	1/2"	1/2"	7 1/8	10"	1,269.99
535206226	270 Win	5	22"	42 3/4"	13 3/4"	1/2"	1/2"	7 1/8	10"	1,269.99
535206228	30-06 Sprg	5	22"	42 3/4"	13 3/4"	1/2"	1/2"	7 1/8	10"	1,269.99
535206229	264 Win Mag	3	26"	46 3/4"	13 3/4"	1/2"	1/2"	7 1/4	9"	1,299.99
535206230	7mm Rem Mag	3	26"	46 3/4"	13 3/4"	1/2"	1/2"	7 1/4	9 1/2"	1,299.99
535206233	300 Win Mag	3	26"	46 3/4"	13 3/4"	1/2"	1/2"	7 1/4	10"	1,299.99
535206236	338 Win Mag	3	26"	46 3/4"	13 3/4"	1/2"	1/2"	7 1/4	10"	1,299.99

CROSS SECTION OF STOCK WITH ALUMINUM BEDDING BLOCK



TOP VIEW OF ALUMINUM BEDDING BLOCK



A **ONE-PIECE ALUMINUM BEDDING BLOCK** in the Extreme Weather SS and the Coyote Light is molded right into the stock during manufacturing, providing a solid, rigid base that ensures flat-out reliability. The rifle holds a tight zero, placing every shot where you aim — dead on, in any weather condition, in any season.



TIME TO GET EXTREME ON PREDATORS

Winchester® Varmint X™ ammo is designed to devastate predators. Able to deliver extreme accuracy at extended ranges, the polymer tip bullet offers instant expansion for explosive terminal performance.

COYOTE LIGHT

- **BELL AND CARLSON™ SYNTHETIC STOCK** has a charcoal gray textured finish and multiple fore-end vents
- **ONE-PIECE ALUMINUM BEDDING BLOCK** adds strength and rigidity to maintain a reliable zero under adverse conditions
- **MATTE FINISHED METAL SURFACES** help reduce glare
- **ALLOY ONE-PIECE BOTTOM METAL** adds rigidity for better accuracy
- **DUAL FRONT SLING SWIVEL STUDS** for sling and bipod
- **FORGED STEEL RECEIVER WITH INTEGRAL RECOIL LUG** is bedded front and rear to eliminate shifts in zero for exceptional long-range accuracy
- **PRE-'64 STYLE CONTROLLED ROUND FEED WITH CLAW EXTRACTOR** fully controls the cartridge from magazine, to chamber, to ejection
- **THREE-POSITION SAFETY** allows you to unload the chamber while on safe and shows safety status at a glance
- **MEDIUM HEAVY STAINLESS STEEL, FREE-FLOATING FLUTED BARREL** reduces weight and improves cooling
- **RECESSED TARGET CROWN** enhances accuracy and protects the rifling
- **M.O.A. TRIGGER SYSTEM** with zero take-up, zero creep and zero overtravel gives you outstanding accuracy
- **BLADE-TYPE EJECTOR** for full control of ejection force
- **PACHMAYR® DECELERATOR® RECOIL PAD** for optimal protection against felt recoil

- **BELL AND CARLSON™ SYNTHETIC STOCK WITH SCULPTED CHEEKPIECE** has a charcoal gray textured finish
- **ONE-PIECE ALUMINUM BEDDING BLOCK** adds strength and rigidity to maintain a reliable zero under adverse conditions
- **MATTE FINISHED METAL SURFACES** help reduce glare
- **ALLOY ONE-PIECE BOTTOM METAL** adds rigidity for better accuracy
- **FORGED STEEL RECEIVER WITH INTEGRAL RECOIL LUG** is bedded front and rear to eliminate shifts in zero for exceptional long-range accuracy
- **PRE-'64 STYLE CONTROLLED ROUND FEED WITH CLAW EXTRACTOR** fully controls the cartridge from magazine, to chamber, to ejection
- **THREE-POSITION SAFETY** allows you to unload the chamber while on safe and shows safety status at a glance
- **SPORTER WEIGHT STAINLESS STEEL, FREE-FLOATING FLUTED BARREL** reduces weight and improves cooling
- **RECESSED TARGET CROWN** enhances accuracy and protects the rifling
- **M.O.A. TRIGGER SYSTEM** with zero take-up, zero creep and zero overtravel gives you outstanding accuracy
- **BLADE-TYPE EJECTOR** for full control of ejection force
- **PACHMAYR® DECELERATOR® RECOIL PAD** for optimal protection against felt recoil

ITEM NUMBER	CALIBER	MAGAZINE CAPACITY	BARREL LENGTH	OVERALL LENGTH	LENGTH OF PULL	DROP AT COMB	DROP AT HEEL	NOMINAL WT. (LBS)	RATE OF TWIST	SUGGESTED RETAIL
MODEL 70 COYOTE LIGHT										
535207210	22-250 Rem	5	24"	44"	13 1/2"	1/2"	1/2"	7 1/2	14"	\$1,199.99
535207212	243 Win	5	24"	44"	13 1/2"	1/2"	1/2"	7 1/2	10"	1,199.99
535207220	308 Win	5	24"	44"	13 1/2"	1/2"	1/2"	7 1/2	12"	1,199.99
535207264	270 WSM	3	24"	44"	13 1/2"	1/2"	1/2"	7 1/2	10"	1,239.99
535207255	300 WSM	3	24"	44"	13 1/2"	1/2"	1/2"	7 1/2	10"	1,239.99
535207277	325 WSM	3	24"	44"	13 1/2"	1/2"	1/2"	7 1/2	10"	1,239.99

MODEL 70[®]

THE ULTIMATE

MODEL 70 IN NEW MOSSY OAK[®] BREAK-UP COUNTRY[®] CAMO.

M.O.A.[™]
TRIGGER SYSTEM

MODEL 70



BREAK-UP
COUNTRY
New Camo for 2015

(SCOPE AND MOUNTS SHOWN NOT INCLUDED.)

	ITEM NUMBER	CALIBER	MAGAZINE CAPACITY	BARREL LENGTH	OVERALL LENGTH	LENGTH OF PULL	DROP AT COMB	DROP AT HEEL	NOMINAL WT. (LBS)	RATE OF TWIST	SUGGESTED RETAIL
MODEL 70 ULTIMATE SHADOW HUNTER SS											
NEW	535216212	243 Win	5	22"	42"	13 1/2"	3/8"	3/8"	6 3/4	10"	\$1,099.99
NEW	535216218	7mm-08 Rem	5	22"	42"	13 1/2"	3/8"	3/8"	6 3/4	9 1/2"	1,099.99
NEW	535216220	308 Win	5	22"	42"	13 1/2"	3/8"	3/8"	6 3/4	12"	1,099.99
NEW	535216264	270 WSM	3	24"	44"	13 1/2"	3/8"	3/8"	7	10"	1,139.99
NEW	535216255	300 WSM	3	24"	44"	13 1/2"	3/8"	3/8"	7	10"	1,139.99
NEW	535216277	325 WSM	3	24"	44"	13 1/2"	3/8"	3/8"	7	10"	1,139.99
NEW	535216226	270 Win	5	24"	44 3/4"	13 3/4"	3/8"	3/8"	7	10"	1,099.99
NEW	535216228	30-06 Sprg	5	24"	44 3/4"	13 3/4"	3/8"	3/8"	7	10"	1,099.99
NEW	535216233	300 Win Mag	3	26"	46 3/4"	13 3/4"	3/8"	3/8"	7 1/4	10"	1,139.99
NEW	535216236	338 Win Mag	3	26"	46 3/4"	13 3/4"	3/8"	3/8"	7 1/4	10"	1,139.99

ULTIMATE SHADOW® HUNTER

- **LIGHTWEIGHT SYNTHETIC STOCK WITH MOSSY OAK® BREAK-UP COUNTRY® CAMO** helps you hide from wary game
- **OVERMOLDED RUBBERIZED GRIPPING SURFACES** offer enhanced control
- **SATIN BLUED METAL SURFACES** help reduce glare
- **ALLOY ONE-PIECE BOTTOM METAL WITH STEEL FLOORPLATE** adds rigidity for better accuracy
- **FORGED STEEL RECEIVER WITH INTEGRAL RECOIL LUG** is bedded front and rear to eliminate shifts in zero for exceptional long-range accuracy
- **PRE-'64 STYLE CONTROLLED ROUND FEED WITH CLAW EXTRACTOR** fully controls cartridge from magazine, to chamber, to ejection
- **THREE-POSITION SAFETY** allows you to unload the chamber while on safe and shows safety status at a glance
- **SPORTER WEIGHT, FREE-FLOATING BARREL** for years of pinpoint accuracy
- **RECESSED TARGET CROWN** enhances accuracy and protects the rifling
- **M.O.A. TRIGGER SYSTEM** with zero take-up, zero creep and zero overtravel gives you outstanding accuracy
- **BLADE-TYPE EJECTOR** for full ejection control
- **WINSORB™ TECHNOLOGY RECOIL PAD** for optimal protection against felt recoil

ULTIMATE SHADOW® HUNTER SS

- **LIGHTWEIGHT SYNTHETIC STOCK WITH MOSSY OAK® BREAK-UP COUNTRY® CAMO** helps you hide from wary game
- **OVERMOLDED RUBBERIZED GRIPPING SURFACES** offer enhanced control
- **MATTE METAL SURFACES** help reduce glare
- **ALLOY ONE-PIECE BOTTOM METAL WITH STEEL FLOORPLATE** adds rigidity for better accuracy
- **FORGED STAINLESS STEEL RECEIVER WITH INTEGRAL RECOIL LUG** is bedded front and rear to eliminate shifts in zero for exceptional long-range accuracy
- **PRE-'64 STYLE CONTROLLED ROUND FEED WITH CLAW EXTRACTOR** fully controls cartridge from magazine, to chamber, to ejection
- **THREE-POSITION SAFETY** allows you to unload the chamber while on safe and shows safety status at a glance
- **SPORTER WEIGHT, FREE-FLOATING STAINLESS STEEL BARREL** for years of pinpoint accuracy
- **RECESSED TARGET CROWN** enhances accuracy and protects the rifling
- **M.O.A. TRIGGER SYSTEM** with zero take-up, zero creep and zero overtravel gives you outstanding accuracy
- **BLADE-TYPE EJECTOR** for full ejection control
- **WINSORB™ TECHNOLOGY RECOIL PAD** for optimal protection against felt recoil

	ITEM NUMBER	CALIBER	MAGAZINE CAPACITY	BARREL LENGTH	OVERALL LENGTH	LENGTH OF PULL	DROP AT COMB	DROP AT HEEL	NOMINAL WT. (LBS)	RATE OF TWIST	SUGGESTED RETAIL
MODEL 70 ULTIMATE SHADOW HUNTER											
NEW	535217212	243 Win	5	22"	42"	13 1/2"	3/8"	3/8"	6 3/4	10"	\$869.99
NEW	535217218	7mm-08 Rem	5	22"	42"	13 1/2"	3/8"	3/8"	6 3/4	9 1/2"	869.99
NEW	535217220	308 Win	5	22"	42"	13 1/2"	3/8"	3/8"	6 3/4	12"	869.99
NEW	535217264	270 WSM	3	24"	44"	13 1/2"	3/8"	3/8"	7	10"	919.99
NEW	535217255	300 WSM	3	24"	44"	13 1/2"	3/8"	3/8"	7	10"	919.99
NEW	535217277	325 WSM	3	24"	44"	13 1/2"	3/8"	3/8"	7	10"	919.99
NEW	535217226	270 Win	5	24"	44 3/4"	13 3/4"	3/8"	3/8"	7	10"	869.99
NEW	535217228	30-06 Sprg	5	24"	44 3/4"	13 3/4"	3/8"	3/8"	7	10"	869.99
NEW	535217233	300 Win Mag	3	26"	46 3/4"	13 3/4"	3/8"	3/8"	7 1/4	10"	919.99
NEW	535217236	338 Win Mag	3	26"	46 3/4"	13 3/4"	3/8"	3/8"	7 1/4	10"	919.99

MODEL 70[®]

RIFLES FOR THE HARD-CORE HUNTER.

M.O.A.[™]
TRIGGER SYSTEM

MODEL 70



ULTIMATE SHADOW[®]

- **LIGHTWEIGHT SYNTHETIC STOCK** for all-condition durability
- **OVERMOLDED RUBBERIZED GRIPPING SURFACES** offer enhanced control
- **SATIN BLUED METAL SURFACES** reduce glare
- **ALLOY ONE-PIECE BOTTOM METAL WITH STEEL FLOORPLATE** adds rigidity for better accuracy
- **FORGED STEEL RECEIVER WITH INTEGRAL RECOIL LUG** is bedded front and rear to eliminate shifts in zero for exceptional long-range accuracy
- **PRE-'64 STYLE CONTROLLED ROUND FEED WITH CLAW EXTRACTOR** fully controls cartridge from magazine, to chamber, to ejection
- **THREE-POSITION SAFETY** allows you to unload the chamber while on safe and shows safety status at a glance
- **SPORTER WEIGHT, FREE-FLOATING BARREL** for years of pinpoint accuracy
- **RECESSED TARGET CROWN** enhances accuracy and protects the rifling
- **M.O.A. TRIGGER SYSTEM** with zero take-up, zero creep and zero overtravel gives you outstanding accuracy
- **BLADE-TYPE EJECTOR** for full ejection control
- **WINSORB[™] TECHNOLOGY RECOIL PAD** for optimal protection against felt recoil

ITEM NUMBER	CALIBER	MAGAZINE CAPACITY	BARREL LENGTH	OVERALL LENGTH	LENGTH OF PULL	DROP AT COMB	DROP AT HEEL	NOMINAL WT. (LBS)	RATE OF TWIST	SUGGESTED RETAIL
MODEL 70 ULTIMATE SHADOW										
535210212	243 Win	5	22"	42"	13 1/2"	3/8"	3/8"	6 3/4	10"	\$799.99
535210218	7mm-08 Rem	5	22"	42"	13 1/2"	3/8"	3/8"	6 3/4	9 1/2"	799.99
535210220	308 Win	5	22"	42"	13 1/2"	3/8"	3/8"	6 3/4	12"	799.99
535210264	270 WSM	3	24"	44"	13 1/2"	3/8"	3/8"	7	10"	839.99
535210255	300 WSM	3	24"	44"	13 1/2"	3/8"	3/8"	7	10"	839.99
535210277	325 WSM	3	24"	44"	13 1/2"	3/8"	3/8"	7	10"	839.99
535210225	25-06 Rem	5	24"	44 3/4"	13 3/4"	3/8"	3/8"	7	10"	799.99
535210226	270 Win	5	24"	44 3/4"	13 3/4"	3/8"	3/8"	7	10"	799.99
535210228	30-06 Sprg	5	24"	44 3/4"	13 3/4"	3/8"	3/8"	7	10"	799.99
535210230	7mm Rem Mag	3	26"	46 3/4"	13 3/4"	3/8"	3/8"	7 1/4	9 1/2"	839.99
535210233	300 Win Mag	3	26"	46 3/4"	13 3/4"	3/8"	3/8"	7 1/4	10"	839.99
535210236	338 Win Mag	3	26"	46 3/4"	13 3/4"	3/8"	3/8"	7 1/4	10"	839.99



WINSORB TECHNOLOGY recoil pads are specifically designed for Ultimate Shadow® composite stocks to cushion and absorb sharp recoil, allowing more pleasant shooting in the field and from the bench, especially with heavy magnum calibers.

ULTIMATE SHADOW® SS

- **LIGHTWEIGHT SYNTHETIC STOCK** for all-condition durability
- **OVERMOLDED RUBBERIZED GRIPPING SURFACES** offer enhanced control
- **MATTE METAL SURFACES** help reduce glare
- **ALLOY ONE-PIECE BOTTOM METAL WITH STEEL FLOORPLATE** adds rigidity for better accuracy
- **FORGED STAINLESS STEEL RECEIVER WITH INTEGRAL RECOIL LUG** is bedded front and rear to eliminate shifts in zero for exceptional long-range accuracy
- **PRE-'64 STYLE CONTROLLED ROUND FEED WITH CLAW EXTRACTOR** fully controls cartridge from magazine, to chamber, to ejection
- **THREE-POSITION SAFETY** allows you to unload the chamber while on safe and shows safety status at a glance
- **SPORTER WEIGHT, FREE-FLOATING STAINLESS STEEL BARREL** for years of pinpoint accuracy
- **RECESSED TARGET CROWN** enhances accuracy and protects the rifling
- **M.O.A. TRIGGER SYSTEM** with zero take-up, zero creep and zero overtravel gives you outstanding accuracy
- **BLADE-TYPE EJECTOR** for full ejection control
- **WINSORB™ TECHNOLOGY RECOIL PAD** for optimal protection against felt recoil

ITEM NUMBER	CALIBER	MAGAZINE CAPACITY	BARREL LENGTH	OVERALL LENGTH	LENGTH OF PULL	DROP AT COMB	DROP AT HEEL	NOMINAL WT. (LBS)	RATE OF TWIST	SUGGESTED RETAIL
MODEL 70 ULTIMATE SHADOW SS										
535211212	243 Win	5	22"	42"	13 1/2"	3/8"	3/8"	6 3/4	10"	\$989.99
535211218	7mm-08 Rem	5	22"	42"	13 1/2"	3/8"	3/8"	6 3/4	9 1/2"	989.99
535211220	308 Win	5	22"	42"	13 1/2"	3/8"	3/8"	6 3/4	12"	989.99
535211264	270 WSM	3	24"	44"	13 1/2"	3/8"	3/8"	7	10"	1,029.99
535211255	300 WSM	3	24"	44"	13 1/2"	3/8"	3/8"	7	10"	1,029.99
535211277	325 WSM	3	24"	44"	13 1/2"	3/8"	3/8"	7	10"	1,029.99
535211225	25-06 Rem	5	24"	44 3/4"	13 3/4"	3/8"	3/8"	7	10"	989.99
535211226	270 Win	5	24"	44 3/4"	13 3/4"	3/8"	3/8"	7	10"	989.99
535211228	30-06 Sprg	5	24"	44 3/4"	13 3/4"	3/8"	3/8"	7	10"	989.99
535211230	7mm Rem Mag	3	26"	46 3/4"	13 3/4"	3/8"	3/8"	7 1/4	9 1/2"	1,029.99
535211233	300 Win Mag	3	26"	46 3/4"	13 3/4"	3/8"	3/8"	7 1/4	10"	1,029.99
535211236	338 Win Mag	3	26"	46 3/4"	13 3/4"	3/8"	3/8"	7 1/4	10"	1,029.99


HISTORICAL

GRAB HOLD OF THE RICH HISTORY OF WINCHESTER REPEATING ARMS®

No other firearm brand can lay claim to the legendary reputation of Winchester Repeating Arms®. Many of these all-time favorite rifles are forever a part of America's history. When it came time to chase a band of outlaws out of town, blaze a trail across the Great Plains or face down a charging grizzly on a narrow trail in the High Rockies, the men whose legendary courage tamed the Wild West chose to arm themselves with a genuine Winchester rifle or carbine. It was the gun they carried with absolute confidence, knowing that their lives and livelihoods depended on it shooting straight and true every time they pulled the trigger.

These magnificent historic rifles are limited production models and each one is crafted to the most exacting standards. This level of quality takes time and talent, and with so many classic variations in detail — like color case hardened receivers, different barrel lengths and contours, deluxe and commemorative models in both rifles and carbines. Thus, Winchester Repeating Arms will not have every historic model in the product line every year.

If you want a specific model that you see in this catalog, head down to your local firearms dealer and add it to your rifle rack today. It may be several years before that specific model comes back into the Winchester rifle round-up. And if you don't see the rifle or carbine that's just right for you, please be patient. When you want to hold history in your hands, don't settle for an off-brand or second best. Reach for a real Winchester.




Winchester® historic rifles have long been offered with **TRADITIONAL BUTTPLATE DESIGNS** including a **CRESCENT METAL PLATE**, a **METAL CARBINE STRAP** and several variations of the classic flat **SHOTGUN BUTTPLATE**.




Classic Winchester® firearms are often fitted with a **RIFLE FOREARM CAP** or a **CARBINE BAND** to add that authentic touch every cowboy wants.



The **TRADITIONAL STRAIGHT GRIP** and **CURVED PISTOL GRIP** are two hallmarks of a genuine Winchester® rifle or carbine.




Over the decades Winchester® rear sight designs have included the **SEMI-BUCKHORN**, the **CARBINE LADDER SIGHT** and the **VERNIER TARGET SIGHT**.




The **MODEL 1873** rifle is widely credited as being “The Gun that Won the West.” Chambered in several popular handgun calibers of the cowboy era, it’s been produced in carbine, rifle and musket models. Cowboy Action Shooters love the reliable Model 1873 rifle because it fires the same ammo as their revolvers.




The **MODEL 1885 HIGH WALL** rifle was John M. Browning’s first commercial firearm design for Winchester®. This stout falling-block action is so versatile it’s been chambered in pistol cartridges up to the powerful belted magnums. It’s remained the gold standard of single shot rifles for more than 125 years.




Introduced late in the year of 1885, the **MODEL 1885 LOW WALL** variant of the High Wall rifle has a smaller receiver designed to handle lower-powered cartridges. Offered in rimfire and centerfire chamberings, it’s ideal for target shooting, varmint hunting or whenever delivering one shot with pinpoint accuracy is a must.



The **MODEL 1886** rifle was John M. Browning’s next design for Winchester®. Robust and accurate, it’s capable of handling the long, powerful black powder “buffalo” cartridges popular on the Western Plains. The 45-70 Government is the all-time classic chambering for this robust rifle design.




The **MODEL 1892**® carbine is the classic American saddle gun. Designed for shorter pistol-class cartridges, it allowed a working cowboy to have a revolver and rifle chambered for the same ammunition. From the silent film era to today’s epic blockbusters, the Model 1892 carbine is the all-time iconic lever-action of American Western cinema.



The **MODEL 1894**® rifle was the quintessential American deep woods gun. Designed for mid-powered rimmed cartridges, the Model 1894 rifle has probably taken more deer than any other gun in history. Every American family ought to have at least one Model 1894 rifle in their collection.



The **MODEL 1895**™ rifle was designed with an internal box magazine, allowing the use of pointed bullets and the then-new bottleneck cartridges loaded with smokeless powder. Theodore Roosevelt called it his “Medicine Gun” and he used it with great success on his 1909 African safari.



The **MODEL 71** rifle is a modified version of the Model 1886 rifle introduced by Winchester® in 1935. It’s chambered for the robust 348 Winchester® cartridge. Designed for taking deer, black bear and even moose, the Model 71 rifle is also perfect for taking a trophy boar on your next wild hog hunt.

MODEL 1873

IF IT WERE ANY MORE
TIMELESS & AUTHENTIC,
YOUR NAME WOULD BE WYATT.



	ITEM NUMBER	CALIBER	MAGAZINE CAPACITY	BARREL LENGTH	OVERALL LENGTH	LENGTH OF PULL	DROP AT COMB	DROP AT HEEL	NOMINAL WT. (LBS)	RATE OF TWIST	SUGGESTED RETAIL
MODEL 1873 SPORTER OCTAGON COLOR CASE HARDENED											
NEW	534217137	357 Mag/38 Spl	13/14	24"	43"	13"	1 3/4"	3"	7 1/2	18 3/4"	\$1,739.99
NEW	534217140	44-40 Win	13	24"	43"	13"	1 3/4"	3"	7 1/2	26"	1,739.99



FULL OCTAGON BARREL



DRILLED AND TAPPED REAR TANG



COLOR CASE HARDENING


NEW

SPORTER OCTAGON COLOR CASE HARDENED

- **GRADE II/III WALNUT STRAIGHT GRIP STOCK** with a satin oil finish that's velvet smooth to the touch
- **CLASSIC RIFLE-STYLE FOREARM** with color case hardened cap for the timeless look and feel of the original Model 73
- **COLOR CASE HARDENING** on the robust steel receiver, lever, crescent buttplate and fore-end cap protect against corrosion
- **CRESCENT BUTTPLATE** slips right into your shoulder for a more solid hold from any shooting position
- **FULL OCTAGON 24" BARREL WITH A FULL-LENGTH MAGAZINE TUBE** holds 13 rounds of 357 Magnum or 44-40 Winchester® or 14 rounds of 38 Special ammunition
- **SEMI-BUCKHORN REAR SIGHT WITH MARBLE ARMS® GOLD BEAD FRONT SIGHT** gets you on target quickly
- **STEEL LOADING GATE** for smoother loading
- **RECEIVER REAR TANG** is drilled and tapped for an optional tang-mounted rear sight that gives you a more precise sight picture and the timeless look and feel of shooting a long-barreled frontier rifle

MODEL 1873

THE GUN THAT
WON THE WEST
WILL ALSO WIN YOUR HEART.



ITEM NUMBER	CALIBER	MAGAZINE CAPACITY	BARREL LENGTH	OVERALL LENGTH	LENGTH OF PULL	DROP AT COMB	DROP AT HEEL	NOMINAL WT. (LBS)	RATE OF TWIST	SUGGESTED RETAIL
MODEL 1873 SHORT RIFLE										
534200137	357 Mag/38 Spl	10/11	20"	39"	13"	1 3/4"	3"	7 1/4	18 3/4"	\$1,299.99
534200140	44-40 Win	10	20"	39"	13"	1 3/4"	3"	7 1/4	26"	1,299.99
534200141	45 Colt	10	20"	39"	13"	1 3/4"	3"	7 1/4	26"	1,299.99
MODEL 1873 SHORT RIFLE COLOR CASE HARDENED										
534202137	357 Mag/38 Spl	10/11	20"	39"	13"	1 3/4"	3"	7 1/4	18 3/4"	\$1,579.99
534202140	44-40 Win	10	20"	39"	13"	1 3/4"	3"	7 1/4	26"	1,579.99
534202141	45 Colt	10	20"	39"	13"	1 3/4"	3"	7 1/4	26"	1,579.99



FIRING PIN/STRIKER BLOCK



ULTRA-SMOOTH ACTION



BRASS CARTRIDGE LIFTER



SHORT RIFLE

- **WALNUT STRAIGHT GRIP STOCK** with a satin oil finish that's velvet smooth to the touch
- **CLASSIC RIFLE-STYLE FOREARM** with blued steel cap for the timeless look and feel of the original Model 73
- **BLUED STEEL CRESCENT BUTTPLATE** slips into your shoulder for a solid hold
- **ROUND 20" BARREL WITH FULL-LENGTH MAGAZINE TUBE** holds 10 rounds of 357 Magnum, 44-40 Winchester® or 45 Colt, or 11 rounds of 38 Special ammunition
- **SEMI-BUCKHORN REAR SIGHT WITH MARBLE ARMS® GOLD BEAD FRONT SIGHT** gets you on target quickly
- **STEEL LOADING GATE** for smoother loading
- **BRASS CARTRIDGE LIFTER** for more reliable feeding, even during the heat of cowboy action competition
- **RECEIVER REAR TANG** is drilled and tapped for an optional tang-mounted rear sight for a more precise sight picture



SHORT RIFLE COLOR CASE HARDENED

- **WALNUT STRAIGHT GRIP STOCK** with a satin oil finish that's velvet smooth to the touch
- **CLASSIC RIFLE-STYLE FOREARM** with color case hardened cap for the timeless look and feel of the original Model 73
- **MAGNIFICENT COLOR CASE HARDENING** on the robust steel receiver
- **COLOR CASE HARDENED STEEL CRESCENT BUTTPLATE** slips into your shoulder for a solid hold
- **ROUND 20" BARREL WITH FULL-LENGTH MAGAZINE TUBE** holds 10 rounds of 357 Magnum, 44-40 Winchester® or 45 Colt, or 11 rounds of 38 Special ammunition
- **SEMI-BUCKHORN REAR SIGHT WITH MARBLE ARMS® GOLD BEAD FRONT SIGHT** gets you on target quickly
- **STEEL LOADING GATE** for smoother loading
- **RECEIVER REAR TANG** is drilled and tapped for an optional tang-mounted rear sight for a more precise sight picture

HISTORICAL

YOU'RE LOOKIN' AT A PAIR OF
SMOKIN' HOT ACES.



	ITEM NUMBER	CALIBER	MAGAZINE CAPACITY	BARREL LENGTH	OVERALL LENGTH	LENGTH OF PULL	DROP AT COMB	DROP AT HEEL	NOMINAL WT. (LBS)	RATE OF TWIST	SUGGESTED RETAIL
MODEL 1885 HUNTER RIMFIRE											
	524100102	22 LR	N/A	24"	40"	13 1/2"	3/4"	1 1/4"	7 1/2	16"	\$1,469.99
	524100104	22 WMR	N/A	24"	40"	13 1/2"	3/4"	1 1/4"	7 1/2	16"	1,469.99
	524100170	17 HMR	N/A	24"	40"	13 1/2"	3/4"	1 1/4"	7 1/2	9"	1,469.99
	524100186	17 WSM	N/A	24"	40"	13 1/2"	3/4"	1 1/4"	7 1/2	9"	1,469.99
MODEL 1886 SHORT RIFLE											
	534175142	45-70 Govt	8	24"	43"	13 1/4"	1 1/4"	2"	8 3/8	20"	\$1,339.99

(SCOPE AND MOUNTS SHOWN NOT INCLUDED.)

17 WINCHESTER SUPER MAGNUM

NOTHING OUTFRONS THE FASTEST RIMFIRE IN THE WORLD.

The Model 1885 Hunter Rimfire is now available in the ever popular 22 LR, the potent 22 WMR, the quick little 17 HMR and the hard-hitting, flat-shooting 17 WSM. At 3,000 FPS, the blistering 17 WSM puts the fire back in rimfire shooting.



NOTE: REAR SIGHT HAS BEEN REMOVED TO ALLOW THE SCOPE TO BE MOUNTED.

HUNTER RIMFIRE

- **CHECKERED WALNUT PISTOL GRIP STOCK** with an oil finish that's velvet smooth to the touch
- **TIMELESS SCHNABEL STYLE FOREARM** with cut checkering sets the Hunter Rimfire apart from other rifles
- **PACHMAYR® RUBBER BUTTPAD** for non-slip shooting comfort
- **OCTAGON 24" BARREL** is button rifled for outstanding accuracy
- **SEMI-BUCKHORN REAR SIGHT WITH MARBLE ARMS® GOLD BEAD FRONT SIGHT** gets you on target quickly
- **CURVED BLUED STEEL FINGER LEVER** is comfortable in the hand and smoothly activates the steel falling breechblock for loading and ejection
- **BLUED STEEL RECEIVER** is drilled and tapped for scope mounting

SHORT RIFLE

- **GRADE I SATIN FINISH WALNUT STOCK** for deep grain beauty
- **STRAIGHT GRIP** for genuine good looks and fast handling
- **STEEL CRESCENT BUTTPLATE** adds traditional look while protecting the buttstock
- **FULL-LENGTH MAGAZINE** provides balance, classic lines and 8-shot capacity
- **TOP-TANG SAFETY** is easy to see and operate
- **REBOUNDED HAMMER** provides an added margin of safety
- **MARBLE ARMS® FRONT SIGHT** with brass bead for easier sighting
- **ADJUSTABLE REAR SIGHT** gets you on target with any ammo
- **STEEL LOADING GATE** for smoother loading
- **BARREL** is button-rifled with a recessed crown for ultimate accuracy
- **RECEIVER** is drilled and tapped for a traditional side mounted receiver sight

MODEL

1892[®]

FILL YOUR HANDS.



ITEM NUMBER	CALIBER	MAGAZINE CAPACITY	BARREL LENGTH	OVERALL LENGTH	LENGTH OF PULL	DROP AT COMB	DROP AT HEEL	NOMINAL WT. (LBS)	RATE OF TWIST	SUGGESTED RETAIL
MODEL 1892 SHORT RIFLE										
534162137	357 Mag/38 Spl	10/11	20"	37 1/2"	12 3/4"	1 1/8"	1 3/4"	6	18 3/4"	\$1,069.99
534162124	44 Rem Mag	10	20"	37 1/2"	12 3/4"	1 1/8"	1 3/4"	6	26"	1,069.99
534162141	45 Colt	10	20"	37 1/2"	12 3/4"	1 1/8"	1 3/4"	6	26"	1,069.99
MODEL 1892 LARGE LOOP CARBINE										
534190137	357 Mag/38 Spl	10/11	20"	37 1/2"	12 3/4"	1 1/8"	1 3/4"	6	18 3/4"	\$1,259.99
534190124	44 Rem Mag	10	20"	37 1/2"	12 3/4"	1 1/8"	1 3/4"	6	26"	1,259.99
534190140	44-40 Win	10	20"	37 1/2"	12 3/4"	1 1/8"	1 3/4"	6	26"	1,259.99
534190141	45 Colt	10	20"	37 1/2"	12 3/4"	1 1/8"	1 3/4"	6	26"	1,259.99



SHORT RIFLE

- **WALNUT STRAIGHT GRIP STOCK** with a satin finish that's velvet smooth to the touch
- **CLASSIC RIFLE-STYLE FOREARM** with blued steel cap for the timeless look and feel of the original Model 1892® rifle
- **BLUED STEEL CRESCENT BUTTPLATE** slips into your shoulder for a solid hold
- **ROUND 20" BARREL WITH FULL-LENGTH MAGAZINE TUBE** holds 10 rounds of 357 Magnum, 44 Magnum or 45 Colt, or 11 rounds of 38 Special ammunition
- **SEMI-BUCKHORN REAR SIGHT WITH MARBLE ARMS® GOLD BEAD FRONT SIGHT** gets you on target quickly
- **STEEL LOADING GATE** for smoother loading



LARGE LOOP CARBINE

- **WALNUT STRAIGHT GRIP STOCK** with a satin finish that's velvet smooth to the touch
- **CLASSIC CARBINE-STYLE FOREARM** with blued steel barrel band for the timeless look and feel of the original Model 1892® carbine
- **BLUED STEEL CARBINE STRAP BUTTPLATE** slips into your shoulder for a solid hold
- **LARGE LEVER LOOP** that's authentic for a Hollywood saddle carbine
- **ROUND 20" BARREL WITH FULL-LENGTH MAGAZINE TUBE** holds 10 rounds of 357 Magnum, 44 Magnum, 44-40 Winchester® or 45 Colt, or 11 rounds of 38 Special ammunition
- **SEMI-BUCKHORN REAR SIGHT WITH MARBLE ARMS® FRONT SIGHT** gets you on target quickly
- **STEEL LOADING GATE** for smoother loading

MODEL 94®

TAKE DOWN YOUR NEXT BUCK WITH A TIMELESS CLASSIC.

MODEL 94




**PACHMAYR®
DECELERATOR®
RECOIL PAD**
is a welcome
addition
to models
chambered in
450 Marlin.



ITEM NUMBER	CALIBER	MAGAZINE CAPACITY	BARREL LENGTH	OVERALL LENGTH	LENGTH OF PULL	DROP AT COMB	DROP AT HEEL	NOMINAL WT. (LBS)	RATE OF TWIST	SUGGESTED RETAIL
MODEL 94 TRAILS END TAKEDOWN										
534191114	30-30 Win	6	20"	38"	13 1/2"	1 1/4"	1 3/4"	6 3/4	12"	\$1,459.99
534191117	38-55 Win	6	20"	38"	13 1/2"	1 1/4"	1 3/4"	6 3/4	15"	1,459.99
534191160	450 Marlin	6	20"	38"	13 1/2"	1 1/4"	1 3/4"	6 3/4	20"	1,459.99
MODEL 94 CARBINE										
534199114	30-30 Win	7	20"	38"	13 1/2"	1 1/4"	1 3/4"	6 1/2	12"	\$1,199.99
534199117	38-55 Win	7	20"	38"	13 1/2"	1 1/4"	1 3/4"	6 1/2	15"	1,199.99

TAKE DOWN the Model 94® rifle into two compact components — the barrel assembly and the stocked receiver assembly — then slip it into your backpack, wrap it in your bedroll, strap it on your ATV or tuck it behind the seat of your truck, boat or bush plane.

REASSEMBLY is easy. Put the two pieces together, give the end of the magazine tube a few turns and you have a full-length rifle with the same superb accuracy as the other models.



BARREL PORTS ease the sting of felt recoil on models chambered in 450 Marlin.

TRAILS END TAKEDOWN

- **WALNUT STOCK** with satin finish, authentic straight-grip styling and a blued steel forearm cap offer a nostalgic look
- **TRADITIONAL JOHN M. BROWNING-DESIGNED TAKEDOWN MECHANISM** is fast and easy to operate
- **TRIPLE-CHECKED BUTTON RIFLED BARREL** for the ultimate in accuracy and precision
- **ROUND LOCKING BOLT TRUNNIONS** help ensure a smooth, quick lever throw
- **TOP-TANG SAFETY** is easy to see and operate
- **REBOUNDED HAMMER** provides an added margin of safety
- **BOLT RELIEF CUT** reduces hammer drag for smoother cocking
- **RADIUSED LEVER EDGES** give added protection to your fingers
- **HAMMER** is drilled and tapped for a **KNURLED HAMMER SPUR EXTENSION** (included) to aid in cocking and decocking the hammer when a scope is mounted
- **MARBLE ARMS® FRONT SIGHT AND ADJUSTABLE SEMI-BUCKHORN REAR SIGHT** get you on target quickly
- **STEEL LOADING GATE** for smoother loading
- **ARTICULATED CARTRIDGE STOP** improves feeding reliability without damaging cartridges
- **DRILLED AND TAPPED FOR SCOPE MOUNTS** to easily attach your favorite optics

CARBINE

- **WALNUT STOCK** with satin finish, authentic straight-grip styling and a blued steel forearm band offer a nostalgic look
- **BLUED STEEL CARBINE STRAP BUTTPLATE** for smooth and easy shouldering
- **TRIPLE-CHECKED BUTTON RIFLED BARREL** for the ultimate in accuracy and precision
- **ROUND LOCKING BOLT TRUNNIONS** help ensure a smooth, quick lever throw
- **TOP-TANG SAFETY** is easy to see and operate
- **REBOUNDED HAMMER** provides an added margin of safety
- **BOLT RELIEF CUT** reduces hammer drag for smoother cocking
- **RADIUSED LEVER EDGES** give added protection to your fingers
- **HAMMER** is drilled and tapped for a **KNURLED HAMMER SPUR EXTENSION** (included) to aid in cocking and decocking the hammer when a scope is mounted
- **MARBLE ARMS® FRONT SIGHT AND ADJUSTABLE SEMI-BUCKHORN REAR SIGHT** get you on target quickly
- **STEEL LOADING GATE** for smoother loading
- **ARTICULATED CARTRIDGE STOP** improves feeding reliability without damaging cartridges
- **DRILLED AND TAPPED FOR SCOPE MOUNTS** to easily attach your favorite optics

MODEL 94[®]

THESE LEVER-ACTIONS ARE
READY
FOR ANY ACTION.

MODEL 94



**PACHMAYR[®]
DECELERATOR[®]
RECOIL PAD**
is a welcome
addition
to models
chambered in
450 Marlin.



ITEM NUMBER	CALIBER	MAGAZINE CAPACITY	BARREL LENGTH	OVERALL LENGTH	LENGTH OF PULL	DROP AT COMB	DROP AT HEEL	NOMINAL WT. (LBS)	RATE OF TWIST	SUGGESTED RETAIL
MODEL 94 SHORT RIFLE										
534174114	30-30 Win	7	20"	38"	13 1/2"	1 1/4"	1 3/4"	6 3/4	12"	\$1,229.99
NEW 534174160	450 Marlin	7	20"	38"	13 1/2"	1 1/4"	1 3/4"	6 3/4	20"	1,229.99
534174117	38-55 Win	7	20"	38"	13 1/2"	1 1/4"	1 3/4"	6 3/4	15"	1,229.99
MODEL 94 SPORTER										
534178114	30-30 Win	8	24"	42 1/2"	13 1/2"	1 1/4"	1 3/4"	7 1/2	12"	\$1,399.99
534178117	38-55 Win	8	24"	42 1/2"	13 1/2"	1 1/4"	1 3/4"	7 1/2	15"	1,399.99



BARREL PORTS ease the sting of felt recoil on models chambered in 450 Marlin.

SHORT RIFLE

- **WALNUT STOCK** with satin finish, authentic straight-grip styling and a blued steel forearm cap offer a nostalgic look
- **SHOTGUN STYLE BUTTPLATE** for smooth and easy shouldering
- **TRIPLE-CHECKED BUTTON RIFLED BARREL** for the ultimate in accuracy and precision
- **ROUND LOCKING BOLT TRUNNIONS** help ensure a smooth, quick lever throw
- **TOP-TANG SAFETY** is easy to see and operate
- **REBOUNDED HAMMER** provides an added margin of safety
- **BOLT RELIEF CUT** reduces hammer drag for smoother cocking
- **RADIUSED LEVER EDGES** give added protection to your fingers
- **HAMMER** is drilled and tapped for a **KNURLED HAMMER SPUR EXTENSION** (included) to aid in cocking and decocking the hammer when a scope is mounted
- **MARBLE ARMS® FRONT SIGHT AND ADJUSTABLE SEMI-BUCKHORN REAR SIGHT** get you on target quickly
- **STEEL LOADING GATE** for smoother loading
- **ARTICULATED CARTRIDGE STOP** improves feeding reliability without damaging cartridges
- **DRILLED AND TAPPED FOR SCOPE MOUNTS** to easily attach your favorite optics

SPORTER

- **WALNUT STOCK** with satin finish, authentic straight-grip styling, bordered cut checkering and a blued steel forearm cap offer a nostalgic look
- **BLUED CRESCENT BUTTPLATE** slips firmly into your shoulder for a solid hold
- **TRIPLE-CHECKED HALF ROUND/HALF OCTAGON BUTTON RIFLED BARREL** for the ultimate in accuracy and precision
- **ROUND LOCKING BOLT TRUNNIONS** help ensure a smooth, quick lever throw
- **TOP-TANG SAFETY** is easy to see and operate
- **REBOUNDED HAMMER** provides an added margin of safety
- **BOLT RELIEF CUT** reduces hammer drag for smoother cocking
- **RADIUSED LEVER EDGES** give added protection to your fingers
- **HAMMER** is drilled and tapped for a **KNURLED HAMMER SPUR EXTENSION** (included) to aid in cocking and decocking the hammer when a scope is mounted
- **MARBLE ARMS® FRONT SIGHT AND ADJUSTABLE SEMI-BUCKHORN REAR SIGHT** get you on target quickly
- **STEEL LOADING GATE** for smoother loading
- **ARTICULATED CARTRIDGE STOP** improves feeding reliability without damaging cartridges
- **DRILLED AND TAPPED FOR SCOPE MOUNTS** to easily attach your favorite optics

SUPER X[®] PUMP


A LITTLE
SOMETHING NEW FOR THE
**FASTEST PUMP
IN HISTORY.**

Nothing in the world feels and sounds like shucking a shell into the chamber of a pump shotgun. For all you pump fans we offer the Winchester[®] Super X[®] Pump shotgun with its smooth-as-glass feel and ultra-reliable inertia-assisted slide action. Capable of firing three shots in just a half second, it sets a blistering pace no other pump shotgun can match. For field, marsh, competition or home security, your Super X Pump can deliver autoloader speed with pump-action reliability.

NOW AVAILABLE IN

20 GAUGE

For those of you who think a 20 gauge makes the perfect all-around scattergun, the Winchester[®] Super X[®] Pump shotgun is now available in your favorite configuration. You can expect the new 20 gauge Super X Pump shotgun to deliver the same blazing speed, great balance and extreme reliability as the 12 gauge models.



BACK-BORED TECHNOLOGY is based on extensive research and testing to find the secret to tighter, more consistent patterns. Instead of the traditional bore size of .729", this research shows the ideal 12 gauge interior diameter is .742". In 20 gauge barrels the ideal bore diameter is .630" instead of the standard .618". If the bore is any larger the gases will blow by the shot cup and reduce pellet velocity. If the bore is too tight the pellets are deformed as they pass through the forcing cone, causing poor ballistic performance.



HARD CHROME-PLATED CHAMBER AND BORE are critical for today's steel or Hi-Density (HD) shot. Hard chrome makes the surfaces highly resistant to wear and gives you superior protection from rust and corrosion. That's why all smoothbore Super X® Pump shotguns feature a hard-chromed chamber and bore.



From the duck blind to the firing line, the **INVECTOR-PLUS CHOKE TUBE SYSTEM** is the world's most consistent. The Super X® Pump shotgun comes with full, modified and improved cylinder flush-mounted choke tubes so your gun is ready for anything, right out of the box. Additional choke tubes are available at your local firearms dealer.



SPEED-PLUG SYSTEM lets you remove the three-shot adaptor with your fingers. Just remove the magazine cap, push on the spring retainer holding the spring in place, twist and remove the adaptor. It's a trouble-free design that lets you "pull the plug" in mere seconds without any tools.



Four massive **ROTARY BOLT LUGS** provide support, strength and solid lockup in the receiver of the lightning-fast Super X® Pump shotgun. Under recoil, the mass of your body slows the rearward travel of the shotgun, while the inertial motion of the bolt, slide and forearm continue cycling the action to give you a head start ejecting the fired shell. Robust dual steel action guide bars eliminate the twisting and binding that waste time and energy when cycling the action.



The **CROSSBOLT SAFETY** button on the Super X® Pump shotgun is located on the front of the trigger guard for easy access, even when you're wearing heavy waterfowling gloves.

DROP-OUT TRIGGER GROUP lets you remove one pin and pull the complete trigger system out for cleaning, lubrication and inspection. It's an easy way to keep your Super X® Pump shotgun in top shape, regardless of nasty weather or gritty shooting conditions.



The Super X® Pump shotgun has the best recoil pad ever put on a shotgun. Directional rib structures inside the **INFLEX TECHNOLOGY RECOIL PAD** help channel the recoil impulse by moving the comb down and away from your cheek. The pad's smooth textured surface makes shouldering the Super X Pump shotgun snag free regardless of what clothing you're wearing.

BLACK CHROME FINISH on the bolt, barrel, slide, action bars and other parts protects better than conventional bluing and stands up to years of wear and harsh conditions.

SUPER X[®] PUMP

THE
FAST WAY
TO PUMP UP YOUR TRAP
PERFORMANCE.



	ITEM NUMBER	GAUGE	BARREL LENGTH	CHAMBER	MAGAZINE CAPACITY	CHOKE TUBES INCLUDED	OVERALL LENGTH	LENGTH OF PULL	DROP AT COMB	DROP AT HEEL	NOMINAL WT. (LBS.)	SUGGESTED RETAIL
SXP TRAP												
NEW	512296393	12	30"	3"	4*	F, IM, M	51"	14 1/4"	1 3/8"	2 1/8"	7 1/2	\$479.99
NEW	512296394	12	32"	3"	4*	F, IM, M	53"	14 1/4"	1 3/8"	2 1/8"	7 5/8	479.99
SXP TRAP COMPACT												
NEW	512297392	12	28"	3"	4*	F, IM, M	47 3/4"	13"	1 3/8"	2 1/8"	7 1/4	\$479.99
NEW	512297393	12	30"	3"	4*	F, IM, M	49 3/4"	13"	1 3/8"	2 1/8"	7 3/8	479.99

*TOTAL CAPACITY (INCLUDES ONE SHELL IN THE CHAMBER): TRAP: 2 3/4" = 5, 3" = 4

NEW

TRAP

BACK-BORED
TECHNOLOGY



F, IM, M

- **SATIN FINISHED STOCK WITH A HIGH PROFILE TRAP COMB** and forearm with traditional checkering to provide a sure grip when the trapshooting action gets fast and furious
- **BACK-BORED TECHNOLOGY** provides optimum shot patterns, even from back at the 27 yard line
- **INVECTOR-PLUS CHOKE TUBE SYSTEM** offers consistent patterns to match your shooting situation
- **HARD CHROME-PLATED CHAMBER AND BORE** make surfaces highly resistant to wear and corrosion for thousands of shells
- **BLACK CHROME PROTECTION** on the bolt and other components lasts longer than traditional bluing
- **5/16" TRAP RIB WITH TRUGLO® FIBER-OPTIC FRONT SIGHT AND AN IVORY MID-BEAD** produce a crisp sight picture on both rising and crossing targets
- **3-SHOT ADAPTOR WITH SPEED-PLUG SYSTEM** is easily removed without tools
- **DROP-OUT TRIGGER GROUP** allows easy cleaning
- **CROSSBOLT SAFETY** is easily operated
- **INFLEX TECHNOLOGY RECOIL PAD** directs felt recoil down and away from your cheek to help reduce flinch and fatigue, especially important when you're going for 100 straight targets

NEW

TRAP
COMPACT

BACK-BORED
TECHNOLOGY



F, IM, M

- **SATIN FINISHED STOCK WITH A HIGH PROFILE TRAP COMB** and forearm with traditional checkering to provide a sure grip when the trapshooting action gets fast and furious
- **COMPACT 13" LENGTH OF PULL BUTTSTOCK** makes it an ideal shotgun for younger shooters or those of smaller stature
- **BACK-BORED TECHNOLOGY** provides optimum shot patterns, even from back at the 27 yard line
- **INVECTOR-PLUS CHOKE TUBE SYSTEM** offers consistent patterns to match your shooting situation
- **HARD CHROME-PLATED CHAMBER AND BORE** make surfaces highly resistant to wear and corrosion for thousands of shells
- **BLACK CHROME PROTECTION** on the bolt and other components lasts longer than traditional bluing
- **5/16" TRAP RIB WITH TRUGLO® FIBER-OPTIC FRONT SIGHT AND AN IVORY MID-BEAD** produce a crisp sight picture on both rising and crossing targets
- **3-SHOT ADAPTOR WITH SPEED-PLUG SYSTEM** is easily removed without tools
- **DROP-OUT TRIGGER GROUP** allows easy cleaning
- **CROSSBOLT SAFETY** is easily operated
- **INFLEX TECHNOLOGY RECOIL PAD** directs felt recoil down and away from your cheek to help reduce flinch and fatigue, especially important when you're going for 100 straight targets

SUPER X[®] PUMP

THE FASTEST WAY TO BAG YOUR BIRDS.



ROOSTER™ XR™. LOK'D & LETHAL. Upland hunters rely on long-range lethality when it comes to flushing ringnecks. Rooster™ XR™ features Shot-Lok™ Technology, which delivers tighter, more consistent patterns at longer ranges, deeper penetration and extreme knockdown power. Rooster XR is ideal for upland hunters who experience challenging shots in tough conditions.

**NEW
20
GAUGE**



	ITEM NUMBER	GAUGE	BARREL LENGTH	CHAMBER	MAGAZINE CAPACITY	CHOKE TUBES INCLUDED	OVERALL LENGTH	LENGTH OF PULL	DROP AT COMB	DROP AT HEEL	NOMINAL WT. (LBS.)	SUGGESTED RETAIL
SXP FIELD												
	512266391	12	26"	3"	4*	F, M, IC	46 3/4"	14"	1 5/8"	2"	7	\$399.99
	512266392	12	28"	3"	4*	F, M, IC	48 3/4"	14"	1 5/8"	2"	7 1/8	399.99
NEW	512266691	20	26"	3"	5*	F, M, IC	46 3/4"	14"	1 5/8"	2"	6 3/4	429.99
NEW	512266692	20	28"	3"	5*	F, M, IC	48 3/4"	14"	1 5/8"	2"	6 7/8	429.99
SXP FIELD COMPACT												
	512287390	12	24"	3"	4*	F, M, IC	43 1/2"	13"	1 5/8"	2"	6 1/2	\$399.99
	512271391	12	26"	3"	4*	F, M, IC	45 1/2"	13"	1 5/8"	2"	6 5/8	399.99
	512271392	12	28"	3"	4*	F, M, IC	47 1/2"	13"	1 5/8"	2"	6 3/4	399.99
NEW	512271690	20	24"	3"	5*	F, M, IC	43 1/2"	13"	1 5/8"	2"	6 3/8	429.99
NEW	512271691	20	26"	3"	5*	F, M, IC	45 1/2"	13"	1 5/8"	2"	6 1/2	429.99
NEW	512271692	20	28"	3"	5*	F, M, IC	47 1/2"	13"	1 5/8"	2"	6 5/8	429.99

*TOTAL CAPACITY (INCLUDES ONE SHELL IN THE CHAMBER): FIELD AND FIELD COMPACT: 2 3/4" = 5, 3" = 4



FIELD



F, M, IC

- **SATIN FINISHED STOCK AND FOREARM** with traditional checkering provide a sure grip when the hunting action gets hot
- **BACK-BORED TECHNOLOGY** provides optimum shot patterns that are dense and even
- **3" CHAMBER** gives you the added range to knock down game with heavy hunting loads
- **INVECTOR-PLUS CHOKE TUBE SYSTEM** offers consistent patterns to match your game and situation
- **HARD CHROME-PLATED CHAMBER AND BORE** make surfaces highly resistant to wear and corrosion

- **BLACK CHROME PROTECTION** on the bolt and other components lasts longer than traditional bluing
- **BRASS FRONT SIGHT BEAD** offers a fast, natural sight picture
- **3-SHOT ADAPTOR WITH SPEED-PLUG SYSTEM** is easily removed without tools
- **DROP-OUT TRIGGER GROUP** allows easy cleaning
- **CROSSBOLT SAFETY** is easily operated
- **INFLEX TECHNOLOGY RECOIL PAD** directs felt recoil down and away from your cheek to reduce flinch and fatigue



FIELD COMPACT



F, M, IC

- **COMPACT 13" LENGTH OF PULL** to better fit smaller statured shooters
- **SATIN FINISHED STOCK AND FOREARM** with traditional checkering provide a sure grip when the hunting action gets hot
- **BACK-BORED TECHNOLOGY** provides optimum shot patterns that are dense and even
- **3" CHAMBER** gives you the added range to knock down game with heavy hunting loads
- **INVECTOR-PLUS CHOKE TUBE SYSTEM** offers consistent patterns to match your game and situation
- **HARD CHROME-PLATED CHAMBER AND BORE** make surfaces highly resistant to wear and corrosion

- **BLACK CHROME PROTECTION** on the bolt and other components lasts longer than traditional bluing
- **BRASS FRONT SIGHT BEAD** offers a fast, natural sight picture
- **3-SHOT ADAPTOR WITH SPEED-PLUG SYSTEM** is easily removed without tools
- **DROP-OUT TRIGGER GROUP** allows easy cleaning
- **CROSSBOLT SAFETY** is easily operated
- **INFLEX TECHNOLOGY RECOIL PAD** directs felt recoil down and away from your cheek to reduce flinch and fatigue



Four massive **ROTARY BOLT LUGS** provide support, strength and solid lockup in the receiver of the lightning-fast Super X® Pump shotgun. Under recoil, the mass of your body slows the rearward travel of the shotgun, while the inertial motion of the bolt, slide and forearm continue cycling the action to give you a head start ejecting the fired shell. Robust dual steel action guide bars eliminate the twisting and binding that waste time and energy when cycling the action.


SUPER X[®] PUMP

HERE'S YOUR CHANCE TO
**SHOOT THE FASTEST
PUMP ON THE POND.**






HARD CHROME-PLATED CHAMBER AND BORE are critical for today's steel and Hi-Density (HD) shot. That's why all smoothbore Super X® Pump shotguns feature a hard-chromed chamber and bore. This makes the surfaces highly resistant to wear and gives you superior protection from rust and corrosion.



SPEED-PLUG SYSTEM lets you remove the three-shot adaptor with your fingers. Just remove the magazine cap, push on the spring retainer holding the spring in place and remove the adaptor. It's a trouble-free design that lets you "pull the plug" in mere seconds without any tools.



WATERFOWL HUNTER



F, M, IC

- **SYNTHETIC STOCK WITH TEXTURED GRIPPING SURFACES** gives your hands a sure, non-slip grip and the non-glare Mossy Oak® Shadow Grass Blades finish won't spook wary waterfowl
- **BACK-BORED TECHNOLOGY** provides optimum shot patterns that are dense and even
- **3" AND 3 1/2" CHAMBER** models give you the magnum advantage to reach out for long-range waterfowl
- **INVECTOR-PLUS CHOKE TUBE SYSTEM** offers consistent patterns to match your game and situation
- **HARD CHROME-PLATED CHAMBER AND BORE** make these surfaces highly resistant to wear and corrosion
- **BLACK CHROME PROTECTION** on the bolt and other components lasts longer than traditional bluing
- **TRUGLO® LONG BEAD™ FIBER-OPTIC FRONT SIGHT** offers a true, precise sight picture
- **3-SHOT ADAPTOR WITH SPEED-PLUG SYSTEM** is easily removed without tools
- **ROTARY BOLT** with four massive lugs provides strength, support and solid lockup
- **DROP-OUT TRIGGER GROUP** allows easy cleaning
- **CROSSBOLT SAFETY** is easily operated, even with gloves
- **INFLEX TECHNOLOGY RECOIL PAD** directs felt recoil down and away from your cheek to reduce flinch and fatigue

ITEM NUMBER	GAUGE	BARREL LENGTH	CHAMBER	MAGAZINE CAPACITY	CHOKE TUBES INCLUDED	OVERALL LENGTH	LENGTH OF PULL	DROP AT COMB	DROP AT HEEL	NOMINAL WT. (LBS.)	SUGGESTED RETAIL
SXP WATERFOWL HUNTER											
512270291	12	26"	3 1/2"	4*	F, M, IC	47"	13 3/4"	1 5/8"	2"	6 7/8	\$499.99
512270292	12	28"	3 1/2"	4*	F, M, IC	49"	13 3/4"	1 5/8"	2"	7	499.99
512270391	12	26"	3"	4*	F, M, IC	46 1/2"	13 3/4"	1 5/8"	2"	6 3/4	459.99
512270392	12	28"	3"	4*	F, M, IC	48 1/2"	13 3/4"	1 5/8"	2"	6 7/8	459.99

*TOTAL CAPACITY (INCLUDES ONE SHELL IN THE CHAMBER): WATERFOWL HUNTER: 2 3/4" = 5, 3" = 4, 3 1/2" = 4

SUPER X[®] PUMP

PUMPS SHELLS SO FAST IT
**FEELS LIKE
BLACK MAGIC.**



ITEM NUMBER	GAUGE	BARREL LENGTH	CHAMBER	MAGAZINE CAPACITY	CHOKE TUBES INCLUDED	OVERALL LENGTH	LENGTH OF PULL	DROP AT COMB	DROP AT HEEL	NOMINAL WT. (LBS.)	SUGGESTED RETAIL
SXP BLACK SHADOW											
512251291	12	26"	3 1/2"	4*	F, M, IC	47"	13 3/4"	1 5/8"	2"	6 7/8	\$429.99
512251292	12	28"	3 1/2"	4*	F, M, IC	49"	13 3/4"	1 5/8"	2"	7	429.99
512251391	12	26"	3"	4*	F, M, IC	46 1/2"	13 3/4"	1 5/8"	2"	6 3/4	379.99
512251392	12	28"	3"	4*	F, M, IC	48 1/2"	13 3/4"	1 5/8"	2"	6 7/8	379.99
NEW 512251691	20	26"	3"	5*	F, M, IC	46 1/2"	13 3/4"	1 5/8"	2"	6 1/2	399.99
NEW 512251692	20	28"	3"	5*	F, M, IC	48 1/2"	13 3/4"	1 5/8"	2"	6 5/8	399.99
SXP BLACK SHADOW DEER											
512261340	12	22"	3"	4*	1:35" RH Twist	43"	13 3/4"	1 5/8"	2"	6 7/8	\$519.99

*TOTAL CAPACITY (INCLUDES ONE SHELL IN THE CHAMBER) BLACK SHADOW AND BLACK SHADOW DEER: 2 3/4" = 5, 3" = 4, 3 1/2" = 4



BLACK SHADOW®



F, M, IC

- **SYNTHETIC STOCK WITH TEXTURED GRIPPING SURFACES** gives your hands a sure, non-slip grip and the non-glare matte black finish won't spook wary game
- **BACK-BORED TECHNOLOGY** provides optimum shot patterns that are dense and even
- **3" AND 3 1/2" CHAMBER** 12 gauge models give you the magnum advantage to reach out for long-range game
- **INVECTOR-PLUS CHOKE TUBE SYSTEM** offers consistent patterns to match your game and situation
- **HARD CHROME-PLATED CHAMBER AND BORE** make these surfaces highly resistant to wear and corrosion
- **BLACK CHROME PROTECTION** on the bolt and other components lasts longer than traditional bluing

- **BRASS FRONT SIGHT BEAD** offers a fast, natural sight picture
- **3-SHOT ADAPTOR WITH SPEED-PLUG SYSTEM** is easily removed without tools
- **ROTARY BOLT** with four massive lugs provides strength and solid lockup
- **DROP-OUT TRIGGER GROUP** allows easy cleaning
- **CROSSBOLT SAFETY** is easily operated, even with gloves
- **INFLEX TECHNOLOGY RECOIL PAD** directs felt recoil down and away from your cheek to reduce flinch and fatigue



BLACK SHADOW® DEER

- **SYNTHETIC STOCK WITH TEXTURED GRIPPING SURFACES** gives your hands a sure, non-slip grip and the non-glare matte black finish won't spook wary game
- **22" FULLY-RIFLED BARREL** is designed to provide optimum accuracy with modern sabots and slugs
- **3" CHAMBER** gives you the ability to reach out for challenging shots
- **BLACK CHROME PROTECTION** on the bolt and other components lasts longer than traditional bluing
- **TRUGLO® FIBER-OPTIC FRONT SIGHT AND ADJUSTABLE REAR SIGHT** offer a fast, natural sight picture

- **ALLOY RECEIVER** is drilled and tapped for scope bases
- **3-SHOT ADAPTOR WITH SPEED-PLUG SYSTEM** is easily removed without tools
- **ROTARY BOLT** with four massive lugs provides strength, support and solid lockup
- **DROP-OUT TRIGGER GROUP** allows easy cleaning
- **CROSSBOLT SAFETY** is easily operated, even with gloves
- **INFLEX TECHNOLOGY RECOIL PAD** directs felt recoil down and away from your cheek

SUPER X[®] PUMP

A PUMP'S

KA-CHUNK

IS THE INTERNATIONAL LANGUAGE OF
HOME DEFENSE.



	ITEM NUMBER	GAUGE	BARREL LENGTH	CHAMBER	MAGAZINE CAPACITY	CHOKE TUBE INCLUDED	OVERALL LENGTH**	LENGTH OF PULL	DROP AT COMB	DROP AT HEEL	NOMINAL WT. (LBS.)	SUGGESTED RETAIL
SXP ULTIMATE DEFENDER												
NEW	512298395	12	18"	3"	4*	BREACHER	38 1/2"	13 3/4"	1 3/8"	1 5/8"	7 1/2	\$499.99
SXP ULTIMATE MARINE DEFENDER												
NEW	512299395	12	18"	3"	4*	BREACHER	38 1/2"	13 3/4"	1 3/8"	1 5/8"	7 1/2	\$539.99
*TOTAL CAPACITY (INCLUDES ONE SHELL IN THE CHAMBER) ULTIMATE DEFENDER AND ULTIMATE MARINE DEFENDER: 2 3/4" = 5, 3" = 4												
**W/O BREACHER CHOKE TUBE												

NEW



ULTIMATE DEFENDER™

BACK-BORED TECHNOLOGY



BREACHER

- **SYNTHETIC STOCK WITH TEXTURED GRIPPING SURFACES** gives your hands a sure, non-slip grip and the non-glare matte black finish won't give away your position
- **3" CHAMBER** gives you greater load versatility when using birdshot, buckshot, slugs or other special purpose rounds
- **INVECTOR-PLUS CHOKE TUBE SYSTEM** is equipped with an extended, ported door-breacher choke tube
- **HARD CHROME-PLATED CHAMBER AND BORE** make these surfaces highly resistant to wear and corrosion even under the most adverse conditions
- **BLACK CHROME PROTECTION** on the bolt and other components lasts longer than traditional bluing
- **GHOST RING REAR SIGHT** is integrated into the receiver-mounted Picatinny rail for a crisp sight picture even under adverse lighting conditions

- **PROTECTED FRONT SIGHT BLADE** offers a fast, natural sight picture and is ideal for modern slugs
- **FRONT-MOUNTED PICATINNY RAILS** allow you to mount optional tactical lights or lasers
- **ROTARY BOLT** with four massive lugs provides strength and solid lockup
- **DROP-OUT TRIGGER GROUP** allows easy cleaning
- **CROSSBOLT SAFETY** is easily operated, even with gloves
- **INFLEX TECHNOLOGY RECOIL PAD** directs felt recoil down and away from your cheek to reduce flinch, especially important when shooting heavy buckshot and slug loads

NEW



ULTIMATE MARINE DEFENDER™

BACK-BORED TECHNOLOGY



BREACHER

- **MATTE HARD CHROME PLATING** on barrel, magazine tube, slide arms and other components for the ultimate protection against wear and the elements
- **SYNTHETIC STOCK WITH TEXTURED GRIPPING SURFACES** gives your hands a sure, non-slip grip and the non-glare matte black finish won't give away your position
- **3" CHAMBER** gives you greater load versatility when using birdshot, buckshot, slugs or other special purpose rounds
- **INVECTOR-PLUS CHOKE TUBE SYSTEM** is equipped with an extended, ported door-breacher choke tube
- **HARD CHROME-PLATED CHAMBER AND BORE** make these surfaces highly resistant to wear and corrosion
- **BLACK CHROME PROTECTION** on the bolt and other components lasts longer than traditional bluing

- **GHOST RING REAR SIGHT** is integrated into the receiver-mounted Picatinny rail for a crisp sight picture even under adverse lighting conditions
- **PROTECTED FRONT SIGHT BLADE** offers a fast, natural sight picture and is ideal for modern slugs
- **FRONT-MOUNTED PICATINNY RAILS** allow you to mount optional tactical lights or lasers
- **ROTARY BOLT** with four massive lugs provides strength and solid lockup
- **DROP-OUT TRIGGER GROUP** allows easy cleaning
- **CROSSBOLT SAFETY** is easily operated, even with gloves
- **INFLEX TECHNOLOGY RECOIL PAD** directs felt recoil down and away from your cheek to reduce flinch, especially important when shooting heavy buckshot and slug loads


SUPER X[®] PUMP

**THE BEST
DEFENSE**
IS A WINCHESTER[®] DEFENDER.



	ITEM NUMBER	GAUGE	BARREL LENGTH	CHAMBER	MAGAZINE CAPACITY	CHOKE TUBES INCLUDED	OVERALL LENGTH	LENGTH OF PULL	DROP AT COMB	DROP AT HEEL	NOMINAL WT. (LBS.)	SUGGESTED RETAIL
SXP DEFENDER												
	512252395	12	18"	3"	5*	N/A	38 1/2"	13 3/4"	1 3/8"	1 5/8"	6 1/4	\$349.99
NEW	512252695	20	18"	3"	5*	N/A	38 1/2"	13 3/4"	1 3/8"	1 5/8"	6	379.99
SXP MARINE DEFENDER												
	512268395	12	18"	3"	5*	CYL	38-1/2"	13 3/4"	1 3/8"	1 5/8"	6 1/4	\$399.99

*TOTAL CAPACITY (INCLUDES ONE SHELL IN THE CHAMBER): DEFENDER AND MARINE DEFENDER: 2 3/4" = 6, 3" = 5



The receiver on both Winchester Super X® Pump Defender shotgun models is drilled and tapped for Winchester scope bases and rings. See the full line of bases and rings on page 69.



- **SYNTHETIC STOCK WITH TEXTURED GRIPPING SURFACES** gives your hands a sure, non-slip grip and the non-glare matte black finish won't give away your position
- **TACTICAL RIBBED FOREARM** for better control when you need it most
- **HARD CHROME-PLATED CHAMBER AND BORE** make these surfaces highly resistant to wear and corrosion
- **FIXED CYLINDER CHOKE** barrel handles both slugs and buckshot
- **ALLOY RECEIVER** is drilled and tapped for scope bases

- **TRADITIONAL BRASS BEAD FRONT SIGHT** offers a fast, natural sight picture
- **ROTARY BOLT** with four massive lugs provides strength and solid lockup
- **DROP-OUT TRIGGER GROUP** allows easy cleaning
- **CROSSBOLT SAFETY** is easily operated, even with gloves
- **BLACK CHROME PROTECTION** on the bolt and other components lasts longer than traditional bluing
- **INFLEX TECHNOLOGY RECOIL PAD** directs felt recoil down and away from your cheek to reduce flinch and fatigue



- **MATTE HARD CHROME PLATING** on barrel, magazine tube, slide arms and other components for the ultimate protection against wear and the elements
- **ALLOY RECEIVER** is drilled and tapped for scope bases
- **SYNTHETIC STOCK WITH TEXTURED GRIPPING SURFACES** gives your hands a sure, non-slip grip and the non-glare matte black finish won't give you away
- **TACTICAL RIBBED FOREARM** for better control when you need it most
- **HARD CHROME-PLATED CHAMBER AND BORE** make these surfaces highly resistant to wear and corrosion

- **TRADITIONAL BRASS BEAD FRONT SIGHT** plus a removable TRUGLO® fiber-optic sight offer a fast, natural sight picture
- **INVECTOR-PLUS CHOKE TUBE SYSTEM** with cylinder choke installed works with slugs or buckshot
- **ROTARY BOLT** with four massive lugs provides strength and solid lockup
- **DROP-OUT TRIGGER GROUP** allows easy cleaning
- **CROSSBOLT SAFETY** is easily operated, even with gloves
- **INFLEX TECHNOLOGY RECOIL PAD** directs felt recoil down and away from your cheek to reduce flinch and fatigue

SUPER X[®] PUMP


THE PUMP-ACTION
THAT KNOWS HOW TO
TALK TURKEY.

SXP



BREAK-UP
COUNTRY

New Camo for 2015



TURKEY HUNTER

BACK-BORED TECHNOLOGY

TRUGLO



- **SYNTHETIC STOCK WITH TEXTURED GRIPPING SURFACES** gives your hands a sure, non-slip grip and the Mossy Oak® Break-Up Country® non-glare finish won't spook wary birds
- **BACK-BORED TECHNOLOGY** provides optimum shot patterns that are dense and even
- **A 3" CHAMBER IN 20 GAUGE, OR A 3 1/2" CHAMBER IN 12 GAUGE** gives you the power to reach out for those long-range turkeys
- **INVECTOR-PLUS EXTRA-FULL TURKEY CHOKE TUBE** for a tight, dense pattern
- **HARD CHROME-PLATED CHAMBER AND BORE** make these surfaces highly resistant to wear and corrosion
- **ALLOY RECEIVER** is drilled and tapped for scope bases
- **TRUGLO® FIBER-OPTIC ADJUSTABLE SIGHTS** offer a fast, natural sight picture
- **ROTARY BOLT** with four massive lugs provides strength and solid lockup
- **DROP-OUT TRIGGER GROUP** allows easy cleaning
- **CROSSBOLT SAFETY** is easily operated, even with gloves
- **BLACK CHROME PROTECTION** on the bolt and other components lasts longer than traditional bluing
- **INFLEX TECHNOLOGY RECOIL PAD** directs felt recoil down and away from your cheek to reduce flinch and fatigue

	ITEM NUMBER	GAUGE	BARREL LENGTH	CHAMBER	MAGAZINE CAPACITY	CHOKE TUBES INCLUDED	OVERALL LENGTH	LENGTH OF PULL	DROP AT COMB	DROP AT HEEL	NOMINAL WT. (LBS.)	SUGGESTED RETAIL
NEW	512307290	12	24"	3 1/2"	4*	T	45"	13 3/4"	1 5/8"	2"	6 5/8	\$519.99
NEW	512307690	20	24"	3"	5*	T	45"	13 3/4"	1 5/8"	2"	6 1/4	549.99

*TOTAL CAPACITY (INCLUDES ONE SHELL IN THE CHAMBER): TURKEY HUNTER: 2 3/4" = 5, 3" = 4, 3 1/2" = 4

SUPER X[®]3 THE WORLD'S FASTEST MOST RELIABLE SHOTGUN.

Putting 12 shots downrange in a mere 1.442 seconds clearly demonstrates the Winchester[®] Super X[®]3 shotgun's blazing speed. Impressive speed doesn't put more birds in your boat or get your name at the top of the scoreboard unless it can be delivered with precise control. That's why the Super X3 shotgun is designed to fit so naturally and produce a fluid, balanced swing that becomes a perfect extension of your body. The multi-axis adjustable stock contributes to a more accurate aim. The softer felt recoil provided by the Inflex Technology recoil pad helps prevent flinch and fatigue to keep you shooting well all day long. After you've fired a few boxes of shells you'll really appreciate how this slick-shooting gas-operated autoloader keeps itself cleaner than the competition. Experience life in the fast lane with the Winchester Super X3 shotgun.




There is no reason to put up with a shotgun that does not fit you, because proper stock fit is critical to comfortable and accurate shooting. Most Super X[®]3 shotguns come with **LENGTH OF PULL SPACERS** that fit between the stock and the recoil pad, allowing easy adjustments to length of pull. When the length of pull is adjusted properly you smoothly shoulder the gun with confidence and the felt recoil you experience is greatly diminished. Adjustments range from 13 3/4" to 14 3/4" on wood stocks and from 14 1/4" to 14 3/4" on synthetic stock models.




Getting pounded by recoil is a thing of the past with the **INFLEX TECHNOLOGY RECOIL PAD**. Specially shaped rib structures located inside the pad help direct and channel the recoil impulse, moving the comb down and away from your cheek to reduce felt recoil to very manageable levels, even when shooting heavy magnum loads. A hard heel insert on the pad makes mounting the Super X[®]3 shotgun snag-free.

SHIM CAST ADJUSTMENT




- 1-Neutral cast. Raises the comb.
- 1R/1L - Changes cast. Raises the comb.

SHIM COMB DROP ADJUSTMENT



- 2-Neutral cast. Neutral comb.
- 2R/2L-Changes cast. Neutral comb.
- 3-Neutral cast. Lowers the comb.
- 3R/3L-Changes cast. Lowers the comb.

Every shooter is different, and no single stock design will perfectly fit every person. **MULTI-AXIS CAST/DROP SHIMS** on Super X[®]3 shotgun synthetic stock models allow you to easily adjust both cast on/cast off and drop at comb over a 1/4" range simply by inserting one of the six special shims between the receiver and the buttstock.



BACK-BORED TECHNOLOGY is based on extensive research and testing to find the secret to tighter, more consistent patterns. Instead of the traditional bore size of .729", this research shows the ideal 12 gauge interior diameter is .742". In 20 gauge barrels the ideal bore diameter is .630" instead of the standard .618". If the bore is any larger the gases will blow by the shot cup and reduce pellet velocity. If the bore is too tight the pellets are deformed as they pass through the forcing cone, causing poor ballistic performance.



From the duck blind to the firing line, the **INVECTOR-PLUS CHOKE TUBE SYSTEM** is the world's most consistent. The Super X3 shotgun comes with full, modified and improved cylinder flush-mounted choke tubes so your gun is ready for anything, right out of the box. Additional choke tubes are available at your local firearms dealer.



CHROME-PLATED CHAMBER AND BORE are critical for today's steel or Hi-Density (HD) shot. Hard chrome makes the surfaces highly resistant to wear and gives you superior protection from rust and corrosion. That's why all smoothbore Super X³ shotguns feature a hard-chromed chamber and bore.




LOAD DIVERSITY means a Super X³ shotgun can reliably shoot them all, from light factory field shells to heavy magnum waterfowl and turkey loads. That's why the Super X3 shotgun has been proven as the most versatile autoloader on the range, in the marsh and in the field.



The **ACTIVE VALVE SYSTEM** automatically self-adjusts to allocate the exact gas pressure necessary to reliably cycle a wide range of loads commonly used for hunting or target shooting. When firing the heaviest magnum loads in 3 1/2" models, gases vent upward and a portion of them are vented forward out the Quadra-Vent™ ports in the forearm to help regulate bolt speed. Both 3" and 3 1/2" Super X³ shotguns will reliably cycle even 1 1/8 oz., 2 3/4" light field loads.



Excess gases from heavy loads are channeled through the forward **QUADRA-VENT™** ports for cleaner and more reliable operation.



The **AMBIDEXTROUS SAFETY** button on the Super X³ shotgun is located at the rear of the trigger guard and is easily reversible for both right- or left-handed shooters.



The **DROP-OUT TRIGGER GROUP** is easy to remove for cleaning or lubrication.

RNT-V

Winchester Repeating Arms® is a **PROUD SPONSOR** of the television show "RNT-V". If you want to stay on top of your game in expert waterfowl calling and shooting, tune in for timely tactics. Check your local listings for broadcast dates and times.

SUPER X[®] 3

**THE FASTEST WAY TO
SMOKE A CLAY.**





The Super X®3 Sporting shotgun comes with a durable, fitted ABS hard case imprinted with the Winchester Repeating Arms® logo.



SPORTING



T-WRENCH, LF, IM, M, IC, SK

- **SATIN OIL FINISH GRADE II / III WALNUT STOCK WITH CUT CHECKERING** improves grip and looks elegant
- **FULLY ADJUSTABLE COMB** allows you to custom fit the stock to perfectly align your head position
- **NICKEL-PLATED BOLT, CARRIER, SLIDE AND COCKING HANDLE** are extremely durable and easy to keep clean
- **BACK-BORED TECHNOLOGY** provides optimum shot patterns that are dense and even
- **2 3/4" HARD CHROME-PLATED CHAMBER AND BORE** make these surfaces highly resistant to wear and corrosion
- **TRUGLO® TRU-BEAD™ FIBER-OPTIC FRONT SIGHT** with interchangeable light pipes and white mid-bead offer a true, precise sight picture in any light
- **PORTED BARREL** reduces muzzle jump and helps tame felt recoil
- **EXTENDED SIGNATURE INVECTOR-PLUS CHOKE TUBE SYSTEM** offers consistent patterns to match your situation
- **CUSTOM ACTIVE VALVE SYSTEM DESIGNED FOR THE SUPER X®3 SPORTING SHOTGUN** cycles standard target loads to the heaviest 2 3/4" loads while reducing felt recoil
- **PACHMAYR® DECELERATOR® RECOIL PAD** provides optimal protection against felt recoil
- **AMBIDEXTROUS CROSSBOLT SAFETY** is easily reversible
- **DROP-OUT TRIGGER GROUP** allows easy cleaning

ITEM NUMBER	GAUGE	BARREL LENGTH	CHAMBER	MAGAZINE CAPACITY	CHOKE TUBES INCLUDED	OVERALL LENGTH	LENGTH OF PULL	DROP AT COMB	DROP AT HEEL	NOMINAL WT. (LBS.)	SUGGESTED RETAIL
SX3 SPORTING (ADJUSTABLE COMB)											
511115392	12	28"	2 3/4"	4*	LF, IM, M, IC, SK	49 1/4" **	14 1/2"	1 1/2"◇	1 3/4"◇	7 3/8	\$1,699.99
511115393	12	30"	2 3/4"	4*	LF, IM, M, IC, SK	51 1/4" **	14 1/2"	1 1/2"◇	1 3/4"◇	7 1/2	1,699.99
511115394	12	32"	2 3/4"	4*	LF, IM, M, IC, SK	53 1/4" **	14 1/2"	1 1/2"◇	1 3/4"◇	7 5/8	1,699.99

*TOTAL CAPACITY (INCLUDES ONE SHELL IN THE CHAMBER) SPORTING: 2 3/4" = 5 **OVERALL LENGTH DOES NOT INCLUDE ADDITIONAL LENGTH OF CHOKE TUBE
 ◇ ADJUSTABLE COMB STOCK DIMENSIONS ARE MEASURED WITH COMB IN THE LOWEST POSITION.

SUPER X[®] 3

THE
**FASTEST
FOWLER**
IN THE FIELD.



ITEM NUMBER	GAUGE	BARREL LENGTH	CHAMBER	MAGAZINE CAPACITY	CHOKE TUBES INCLUDED	OVERALL LENGTH	LENGTH OF PULL	DROP AT COMB	DROP AT HEEL	NOMINAL WT. (LBS.)	SUGGESTED RETAIL
SX3 FIELD											
511144391	12	26"	3"	4*	F, M, IC	46 3/4"	14"	1 1/2"	1 3/4"	6 3/4	\$1,069.99
511144392	12	28"	3"	4*	F, M, IC	48 3/4"	14"	1 1/2"	1 3/4"	6 7/8	1,069.99
511144691	20	26"	3"	4*	F, M, IC	46 3/4"	14"	1 3/8"	1 7/8"	6 3/8	1,139.99
511144692	20	28"	3"	4*	F, M, IC	48 3/4"	14"	1 3/8"	1 7/8"	6 1/2	1,139.99
SX3 FIELD COMPACT											
511146390	12	24"	3"	4*	F, M, IC	43 3/4"	13"	1 1/2"	1 3/4"	6 5/8	\$1,069.99
511146391	12	26"	3"	4*	F, M, IC	45 3/4"	13"	1 1/2"	1 3/4"	6 3/4	1,069.99
511146392	12	28"	3"	4*	F, M, IC	47 3/4"	13"	1 1/2"	1 3/4"	6 7/8	1,069.99
511146690	20	24"	3"	4*	F, M, IC	43 3/4"	13"	1 5/8"	1 7/8"	6 1/4	1,139.99
511146691	20	26"	3"	4*	F, M, IC	45 3/4"	13"	1 5/8"	1 7/8"	6 3/8	1,139.99
511146692	20	28"	3"	4*	F, M, IC	47 3/4"	13"	1 5/8"	1 7/8"	6 1/2	1,139.99

*TOTAL CAPACITY (INCLUDES ONE SHELL IN THE CHAMBER): FIELD AND FIELD COMPACT: 2 3/4" = 5, 3" = 4



FIELD



F, M, IC

- **SATIN OIL FINISH WALNUT STOCK WITH CLASSIC CUT CHECKERING** improves grip and looks elegant
- **MATTE BLACK RECEIVER** is strong, lightweight aluminum alloy to reduce weight for easy carrying
- **BACK-BORED TECHNOLOGY** provides optimum shot patterns that are dense and even
- **VENT RIB** gives you a smooth, clean sighting plane and helps reduce weight
- **BRASS FRONT SIGHT BEAD** offers a fast, natural sight picture

- **HARD CHROME-PLATED CHAMBER AND BORE** make these surfaces highly resistant to wear and corrosion
- **INVECTOR-PLUS CHOKE TUBES** offer consistent, reliable patterns
- **ACTIVE VALVE SYSTEM** cycles a wide variety of loads while reducing felt recoil
- **PACHMAYR® DECELERATOR® RECOIL PAD** provides optimal protection against felt recoil
- **AMBIDEXTROUS CROSSBOLT SAFETY** is easily reversible
- **DROP-OUT TRIGGER GROUP** allows easy cleaning



FIELD COMPACT



F, M, IC

- **COMPACT 13" LENGTH OF PULL** to fit smaller statured shooters
- **SATIN OIL FINISH WALNUT STOCK WITH CLASSIC CUT CHECKERING** improves grip and looks elegant
- **MATTE BLACK RECEIVER** is strong, lightweight aluminum alloy to reduce weight for easy carrying
- **BACK-BORED TECHNOLOGY** provides optimum shot patterns that are dense and even
- **VENT RIB** gives you a smooth, clean sighting plane and helps reduce weight
- **BRASS FRONT SIGHT BEAD** offers a fast, natural sight picture in a wide variety of lighting condition

- **HARD CHROME-PLATED CHAMBER AND BORE** make these surfaces highly resistant to wear and corrosion
- **INVECTOR-PLUS CHOKE TUBES** offer consistent, reliable patterns
- **ACTIVE VALVE SYSTEM** cycles a wide variety of loads while reducing felt recoil
- **PACHMAYR® DECELERATOR® RECOIL PAD** provides optimal protection against felt recoil
- **AMBIDEXTROUS CROSSBOLT SAFETY** is easily reversible
- **DROP-OUT TRIGGER GROUP** allows easy cleaning

SUPER X[®] 3

BASIC BLACK GOES WITH EVERYTHING.



RNT-V

"AS HUNTERS, WE LIVE BY THE WHIMS OF MOTHER NATURE; THERE ARE NO ABSOLUTES. AS A DUCK HUNTER, I RELY ON THE THINGS I CAN CONTROL SUCH AS LIFELIKE DECOYS, A GOOD DUCK CALL, A WARM PAIR OF WADERS, SHELLS AND A TRUSTY SHOTGUN. I KNOW THAT WHEN IT'S TIME TO GET THINGS DONE, EVERY TIME I PUNCH THE SAFETY AND PULL THE TRIGGER, MY SUPER X[®]3 SHOTGUN IS GONNA WORK."

— JIM RONQUEST
PRODUCER "RNT-V"
WORLD CHAMPION DUCK CALLER
CO-HOST OF "RNT-V"



ITEM NUMBER	GAUGE	BARREL LENGTH	CHAMBER	MAGAZINE CAPACITY	CHOKE TUBES INCLUDED	OVERALL LENGTH	LENGTH OF PULL	DROP AT COMB	DROP AT HEEL	NOMINAL WT. (LBS.)	SUGGESTED RETAIL
SX3 BLACK SHADOW											
511123291	12	26"	3 1/2"	4*	F, M, IC	47"	14 1/4"	1 3/4"	2"	7	\$1,069.99
511123292	12	28"	3 1/2"	4*	F, M, IC	49"	14 1/4"	1 3/4"	2"	7 1/4	1,069.99
511123391	12	26"	3"	4*	F, M, IC	47"	14 1/4"	1 3/4"	2"	7	999.99
511123392	12	28"	3"	4*	F, M, IC	49"	14 1/4"	1 3/4"	2"	7 1/4	999.99
511123691	20	26"	3"	4*	F, M, IC	47"	14 1/4"	1 3/4"	2"	6 5/8	1,069.99
511123692	20	28"	3"	4*	F, M, IC	49"	14 1/4"	1 3/4"	2"	6 3/4	1,069.99
SX3 CANTILEVER BUCK											
511147340	12	22"	3"	4**	1:28" RH Twist	43"	14 1/4"	1 3/4"	2"	7 3/4	\$1,149.99
511147640	20	22"	3"	4**	1:24" RH Twist	43"	14 1/4"	1 3/4"	2"	7 1/2	1,199.99

*TOTAL CAPACITY (INCLUDES ONE SHELL IN THE CHAMBER): BLACK SHADOW AND CANTILEVER BUCK: 2 3/4" = 5, 3" = 4, 3 1/2" = 4

**MAGAZINE CAPACITY DEPENDS ON SHELL LENGTH. SOME SLUGS ARE LONGER THAN STANDARD 2 3/4" SHOT SHELLS.



BLACK SHADOW®



F, M, IC

- **SYNTHETIC STOCK WITH TEXTURED GRIPPING SURFACES** gives your hands a sure, non-slip grip and the non-glare matte black finish won't spook wary game
- **BACK-BORED TECHNOLOGY** provides optimum shot patterns that are dense and even
- **INVECTOR-PLUS CHOKE TUBE SYSTEM** offers consistent patterns to match your situation
- **HARD CHROME-PLATED CHAMBER AND BORE** make these surfaces highly resistant to wear and corrosion
- **BRASS BEAD FRONT SIGHT** offers a fast, natural sight picture

- **SELF-ADJUSTING ACTIVE VALVE SYSTEM** cycles a wide variety of loads while reducing felt recoil
- **QUADRA-VENT™ PORTS** vent excess gases for cleaner operation
- **DROP-OUT TRIGGER GROUP** allows easy cleaning
- **AMBIDEXTROUS CROSSBOLT SAFETY** is easily reversible
- **CAST/DROP SHIMS AND LENGTH OF PULL SPACERS** allow adjustments for a perfect fit
- **INFLEX TECHNOLOGY RECOIL PAD** directs felt recoil down and away from your cheek to reduce flinch and fatigue



CANTILEVER BUCK



- **SYNTHETIC STOCK WITH TEXTURED GRIPPING SURFACES** gives your hands a sure, non-slip grip and the non-glare matte black finish won't spook wary game
- **RIFLED 22" BARREL** optimized for extreme accuracy with 2 3/4" and 3" sabots and slugs
- **MATTE BLACK RECEIVER** is strong, lightweight aluminum alloy for easy carrying
- **WEAVER®-STYLE CANTILEVER RAIL DESIGN** makes it easy to attach an electronic sight or conventional scope
- **TRUGLO® FIBER-OPTIC FRONT SIGHT** with adjustable rear sight gathers light for fast, quick pointing

- **SELF-ADJUSTING ACTIVE VALVE SYSTEM** cycles a wide variety of loads while reducing felt recoil
- **DROP-OUT TRIGGER GROUP** allows easy cleaning
- **AMBIDEXTROUS CROSSBOLT SAFETY** is easily reversible
- **CAST/DROP SHIMS AND LENGTH OF PULL SPACERS** allow adjustments for a perfect fit
- **INFLEX TECHNOLOGY RECOIL PAD** directs felt recoil down and away from your cheek to reduce flinch and fatigue



SUPER X[®] 3 HIDE FROM THE WARY EYES OF YOUR QUARRY.



RNT-V

"BORN AND RAISED DUCK HUNTING IN STUTTGART, ARKANSAS ALONG WITH TRAVELING AROUND THE COUNTRY GATHERING FOOTAGE FOR RNT-V, I HAVE HAD THE OPPORTUNITY TO SHOOT SEVERAL DIFFERENT SHOTGUNS. FOR ME, THE WINCHESTER[®] SUPER X[®]3 SHOTGUN IS HANDS DOWN THE BEST FITTING, BEST HANDLING, MOST RELIABLE GUN I HAVE EVER SHOT. THE SUPER X3 SHOTGUN HAS DONE EVERYTHING I HAVE EVER ASKED IT TO DO — EVERY TIME I PULL THE TRIGGER."

— JOHN STEPHENS
PRESIDENT RNT CALLS
3-TIME WORLD CHAMPION DUCK CALLER
EXECUTIVE PRODUCER
AND CO-HOST OF "RNT-V"



ITEM NUMBER	GAUGE	BARREL LENGTH	CHAMBER	MAGAZINE CAPACITY	CHOKE TUBES INCLUDED	OVERALL LENGTH	LENGTH OF PULL	DROP AT COMB	DROP AT HEEL	NOMINAL WT. (LBS.)	SUGGESTED RETAIL
SX3 WATERFOWL HUNTER											
511155291	12	26"	3 1/2"	4*	F, M, IC	47"	14 1/4"	1 3/4"	2"	7	\$1,199.99
511155292	12	28"	3 1/2"	4*	F, M, IC	49"	14 1/4"	1 3/4"	2"	7 1/8	1,199.99
511155391	12	26"	3"	4*	F, M, IC	47"	14 1/4"	1 3/4"	2"	7	1,139.99
511155392	12	28"	3"	4*	F, M, IC	49"	14 1/4"	1 3/4"	2"	7 1/8	1,139.99
511155691	20	26"	3"	4*	F, M, IC	47"	14 1/4"	1 3/4"	2"	6 5/8	1,199.99
511155692	20	28"	3"	4*	F, M, IC	49"	14 1/4"	1 3/4"	2"	6 3/4	1,199.99
SX3 UNIVERSAL HUNTER											
NEW	511167291	12	26"	3 1/2"	4*	F, M, IC	47"	14 1/4"	1 3/4"	7	\$1,239.99
NEW	511167292	12	28"	3 1/2"	4*	F, M, IC	49"	14 1/4"	1 3/4"	7 1/8	1,239.99
NEW	511167691	20	26"	3"	4*	F, M, IC	47"	14 1/4"	1 3/4"	6 5/8	1,239.99
NEW	511167692	20	28"	3"	4*	F, M, IC	49"	14 1/4"	1 3/4"	6 3/4	1,239.99

*TOTAL CAPACITY (INCLUDES ONE SHELL IN THE CHAMBER): WATERFOWL HUNTER AND UNIVERSAL HUNTER: 2 3/4" = 5, 3" = 4, 3 1/2" = 4



WATERFOWL HUNTER



F, M, IC

- **SYNTHETIC STOCK WITH TEXTURED GRIPPING SURFACES** gives your hands a sure, non-slip grip and the non-glare Mossy Oak® Shadow Grass Blades finish won't spook wary waterfowl.
- **BACK-BORED TECHNOLOGY** provides optimum shot patterns that are dense and even
- **INVECTOR-PLUS CHOKE TUBE SYSTEM** offers consistent patterns to match your situation
- **HARD CHROME-PLATED CHAMBER AND BORE** make these surfaces highly resistant to corrosion and wear from steel shot
- **VENT RIB** gives you a smooth, clean sighting plane
- **TRUGLO® LONG BEAD™ FIBER-OPTIC FRONT SIGHT** offers true, precise sight picture
- **ACTIVE VALVE GAS SYSTEM** cycles a wide variety of loads while reducing felt recoil
- **QUADRA-VENT™ PORTS** vent excess gases for cleaner operation
- **DROP-OUT TRIGGER GROUP** allows easy cleaning
- **AMBIDEXTROUS CROSSBOLT SAFETY** is easily reversible
- **CAST/DROP SHIMS AND LENGTH OF PULL SPACERS** allow adjustments for perfect fit
- **INFLEX TECHNOLOGY RECOIL PAD** directs felt recoil down and away from your cheek to reduce flinch and fatigue



UNIVERSAL HUNTER



F, M, IC

- **SYNTHETIC STOCK WITH TEXTURED GRIPPING SURFACES** gives your hands a sure, non-slip grip and the non-glare Mossy Oak® Break-Up Country® finish won't spook wary game
- **BACK-BORED TECHNOLOGY** provides optimum shot patterns that are dense and even
- **INVECTOR-PLUS CHOKE TUBE SYSTEM** offers consistent patterns to match your situation
- **HARD CHROME-PLATED CHAMBER AND BORE** make these surfaces highly resistant to wear and corrosion
- **VENT RIB** gives you a smooth, clean sighting plane
- **TRUGLO® LONG BEAD™ FIBER-OPTIC FRONT SIGHT** offers true, precise sight picture
- **ACTIVE VALVE GAS SYSTEM** cycles a wide variety of loads while reducing felt recoil
- **QUADRA-VENT™ PORTS** vent excess gases for cleaner operation
- **DROP-OUT TRIGGER GROUP** allows easy cleaning
- **AMBIDEXTROUS CROSSBOLT SAFETY** is easily reversible
- **CAST/DROP SHIMS AND LENGTH OF PULL SPACERS** allow adjustments for perfect fit
- **DRILLED AND TAPPED RECEIVER** for mounting your favorite scope
- **INFLEX TECHNOLOGY RECOIL PAD** directs felt recoil down and away from your cheek to reduce flinch and fatigue

SUPER X[®] 3

THE FASTEST
WAY TO TAG YOUR
TROPHY
LONG BEARD.



BREAK-UP
COUNTRY
New Camo for 2015

LONG BEARD™ XR™ IS LETHAL AT LONGER RANGES.

If you think 40 yards is as far as you can take a trophy tom, think again. With Winchester® Long Beard™ XR™ and its new Shot-Lok™ Technology, your effective range can increase by 20 to 30 yards and still deliver devastating, one-shot on-turkey performance.



	ITEM NUMBER	GAUGE	BARREL LENGTH	CHAMBER	MAGAZINE CAPACITY	CHOKE TUBES INCLUDED	OVERALL LENGTH**	LENGTH OF PULL	DROP AT COMB	DROP AT HEEL	NOMINAL WT. (LBS.)	SUGGESTED RETAIL
SX3 NWTf CANTILEVER TURKEY												
NEW	511169290	12	24"	3 1/2"	4*	TURKEY	45"	14 1/4"	1 3/4"	2"	7 1/2	\$1,199.99
NEW	511169690	20	24"	3"	4*	TURKEY	45"	14 1/4"	1 3/4"	2"	7 1/8	1,199.99
SX3 LONG BEARD												
NEW	511168290	12	24"	3 1/2"	4*	X-FULL LONG BEARD	45"	14 1/4"	1 3/4"	2"	7 1/2	\$1,269.99

*TOTAL CAPACITY (INCLUDES ONE SHELL IN THE CHAMBER): NWTf CANTILEVER TURKEY AND LONG BEARD: 2 3/4" = 5, 3" = 4, 3 1/2" = 4

**OVERALL LENGTH DOES NOT INCLUDE CHOKE TUBE

EXTRA-FULL TURKEY CHOKE TUBE

A tight, dense pattern of heavy shot is critical for taking turkeys. You get an Invector-Plus Extra-Full Turkey choke tube standard with the Super X^{®3} NWTF[®] Cantilever Turkey shotgun. The knurled friction band makes it easy to install or remove and the camo band won't give you away to a sharp-eyed tom.



LONG BEARD CHOKE TUBE

Aggressively avid turkey hunters will go to great lengths to tag that trophy tom. The Winchester[®] Super X^{®3} Long Beard model features an extended Extra-Full Turkey tube with a fluted body, knurled friction ring and camo band. It's designed to extract every bit of potential from Winchester's newest Long Beard[™] XR[™] turkey ammunition.



NWTF[®] CANTILEVER TURKEY



- **SYNTHETIC STOCK WITH TEXTURED GRIPPING SURFACES** gives your hands a sure, non-slip grip and the non-glare Mossy Oak[®] Break-Up Country[®] finish won't spook wary turkeys
- **BACK-BORED TECHNOLOGY** provides optimum shot patterns that are dense and even
- **INVECTOR-PLUS EXTRA-FULL TURKEY EXTENDED CHOKE TUBE** with Mossy Oak Break-Up Country band produces a tight, tom-busting pattern
- **24" BARREL** is easy to swing in tight brush
- **HARD CHROME-PLATED CHAMBER AND BORE** make these surfaces highly resistant to wear and corrosion
- **TRUGLO[®] FIBER-OPTIC FRONT SIGHT WITH ADJUSTABLE REAR SIGHT** gathers light for fast, quick pointing

- **WEAVER[®]-STYLE CANTILEVER RAIL DESIGN** makes it easy to attach an electronic sight or conventional scope
- **QUADRA-VENT[™] PORTS** vent excess gases for cleaner operation
- **DROP-OUT TRIGGER GROUP** allows easy cleaning
- **AMBIDEXTROUS CROSSBOLT SAFETY** is easily reversible
- **CAST/DROP SHIMS AND LENGTH OF PULL SPACERS** allow adjustments for perfect fit
- **INFLEX TECHNOLOGY RECOIL PAD** directs felt recoil down and away from your cheek to reduce flinch and fatigue

NEW

LONG BEARD



- **SYNTHETIC PISTOL GRIP STOCK WITH TEXTURED GRIPPING SURFACES** gives your hands a sure, non-slip grip and the non-glare Mossy Oak[®] Break-Up Country[®] finish won't spook wary turkeys
- **THREE INTERCHANGEABLE COMB INSERTS AND THREE RECOIL PAD OPTIONS** let you fine tune the shotgun's fit to match your shooting style
- **BACK-BORED TECHNOLOGY** provides optimum shot patterns that are dense and even
- **INVECTOR-PLUS BRILEY[®] EXTRA-FULL LONG BEARD EXTENDED CHOKE TUBE** is optimized for Winchester[®] Long Beard[™] XR[™] ammunition to produce a tight, tom-busting pattern
- **24" BARREL** is easy to swing in tight brush

- **HARD CHROME-PLATED CHAMBER AND BORE** make these surfaces highly resistant to wear and corrosion
- **3 1/2" CHAMBER** gives you plenty of ammunition choices
- **TRUGLO[®] FIBER-OPTIC FRONT SIGHT WITH ADJUSTABLE REAR SIGHT** gathers light for fast, quick pointing
- **WEAVER[®]-STYLE CANTILEVER RAIL DESIGN** makes it easy to attach an electronic sight or conventional scope
- **QUADRA-VENT[™] PORTS** vent excess gases for cleaner operation
- **DROP-OUT TRIGGER GROUP** allows easy cleaning
- **AMBIDEXTROUS CROSSBOLT SAFETY** is easily reversible
- **INFLEX TECHNOLOGY RECOIL PAD** directs felt recoil down and away from your cheek to reduce flinch and fatigue

MODEL 101®

A LASTING EXPRESSION OF
ELEGANCE
IN WOOD AND STEEL.

The benchmark of shotgun elegance has long been set by the Belgian-made over and under. These artful stackbarrels are a living tribute to Old World craftsmanship as expressed in the engraved steel and crisply checkered walnut. The low-profile steel receiver and mild recoil make the Model 101® shotgun extremely pleasant to shoot all day long. This robust action is built to last a lifetime, having been tested by firing 25,000 shells without a single part failure. Bring the Model 101 shotgun to your shoulder at a Winchester Repeating Arms® dealer and you'll instantly realize you've found the perfect over and under.



Today's Model 101® shotgun features the same **FAMILIAR DIMENSIONS** set long ago by the original. The familiar drop at comb and narrow, comfortable grip ensure time-tested comfort and performance.




The Model 101® shotgun has the drop on the original with the advantage of a **LOW-PROFILE RECEIVER**. This means that recoil occurs in-line, directly back for faster follow-up shots with less muzzle jump. Also, your forward hand can be closer to the bore centerline, bringing your hands, face and sighting plane into a more natural alignment for more intuitive and accurate shooting.



An **ADJUSTABLE COMB** stock allows you to modify individual height and cast on/off for a custom fit in just seconds. (Hex wrench is included.)

Every Model 101® shotgun has **FINELY CUT CHECKERING** to improve grip and add artistic elegance to the well-figured walnut stock and forearm.



BACK-BORED TECHNOLOGY is based on extensive research and testing to find the secret to tighter, more consistent patterns. Instead of the traditional bore size of .729", this research shows the ideal 12 gauge interior diameter is .742". If the bore is any larger the gases will blow by the shot cup and reduce pellet velocity. If the bore is too tight the pellets are deformed as they pass through the forcing cone, causing poor ballistic performance.



CHROME-PLATED CHAMBERS AND BORES are found in all Winchester® Model 101® shotguns. This critical plating provides protection from thousands of heavy, high density, abrasive loads. This extra feature virtually eliminates wear and tear caused by thousands of shells.




From the field to the range, the **INVECTOR-PLUS CHOKE TUBE SYSTEM** is the world's most consistent. All Model 101® shotguns come with either extended Signature or flush-mounted Invector-Plus tubes, depending on the model. Additional tubes are available at your local firearms dealer.



TOUGH STEEL HINGE areas bear tension from recoil with each shot, so the Model 101® shotgun is built with surfaces that are 49% larger than many competitors. The surfaces are machined simultaneously with the hinge, ensuring perfect alignment.




TRUGLO



The Model 101® shotgun's **LOCKING LUGS** have 30% more contact surface than the competition for an action that's the strongest in the industry and built to last.



Getting pounded by recoil is now a thing of the past with the patented **PACHMAYR® DECELERATOR® RECOIL PAD** with snag-free heel. Found on all Model 101® shotguns, it reduces felt recoil to very manageable levels, even when shooting heavy magnum loads.



An **ADJUSTABLE TRIGGER SHOE** lets you fine tune its fore and aft position to your precise length of pull for more comfortable shooting on Pigeon and Sporting models. (A steel hex wrench is included.)



Sporting and Field models have a fitted **STEEL GRIP CAP** to add a touch of graceful elegance.

MODEL 101[®]

CRUSH YOUR CLAYS

THE CLASSIC WINCHESTER[®] WAY.

MODEL 101[®]



ITEM NUMBER	GAUGE	BARREL LENGTH	CHAMBER	CHOKE TUBES INCLUDED	OVERALL LENGTH**	LENGTH OF PULL	DROP AT COMB	DROP AT HEEL	NOMINAL WT. (LBS.)	SUGGESTED RETAIL
MODEL 101 PIGEON TRAP										
513057493	12	30"	2 3/4"	XF, F, IM	47 5/8"	14 5/8"	1 1/2"	2 3/8"	7 1/2	\$2,519.99
513057494	12	32"	2 3/4"	XF, F, IM	49 5/8"	14 5/8"	1 1/2"	2 3/8"	7 5/8	2,519.99
MODEL 101 PIGEON TRAP (ADJUSTABLE COMB)										
513059493	12	30"	2 3/4"	XF, F, IM	47 5/8"	14 5/8"	1 1/2"*	2 3/8"*	7 1/2	\$2,679.99
513059494	12	32"	2 3/4"	XF, F, IM	49 5/8"	14 5/8"	1 1/2"*	2 3/8"*	7 5/8	2,679.99
MODEL 101 SPORTING										
513054492	12	28"	2 3/4"	LF, IM, M, IC, SK	45 5/8"	14 5/8"	1 3/8"	2 3/8"	7 1/8	\$2,379.99
513054493	12	30"	2 3/4"	LF, IM, M, IC, SK	47 5/8"	14 5/8"	1 3/8"	2 3/8"	7 1/4	2,379.99
513054494	12	32"	2 3/4"	LF, IM, M, IC, SK	49 5/8"	14 5/8"	1 3/8"	2 3/8"	7 3/8	2,379.99

*ADJUSTABLE COMB STOCK DIMENSIONS ARE MEASURED WITH COMB IN THE LOWEST POSITION. **DOES NOT INCLUDE ADDED LENGTH OF CHOKE TUBES.




MODEL 101® PIGEON TRAP ADJUSTABLE COMB



EVERY MODEL 101® SPORTING AND TRAP SHOTGUN COMES WITH A DURABLE, FITTED ABS HARD CASE IMPRINTED WITH THE WINCHESTER REPEATING ARMS® LOGO.



PIGEON TRAP




T-WRENCH, XF, F, IM

- **HIGH GLOSS GRADE II / III WALNUT STOCK WITH 20 LINES-PER-INCH CUT CHECKERING** looks elegant and improves grip
- **ADJUSTABLE COMB OPTION** lets you custom fit the stock to your shooting style
- **LOW-PROFILE NICKEL-PLATED RECEIVER WITH CLASSIC PIGEON ENGRAVING** gives you faster target acquisition, a more controlled swing and less felt recoil
- **TRUGLO® TRU-BEAD® INTERCHANGEABLE FIBER-OPTIC FRONT SIGHT** offers a true, precise sight picture
- **TRADITIONAL MODEL 101® SHOTGUN DIMENSIONS** give you a performance advantage plus classic styling

- **EXTENDED SIGNATURE INVECTOR-PLUS CHOKE TUBES** offer predictable patterns to match your situation
- **BACK-BORED BARRELS** provide optimum shot patterns that are dense and even
- **PORTED BARRELS** reduce muzzle jump and help tame felt recoil
- **ADJUSTABLE TRIGGER** for perfect length of pull
- **HARD CHROME-PLATED CHAMBERS AND BORES** make these surfaces highly resistant to wear and corrosion
- **WHITE LINE SPACER PACHMAYR® DECELERATOR® RECOIL PAD** provides optimal protection against felt recoil



SPORTING



T-WRENCH, LF, IM, M, IC, SK

- **HIGH GLOSS GRADE II / III WALNUT STOCK WITH 20 LINES-PER-INCH CUT CHECKERING** looks elegant and improves grip
- **TRADITIONAL MODEL 101® SHOTGUN DIMENSIONS** give you a performance advantage plus classic styling
- **LOW-PROFILE RECEIVER** gives you faster target acquisition, a more controlled swing and less felt recoil
- **TRUGLO® TRU-BEAD® INTERCHANGEABLE FIBER-OPTIC FRONT SIGHT** offers a fast, natural sight picture
- **BACK-BORED TECHNOLOGY** provides optimum shot patterns that are dense and even
- **STEEL GRIP CAP** adds a touch of classic elegance

- **EXTENDED SIGNATURE INVECTOR-PLUS CHOKE TUBES** offers predictable patterns to match your situation
- **ADJUSTABLE TRIGGER SHOE** for perfect length of pull
- **HARD CHROME-PLATED CHAMBERS AND BORES** make these surfaces highly resistant to wear and corrosion
- **49% MORE HINGE SURFACE AREA** than our competitors giving you greater strength for long-term wear
- **30% MORE LOCKING LUG CONTACT AREA** keeps the action tighter and minimizes wear
- **PACHMAYR® DECELERATOR® RECOIL PAD** absorbs felt recoil to reduce flinch and fatigue

**MODEL
101[®]**

IT'S TIME FOR YOU TO
**DO SOME
FEATHER DUSTING.**

MODEL 101[®]





FIELD



T-WRENCH, F, M, IC

- **HIGH GLOSS GRADE II / III WALNUT STOCK WITH 20 LINES-PER-INCH CUT CHECKERING** looks elegant and improves grip
- **LOW-PROFILE RECEIVER** gives you faster target acquisition, a more controlled swing and less felt recoil
- **STEEL GRIP CAP** adds a classic touch
- **BACK-BORED BARRELS** provide optimum shot patterns that are dense and even
- **HARD CHROME-PLATED CHAMBERS AND BORES** make these surfaces highly resistant to wear and corrosion
- **INVECTOR-PLUS CHOKE TUBES** offer predictable patterns to match your situation
- **49% MORE HINGE SURFACE AREA** than our competitors giving you greater strength for long-term wear
- **30% MORE LOCKING LUG CONTACT AREA** keeps the action tighter and minimizes wear
- **WHITE LINE SPACER PACHMAYR® DECELERATOR® RECOIL PAD** provides optimal protection against felt recoil

ITEM NUMBER	GAUGE	BARREL LENGTH	CHAMBER	CHOKE TUBES INCLUDED	OVERALL LENGTH	LENGTH OF PULL	DROP AT COMB	DROP AT HEEL	NOMINAL WT. (LBS.)	SUGGESTED RETAIL
MODEL 101 FIELD										
513046371	12	26"	3"	F, M, IC	43 1/4"	14 1/4"	1 3/8"	2 3/8"	6 3/4	\$1,899.99
513046361	12	28"	3"	F, M, IC	45 1/4"	14 1/4"	1 3/8"	2 3/8"	7	1,899.99

WINCHESTER® CHOKE TUBES

Winchester Signature choke tubes are unsurpassed in the shotgun industry. In collaboration with Briley®, one of the most renowned makers of choke tubes in the world, the Invector-Plus and Standard Invector tubes are carefully machined from the best materials and calibrated to the strictest tolerances to deliver shot patterns exceeding your highest expectations. Installing these tubes in your barrel ensures that you are getting optimum patterning for the most challenging of wild game and the most difficult presentations in clay target shooting.



ITEM NUMBER	GA.	DESCRIPTION	DIAMETER	CONSTRUCTION	SUGGESTED RETAIL
-------------	-----	-------------	----------	--------------	------------------

SIGNATURE INVECTOR-PLUS CHOKE TUBES

12 GAUGE FOR WINCHESTER SUPREME, SELECT, SUPER X2, SUPER X3 AND SUPER X PUMP SHOTGUNS

61307103	12	Turkey (Camo Band)	.660	.082	\$80.00
6130703	12	Extra-Full Trap	.700	.040	70.00
6130713	12	Full	.705	.035	70.00
6130723	12	Light Full	.710	.030	70.00
6130733	12	Improved Modified	.715	.025	70.00
6130743	12	Modified	.720	.020	70.00
6130753	12	Light Modified	.725	.015	70.00
6130763	12	Improved Cylinder	.730	.010	70.00
6130773	12	Skeet	.735	.005	70.00
6130783	12	Cylinder	.740	.000	70.00
6130793	12	Spreader/Diffuser	Rifled	—	110.00

ITEM NUMBER	GA.	DESCRIPTION	DIAMETER	CONSTRUCTION	SUGGESTED RETAIL
-------------	-----	-------------	----------	--------------	------------------

INVECTOR-PLUS CHOKE TUBES

12 GAUGE FOR WINCHESTER SUPREME, SELECT, SUPER X2, SUPER X3 AND SUPER X PUMP SHOTGUNS

613050	12	Extra-Full	.700	.040	\$44.00
613051	12	Full	.705	.035	44.00
613052	12	Improved Modified	.715	.025	44.00
613053	12	Modified	.720	.020	44.00
613054	12	Improved Cylinder	.730	.010	44.00
613055	12	Skeet	.735	.005	44.00
613056	12	Cylinder	.740	.000	44.00

STANDARD INVECTOR CHOKE TUBES

12 GAUGE FOR WINCHESTER SUPER X2 PRACTICAL MODELS

6130303	12	Full	.690	.035	\$30.00
6130313	12	Improved Modified	.700	.025	30.00
6130323	12	Modified	.705	.020	30.00
6130333	12	Improved Cylinder	.715	.010	30.00
6130343	12	Skeet	.720	.005	30.00
6130353	12	Cylinder	.725	.000	30.00



SUPER X RIFLE HINGED FLOORPLATE MAGAZINE

SUPER X RIFLE DETACHABLE FLOORPLATE MAGAZINE



NEW



XPR RIFLE DETACHABLE BOX MAGAZINE

ITEM NUMBER	DESCRIPTION	SUGGESTED RETAIL
-------------	-------------	------------------

SUPER X RIFLE HINGED FLOORPLATE MAGAZINE

112029907	30-06 Sprg	\$69.00
112029906	300 Win Mag	69.00
112029904	270 WSM	69.00
112029905	300 WSM	69.00

SUPER X RIFLE DETACHABLE FLOORPLATE MAGAZINE

112029903	30-06 Sprg	\$69.00
112029902	300 Win Mag	69.00
112029900	270 WSM	69.00
112029901	300 WSM	69.00

XPR RIFLE DETACHABLE BOX MAGAZINE

NEW	112098800	270 Win, 30-06 Sprg	\$36.00
NEW	112098801	300 Win Mag, 338 Win Mag	36.00

(AMMUNITION SHOWN NOT INCLUDED.)

WINCHESTER® SCOPE BASES AND RINGS

Make sure your favorite Winchester® firearm carries its scope with Winchester bases and rings. Designed and manufactured with absolute precision from 7000-series aircraft grade aluminum alloy (or solid steel where noted) these mounts will hold today's high-magnification scopes without shifting zero.



XPR AND MODEL 70 RIFLE SCOPE SET WITH INTEGRATED BASES simplify mounting and help ensure your scope will stay zeroed in adverse conditions.



BASES AND RINGS are available in **GLOSS FINISH** to match scope and firearm.



WINCHESTER BASES for XPR RIFLE and SHOTGUNS accept Weaver®-style rings.



SXP BASE

BASES for 1885 RIFLES accept Winchester®-style rings.

ITEM NUMBER	DESCRIPTION	SUGGESTED RETAIL
SCOPE BASES AND RINGS		
62100	Scope Set, M70, Std Height, Matte, 1"	\$88.00
62200	Scope Set, M70, Med Height, Matte, 1"	88.00
62300	Scope Set, M70, High Height, Matte, 1"	88.00
62101	Scope Set, M70, Std Height, Matte, 30mm	88.00
62201	Scope Set, M70, Med Height, Matte, 30mm	88.00
62301	Scope Set, M70, High Height, Matte, 30mm	88.00
62102	Scope Set, M70 Safari, Std Height, Matte, 1"	88.00
62202	Scope Set, M70 Safari, Med Height, Matte, 1"	88.00
62302	Scope Set, M70 Safari, High Height, Matte, 1"	88.00
62103	Scope Set, M70 Safari, Std Height, Matte, 30mm	88.00
62203	Scope Set, M70 Safari, Med Height, Matte, 30mm	88.00
62303	Scope Set, M70 Safari, High Height, Matte, 30mm	88.00
63100	Scope Set, M70, Std Height, Gloss, 1"	88.00
63200	Scope Set, M70, Med Height, Gloss, 1"	88.00
63300	Scope Set, M70, High Height, Gloss, 1"	88.00
63101	Scope Set, M70, Std Height, Gloss, 30mm	88.00
63201	Scope Set, M70, Med Height, Gloss, 30mm	88.00
63301	Scope Set, M70, High Height, Gloss, 30mm	88.00
63102	Scope Set, M70 Safari, Std Height, Gloss, 1"	88.00
63202	Scope Set, M70 Safari, Med Height, Gloss, 1"	88.00
63302	Scope Set, M70 Safari, High Height, Gloss, 1"	88.00
63103	Scope Set, M70 Safari, Std Height, Gloss, 30mm	88.00
63203	Scope Set, M70 Safari, Med Height, Gloss, 30mm	88.00
63303	Scope Set, M70 Safari, High Height, Gloss, 30mm	88.00
NEW	62620 Scope Set, XPR, Std Height, Matte, 1"	88.00
NEW	62621 Scope Set, XPR, Med Height, Matte, 1"	88.00
NEW	62622 Scope Set, XPR, High Height, Matte, 1"	88.00
NEW	64630 Scope Set, XPR, Std Height, Matte, 30mm	88.00
NEW	64631 Scope Set, XPR, Med Height, Matte, 30mm	88.00
NEW	64632 Scope Set, XPR, High Height, Matte, 30mm	88.00
	63500 Steel Base, M70, Gloss	53.00
	63501 Steel Base, M1885 High Wall Hunter, Gloss	133.00
	63502 Steel Base, M1885 Low Wall, Gloss	133.00
	63600 Steel Rings, Std Height, Gloss, 1"	131.00
	63601 Steel Rings, Med Height, Gloss, 1"	131.00
	63602 Steel Rings, High Height, Gloss, 1"	131.00
	63603 Steel Rings, Std Height, Gloss, 30mm	131.00
	63604 Steel Rings, Med Height, Gloss, 30mm	131.00
	63605 Steel Rings, High Height, Gloss, 30mm	131.00
	62500 Alloy Base, SXP, Matte	39.00
	62501 Alloy Base, SX3/SX2, Matte	39.00
NEW	62502 Weaver-style Alloy Base, XPR, 2-Piece, Matte	29.00
NEW	62600 Weaver-style Alloy Rings, Std Height, Matte, 1"	44.00
NEW	62601 Weaver-style Alloy Rings, Med Height, Matte, 1"	44.00
NEW	62602 Weaver-style Alloy Rings, High Height, Matte, 1"	44.00
NEW	62610 Weaver-style Alloy Rings, Std Height, Matte, 30mm	44.00
NEW	62611 Weaver-style Alloy Rings, Med Height, Matte, 30mm	44.00
NEW	62612 Weaver-style Alloy Rings, High Height, Matte, 30mm	44.00

ITEM NUMBER	GA.	CHAMBER	BARREL LENGTH	DESCRIPTION	SUGGESTED RETAIL
SUPER X PUMP FIELD AND TURKEY BARRELS					
611251291	12	3 1/2"	26"	Matte Blued, Vent Rib, with 1 Modified Invector-Plus Choke Tube	\$149.99
611251292	12	3 1/2"	28"	Matte Blued, Vent Rib, with 1 Modified Invector-Plus Choke Tube	149.99
611251391	12	3"	26"	Matte Blued, Vent Rib, with 1 Modified Invector-Plus Choke Tube	149.99
611251392	12	3"	28"	Matte Blued, Vent Rib, with 1 Modified Invector-Plus Choke Tube	149.99
611270291	12	3 1/2"	26"	MOSGB, Vent Rib, with 1 Modified Invector-Plus Choke Tube	189.99
611270292	12	3 1/2"	28"	MOSGB, Vent Rib, with 1 Modified Invector-Plus Choke Tube	189.99
611254291	12	3 1/2"	26"	MODB, Vent Rib, with 1 Modified Invector-Plus Choke Tube	189.99
611254292	12	3 1/2"	28"	MODB, Vent Rib, with 1 Modified Invector-Plus Choke Tube	189.99
611254391	12	3"	26"	MODB, Vent Rib, with 1 Modified Invector-Plus Choke Tube	179.99
611254392	12	3"	28"	MODB, Vent Rib, with 1 Modified Invector-Plus Choke Tube	179.99
611251253	12	3 1/2"	24"	Matte Blued, Vent Rib, with 1 X-Full Extended Invector-Plus Choke Tube	159.99
611251353	12	3"	24"	Matte Blued, Vent Rib, with 1 X-Full Extended Invector-Plus Choke Tube	159.99
611257391	12	3"	26"	Matte Blued, Vent Rib 5 Shot, with 1 Modified Invector-Plus Choke Tube	139.99
611257392	12	3"	28"	Matte Blued, Vent Rib 5 Shot, with 1 Modified Invector-Plus Choke Tube	139.99
611261340	12	3"	22"	Matte Blued, Rifled, TRUGLO Sights	179.99
NEW 611251691	20	3"	26"	Matte Blued, Vent Rib, with 1 Modified Invector-Plus Choke Tube	149.99
NEW 611251692	20	3"	28"	Matte Blued, Vent Rib, with 1 Modified Invector-Plus Choke Tube	149.99
NEW 611251653	20	3"	24"	Matte Blued, Vent Rib, with 1 X-Full Extended Invector-Plus Choke Tube	149.99

SUPER X3 RIFLED BARRELS					
611108340	12	3"	22"	Matte Blued, Rifled, Cantilever Scope Mount with Synthetic Forearm*	\$579.99
611107340	12	3"	22"	MOBU, Rifled, Cantilever Scope Mount with Synthetic Forearm*	659.99
611121340	12	3"	22"	MOINF, Rifled, Cantilever Scope Mount with Synthetic Forearm*	659.99
611108240	12	3 1/2"	22"	Matte Blued, Rifled, Cantilever Scope Mount with Synthetic Forearm*	539.99
611121240	12	3 1/2"	22"	MOINF, Rifled, Cantilever Scope Mount with Synthetic Forearm*	539.99
611062640	20	3"	22"	Matte Blued, Rifled, Cantilever Scope Mount	539.99
611121640	20	3"	22"	MOINF, Rifled, Cantilever Scope Mount	599.99

SUPER X3 FIELD AND TURKEY BARRELS					
611053271	12	3 1/2"	26"	Perma-Cote UT Gray, Vent Rib, with 1 Modified Invector-Plus Choke Tube	\$519.99
611053261	12	3 1/2"	28"	Perma-Cote UT Gray, Vent Rib, with 1 Modified Invector-Plus Choke Tube	519.99
611054371	12	3"	26"	Perma-Cote UT Gray, Vent Rib, with 1 Modified Invector-Plus Choke Tube	419.99
611054361	12	3"	28"	Perma-Cote UT Gray, Vent Rib, with 1 Modified Invector-Plus Choke Tube	419.99
611054691	20	3"	26"	Perma-Cote UT Gray, Vent Rib, with 1 Modified Invector-Plus Choke Tube	419.99
611054692	20	3"	28"	Perma-Cote UT Gray, Vent Rib, with 1 Modified Invector-Plus Choke Tube	419.99
611123291	12	3 1/2"	26"	Matte Blued, Vent Rib, with 1 Modified Invector-Plus Choke Tube	459.99
611123292	12	3 1/2"	28"	Matte Blued, Vent Rib, with 1 Modified Invector-Plus Choke Tube	459.99
611123391	12	3"	26"	Matte Blued, Vent Rib, with 1 Modified Invector-Plus Choke Tube	399.99
611123392	12	3"	28"	Matte Blued, Vent Rib, with 1 Modified Invector-Plus Choke Tube	399.99
611123691	20	3"	26"	Matte Blued, Vent Rib, with 1 Modified Invector-Plus Choke Tube	399.99
611123692	20	3"	28"	Matte Blued, Vent Rib, with 1 Modified Invector-Plus Choke Tube	399.99
611155291	12	3 1/2"	26"	MOSGB, Vent Rib, with 1 Modified Invector-Plus Choke Tube	549.99
611155292	12	3 1/2"	28"	MOSGB, Vent Rib, with 1 Modified Invector-Plus Choke Tube	549.99
611074271	12	3 1/2"	26"	MODB, Vent Rib, with 1 Modified Invector-Plus Choke Tube	549.99
611074261	12	3 1/2"	28"	MODB, Vent Rib, with 1 Modified Invector-Plus Choke Tube	549.99
611155691	20	3"	26"	MOSGB, Vent Rib, with 1 Modified Invector-Plus Choke Tube	549.99

DO NOT ATTEMPT THE USE OF 3 1/2" CHAMBERED BARRELS WITH 3" RECEIVERS NOR 3" CHAMBERS WITH 3 1/2" RECEIVERS. *TO PREVENT DAMAGE TO FOREARMS, THESE 12 GAUGE SUPER X3 RIFLED CANTILEVER BARRELS ARE DELIVERED WITH A NEW FOREARM SPECIFICALLY DESIGNED TO FIT OVER THE THICKER, RIFLED BARREL WALL.

ITEM NUMBER	GA.	CHAMBER	BARREL LENGTH	DESCRIPTION	SUGGESTED RETAIL
611115692	20	3"	28"	MOSGB, Vent Rib, with 1 Modified Invector-Plus Choke Tube	\$549.99
611074691	20	3"	26"	MODB, Vent Rib, with 1 Modified Invector-Plus Choke Tube	549.99
611074692	20	3"	28"	MODB, Vent Rib, with 1 Modified Invector-Plus Choke Tube	549.99
611117291	12	3 1/2"	26"	MOINF, Vent Rib, with 1 Modified Invector-Plus Choke Tube	549.99
611117292	12	3 1/2"	28"	MOINF, Vent Rib, with 1 Modified Invector-Plus Choke Tube	549.99
611117691	20	3"	26"	MOINF, Vent Rib, with 1 Modified Invector-Plus Choke Tube	549.99
611117692	20	3"	28"	MOINF, Vent Rib, with 1 Modified Invector-Plus Choke Tube	549.99
611053253	12	3 1/2"	24"	Perma-Cote UT Gray, Vent Rib, TRUGLO Sights, with 1 X-Full Extended Invector-Plus Choke Tube	519.99
611053653	20	3"	24"	Perma-Cote UT Gray, Vent Rib, TRUGLO Sights, with 1 X-Full Extended Invector-Plus Choke Tube	549.99
611123253	12	3 1/2"	24"	Matte Blued, Vent Rib, TRUGLO Sights, with 1 X-Full Extended Invector-Plus Choke Tube	459.99
611123353	12	3"	24"	Matte Blued, Vent Rib, TRUGLO Sights, with 1 X-Full Extended Invector-Plus Choke Tube	399.99
611123653	20	3"	24"	Matte Blued, Vent Rib, TRUGLO Sights, with 1 X-Full Extended Invector-Plus Choke Tube	399.99

DO NOT ATTEMPT THE USE OF 3 1/2" CHAMBERED BARRELS WITH 3" RECEIVERS NOR 3" CHAMBERS WITH 3 1/2" RECEIVERS. *TO PREVENT DAMAGE TO FOREARMS, THESE 12 GAUGE SUPER X3 RIFLED CANTILEVER BARRELS ARE DELIVERED WITH A NEW FOREARM SPECIFICALLY DESIGNED TO FIT OVER THE THICKER, RIFLED BARREL WALL.

CUSTOMER SERVICE FOR WINCHESTER® FIREARMS

You can expect the same great customer service you've become accustomed to over the years. Expert gunsmiths can help you with the most technical problems and repairs to your firearms. There are many Authorized Repair Centers (ARC) throughout the country with gun repair professionals who know your firearm inside and out. If you need service on current models, as well as older Model 70, Model 94, Model 9422 or Model 1300 firearms, please contact one of the Authorized Repair Centers or our main Service Center in Arnold, Missouri. Please call (800) 333-3288 or visit online at <http://www.winchesterguns.com/customerservice/partsservice/index.asp> for more information.

WINCHESTER REPEATING ARMS®

Customer Service Department
275 Winchester Avenue
Morgan, UT 84050
(800) 945-5237
(801) 876-3440

Parts and Service
3005 Arnold Tenbrook Road
Arnold, MO 63010
(800) 322-4626

FOR FIREARMS: WINCHESTERGUNS.COM

FOR AMMUNITION: WINCHESTER.COM



ALL WINCHESTER® FIREARMS ARE SHIPPED WITH A FREE LOCKING DEVICE TO ASSIST IN THE SAFE STORAGE OF FIREARMS. (NOT SHOWN ACTUAL SIZE.)




Owner's manuals for all Winchester® firearms in this or previous catalogs are available upon request at no charge. Owners of Winchester firearms without owner's manuals are encouraged to view one online or request one at the address below. Some models and calibers are only made periodically. Winchester Repeating Arms (WRA) reserves the right to delay, postpone or discontinue production of any Winchester firearm for any reason without notice. All specifications in this catalog are subject to change without notice. Weights, stock dimensions, wood appearance, etc., may vary slightly between individual firearms. Wood is a natural product. No two pieces are alike and variation between stocks is to be expected. WRA reserves the right to modify or change specifications without notice. WRA will make every effort to make sure this catalog is accurate at the time of printing and apologizes for any errors in photographs, descriptions and specifications.

Please note that the following models are or were manufactured in Japan: Models 1885, 1886, 1892, 1894, 1895, 63 and 52B. Super X2, Super X3 and 101 shotguns are manufactured in Belgium and assembled in Portugal. Model 70 rifles are manufactured in the USA or in Portugal. The following trademarks are used with permission from Olin Corporation: Winchester, the Horse and Rider design, Super X, SX2 design, Super X2, SX3 design, Super X3, SXR design, Model 1892, Select, Model 101, Model 1300, Model 94, Model 70, Super X Pump, Long Beard, XPR and the red W design. Other trademarks used in this catalog: Mossy Oak Shadow Grass Blades, Mossy Oak Break-Up Infinity and Mossy Oak Break-Up Country are registered trademarks of Haas Outdoors. Pachmayr and Decelerator are registered trademarks of Lyman. Invector-Plus, Dura-Touch and Perma-Cote are trademarks of Browning. TRUGLO is a trademark of TruGlo, Inc. Marble Arms is a trademark of Marbles Arms. Weaver is a registered trademark of Alliant Tech.

© Copyright, WRA, September 2014. No part of this catalog may be reproduced without the written permission of Winchester Repeating Arms. Suggested retail pricing is in U.S. dollars, are approximate and subject to change without notice. If you have any questions concerning Winchester brand firearms, visit your Winchester Repeating Arms dealer or write to: Winchester Repeating Arms, 275 Winchester Ave., Morgan, UT 84050-9333. Printed in USA. GAC1409150/14077 Winchester firearms are imported by BACO, Inc. Winchester is a registered trademark of Olin Corporation.



A portion of the sale of every Winchester firearm is proudly donated to the Heritage Fund, which helps to expand the legal defense against politically motivated lawsuits against the hunting and shooting industry. Working together, the rightful tradition of firearms in America will continue.



RNT-V

GOULD BROTHERS® EXHIBITION SHOOTING

With little more than a vision of becoming professional exhibition shooters, the Gould Brothers searched for shotguns that would consistently perform at the highest level. They checked out all the manufacturers and both decided Winchester® was the way to go. Now, after countless rounds of practice and over six years of performing live shows on the biggest stages, the Gould Brothers are still relying on the Winchester Super X®3 and the Super X® Pump to help them amaze crowds across the country at their one-of-a-kind live exhibition shows.

RNT-V

RNT-V is a reality based show that centers around RNT Calls, today's leading manufacturer of custom duck and goose calls. The show is unique in that it gives a behind-the-scenes look at what it is to be a hardcore waterfowler, to juggle running a waterfowl-related business, film and produce an all waterfowl television program while still finding time to spend with family and friends. It is like no other show on outdoor television. Viewers get to witness first hand the total process of designing, developing, building, and testing new products then tagging along with the RNT crew as they scour the countryside chasing



MELISSA BACHMAN - WINCHESTER DEADLY PASSION TV

Melissa Bachman is an accomplished huntress with a unique ability to share her love for the great outdoors and all things wild with her passionate fans and viewers. Growing up in central Minnesota, surrounded by an avid hunting family filled with love and mentors galore, Melissa pursued her academic life with the same moxie as her passion for hunting. After graduating with honors and armed with degrees in both television broadcasting and Spanish from St. Cloud State University, she trained her sights on a career in outdoor television. Now Melissa spends nearly 200 days a year in the field, hunting, producing and editing for her show *Winchester Deadly Passion* on The Sportsman Channel and The Pursuit Channel.



BOB FOULKROD - WINCHESTER LEGENDS TV

Spanning the globe, *Winchester Legends* brings you an unequalled and exciting hunting adventure each and every week. Join hosts Bob Foulkrod, Steve Farris and Melissa Bachman as they venture near and far in search of the hunting world's most sought-after game species from gigantic whitetails to the majestic Alaskan grizzly bear. With each bringing their unique skills to the challenges of hunting — these seasoned hunters' experience, wits and will are put to the ultimate test. Drawing from the spirit and tradition of the outdoors, with a focus on passing down knowledge from one generation to the next, *Winchester Legends* is a showcase for the lifestyle and the responsibility we all share that allows for the enjoyment of hunting.



RON SPOMER - WINCHESTER WORLD OF WHITETAIL TV

It's hard-core whitetail hunting at its finest. This adventure-hunting-reality series is prime for whitetail fanatics across the country. Join host Ron Spomer as he tells all, including his strategies and tactics for taking big bucks. Viewers will also tag along and be "on-location" across the country as Ron hunts with resident experts and consults with ranch owners on how to manage for more and bigger deer, and tests the latest new products for hunting monster whitetails.



WINCHESTER®

REPEATING ARMS



XRR™ NEW FOR 2015

PRSR STD
U.S. POSTAGE PAID
PERMIT 315
OGDEN, UT

Winchester Repeating Arms
275 Winchester Ave., Morgan, UT
84050-9333